



PDF hosted at the Radboud Repository of the Radboud University Nijmegen

The following full text is a preprint version which may differ from the publisher's version.

For additional information about this publication click this link.

<http://hdl.handle.net/2066/121550>

Please be advised that this information was generated on 2020-11-28 and may be subject to change.



CERN-PH-EP-2013-155

Submitted to: Physical Review D

Search for charginos nearly mass-degenerate with the lightest neutralino based on a disappearing-track signature in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector

The ATLAS Collaboration

Abstract

A search is presented for direct chargino production based on a disappearing-track signature using 20.3 fb^{-1} of proton–proton collisions at $\sqrt{s} = 8$ TeV collected with the ATLAS experiment at the LHC. In anomaly-mediated supersymmetry breaking (AMSB) models, the lightest chargino is nearly mass-degenerate with the lightest neutralino and its lifetime is long enough to be detected in the tracking detectors by identifying decays that result in tracks with no associated hits in the outer region of the tracking system. Some models with supersymmetry also predict charginos with a significant lifetime. This analysis attains sensitivity for charginos with a lifetime between 0.1 ns and 10 ns , and significantly surpasses the reach of the LEP experiments. No significant excess above the background expectation is observed for candidate tracks with large transverse momentum, and constraints on chargino properties are obtained. In the AMSB scenarios, a chargino mass below 270 GeV is excluded at 95% confidence level.

Search for charginos nearly mass-degenerate with the lightest neutralino based on a disappearing-track signature in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector

The ATLAS collaboration*
CERN, 1211 Geneva 23, Switzerland
(Dated: October 15, 2013)

A search is presented for direct chargino production based on a disappearing-track signature using 20.3 fb^{-1} of proton–proton collisions at $\sqrt{s} = 8$ TeV collected with the ATLAS experiment at the LHC. In anomaly-mediated supersymmetry breaking (AMSB) models, the lightest chargino is nearly mass-degenerate with the lightest neutralino and its lifetime is long enough to be detected in the tracking detectors by identifying decays that result in tracks with no associated hits in the outer region of the tracking system. Some models with supersymmetry also predict charginos with a significant lifetime. This analysis attains sensitivity for charginos with a lifetime between 0.1 ns and 10 ns, and significantly surpasses the reach of the LEP experiments. No significant excess above the background expectation is observed for candidate tracks with large transverse momentum, and constraints on chargino properties are obtained. In the AMSB scenarios, a chargino mass below 270 GeV is excluded at 95% confidence level.

PACS numbers: 12.60.Jv,13.85.Rm,14.80.Nb

I. INTRODUCTION

Anomaly-mediated supersymmetry breaking (AMSB) models [1, 2], where soft supersymmetry (SUSY) breaking is caused by loop effects, provide a constrained mass spectrum of SUSY particles. One prominent feature of these models is that the lightest supersymmetric particle is the nearly pure neutral wino that is mass-degenerate with the charged wino. The lightest chargino ($\tilde{\chi}_1^\pm$) is then slightly heavier than the lightest neutralino ($\tilde{\chi}_1^0$) due to radiative corrections involving electroweak gauge bosons. The typical mass splitting between $\tilde{\chi}_1^\pm$ and $\tilde{\chi}_1^0$ ($\Delta m_{\tilde{\chi}_1}$) is ~ 160 MeV, which implies that $\tilde{\chi}_1^\pm$ has a considerable lifetime and predominantly decays into $\tilde{\chi}_1^0$ plus a low-momentum (~ 100 MeV) π^\pm . The mean lifetime ($\tau_{\tilde{\chi}_1^\pm}$) of $\tilde{\chi}_1^\pm$ is expressed in terms of $\Delta m_{\tilde{\chi}_1}$ and expected to be typically a fraction of a nanosecond. Several other SUSY models, which are motivated by the large value of the Higgs boson mass, also predict charginos with a significant lifetime and their decay to a soft pion and the lightest supersymmetric particle [3–6]. Therefore, some charginos could have decay lengths exceeding a few tens of centimeters at the Large Hadron Collider (LHC). When decaying in the sensitive volume, they are expected to be observed as “disappearing tracks” that have no more than a few associated hits in the outer region of the tracking system, and the softly emitted π^\pm is not reconstructed. This article explores AMSB scenarios by searching for charginos with their subsequent decays that result in such disappearing tracks. The electroweak production of charginos has a sizable cross-section in proton–proton (pp) collisions at LHC energies. Chargino-pair and chargino–neutralino associated production processes are identified using jets of

large transverse momentum (p_T) from initial-state radiation ($pp \rightarrow \tilde{\chi}_1^\pm \tilde{\chi}_1^0 j$ and $\tilde{\chi}_1^+ \tilde{\chi}_1^- j$, where j denotes a jet used to trigger the signal event). The search presented here, based on 20.3 fb^{-1} of 8 TeV pp collision data, increases the sensitivity compared to the previous ATLAS searches [7, 8] due to analysis improvements and increases in the beam energy and luminosity. The most significant improvement is achieved by enhancing the track reconstruction efficiency for charginos having short decay lengths. In particular, the efficiency for charginos with $\tau_{\tilde{\chi}_1^\pm} \sim 0.2$ ns, predicted for $\Delta m_{\tilde{\chi}_1} \sim 160$ MeV, is around 100 times larger than in the previous searches. The present analysis also provides sensitivity to a wider range of chargino lifetimes and covers a larger angular acceptance. It significantly surpasses the reach of the LEP experiments [9–12] for charginos with lifetimes > 0.1 ns.

II. THE ATLAS DETECTOR

ATLAS is a multi-purpose detector [13], covering nearly the entire solid angle [14] around the collision point with layers of tracking devices surrounded by a superconducting solenoid providing a 2 T axial magnetic field, a calorimeter system, and a muon spectrometer. The inner detector (ID) provides track reconstruction in the region $|\eta| < 2.5$ and consists of pixel and silicon microstrip (SCT) detectors inside a straw-tube transition radiation tracker (TRT). The pixel detector consists of three barrel layers and four disks in the forward and backward directions, providing on average three measurement points for charged tracks. The SCT is composed of four cylindrical layers of double-sided silicon microstrip modules, with nine disk layers in each end-cap region; eight silicon microstrip sensors are typically crossed by each track. The TRT, of particular importance to this search, covers $|\eta| < 1.0$ with its barrel detector, $0.8 < |\eta| < 2.0$ with the endcaps, and the radial

* atlas.publication@cern.ch

range 563–1066 mm. The average number of TRT hits on a track going through the inner detector in the central region is about 32. Tracks in the transition region $0.8 < |\eta| < 1.2$ pass partially through both the barrel and endcap and are still expected to have > 25 hits on average. Tracks passing through the dead region of the barrel TRT at $|\eta| < 0.1$ produce no TRT hits. The calorimeter system covers the range of $|\eta| < 4.9$. The electromagnetic calorimeter is a lead/liquid-argon (lead/LAr) detector in the barrel ($|\eta| < 1.475$) and endcap ($1.375 < |\eta| < 3.2$) regions. The hadronic calorimeters are composed of a steel and scintillator barrel ($|\eta| < 1.7$), a copper/LAr endcap ($1.5 < |\eta| < 3.2$), and a LAr forward system ($3.1 < |\eta| < 4.9$) with copper and tungsten absorbers. The muon spectrometer consists of three large superconducting toroids, trigger chambers and precision tracking chambers that provide muon momentum measurements up to $|\eta| = 2.7$.

III. DATA AND SIMULATED EVENT SAMPLES

The data analyzed for this search were recorded in 2012 with the LHC colliding protons at $\sqrt{s} = 8$ TeV. The integrated luminosity, after the application of beam, detector and data quality requirements, corresponds to $20.3 \pm 0.6 \text{ fb}^{-1}$, where the luminosity measurement is based on the calibration procedure described in Ref. [15] and uses the most recent van der Meer scans performed in November 2012 to determine the calibration and its uncertainty.

The analysis makes use of a dedicated topological trigger in order to suppress a huge Standard Model (SM) multijet background: it requires at least one jet with $p_T > 80$ GeV, large missing transverse momentum (its magnitude, E_T^{miss} , above 70 GeV), and $\Delta\phi_{\text{min}}^{\text{jet-}E_T^{\text{miss}}} > 1$, where $\Delta\phi_{\text{min}}^{\text{jet-}E_T^{\text{miss}}}$ indicates the azimuthal separation between the missing transverse momentum and the jet. If the event contains multiple jets with $p_T > 45$ GeV, the smallest $\Delta\phi_{\text{min}}^{\text{jet-}E_T^{\text{miss}}}$ value is taken by using either of the two highest- p_T jets. For the multijet background, $\Delta\phi_{\text{min}}^{\text{jet-}E_T^{\text{miss}}}$ peaks near zero since a large E_T^{miss} is usually due to jet mismeasurement and is thus aligned with a high- p_T jet, while the signal events cluster at $\Delta\phi_{\text{min}}^{\text{jet-}E_T^{\text{miss}}} \approx \pi$.

Simulated Monte Carlo (MC) events are used to assess the experimental sensitivity to given models. The minimal AMSB model is characterized by four parameters: the gravitino mass ($m_{3/2}$), the universal scalar mass (m_0), the ratio of Higgs vacuum expectation values at the electroweak scale ($\tan\beta$), and the sign of the higgsino mass term (μ). A large value of 1 TeV is used for m_0 in order to prevent the appearance of a tachyonic slepton. The production cross-section is determined largely by the wino mass and is fairly independent of the other parameters. In this model, the wino mass is

proportional to $m_{3/2}$. The SUSY mass spectrum and the decay tables are calculated with the ISASUSY from ISAJET v7.80 [16]. The corresponding MC signal samples are produced using Herwig++ 2.5.2 [17] with CTEQ6L1 [18] parton distribution functions of the proton (PDFs). All samples used in this article are produced using a detector simulation [19] based on GEANT4 [20], and include multiple pp interactions (pile-up) in the triggered and adjacent bunch crossings to model the pile-up effect. Simulated points with chargino masses ($m_{\tilde{\chi}_1^\pm}$) ranging from 80–600 GeV and various values of the chargino lifetime $\tau_{\tilde{\chi}_1^\pm}$ are generated. In the GEANT4 simulation the charginos decay exponentially and the branching fraction for the decay $\tilde{\chi}_1^\pm \rightarrow \tilde{\chi}_1^0 \pi^\pm$ is set to 100%. Signal cross-sections are calculated at next-to-leading order in α_s using PROSPINO2 [21] program as shown in Fig. 1. The nominal cross-section and its uncertainty are taken from an envelope of cross-section predictions using different PDF sets and factorization and renormalization scales, as described in Ref. [22].




FIG. 1. The cross-section for direct chargino production at $\sqrt{s} = 8$ TeV as a function of the gravitino mass $m_{3/2}$. The corresponding chargino mass $m_{\tilde{\chi}_1^\pm}$ for each $m_{3/2}$ value is indicated.

IV. RECONSTRUCTION, OBJECT IDENTIFICATION AND EVENT SELECTION

Standard Model processes, especially W +jet events that naturally have large E_T^{miss} , can result in final-state kinematics similar to that of the signal. Kinematic selection criteria are applied to ensure high trigger efficiency and to reduce background arising from multijet processes or from electroweak gauge bosons that decay leptonically. At the next stage, the vast majority of SM background events are removed by identifying and demanding a disappearing track in the event.

A. Track reconstruction

Charged particle trajectories are reconstructed as tracks in the ID. In order to improve the efficiency of reconstructing particles leaving short tracks, this analysis applies an extra extended-track reconstruction that provides pixel-seeded reconstructed tracks in addition to the ATLAS standard tracks. The standard track reconstruction algorithm [23] is a sequence made of two main steps. First, an inside-out sequence starts from triplets of three-dimensional space points from the pixel and SCT detectors, with each space point originating from a unique detector layer, and then extends the resulting trajectories by combining other pixel, SCT and TRT hits. A second sequence takes the remaining TRT hits as seeds and attempts to extend identified trajectories inwards by combining them with unused space points. The first sequence is optimized to find primary tracks coming from the interaction point, while the second sequence is optimized for the reconstruction of electrons from photon conversions in the ID volume. The inside-out sequence is of particular interest for finding long-lived chargino trajectories, although it is optimized for the reconstruction of stable particles that leave long tracks in the ID, and in particular, only reconstructs tracks with a minimum of seven space points. In order to increase the acceptance of the track reconstruction and especially the chargino track reconstruction efficiency at low radius, a third sequence is applied. This sequence proceeds using leftover pixel and SCT hits from the two previous tracking sequences and reconstructs tracks with a minimum of three pixel hits, while no SCT or TRT hits are required. The outward extension then follows; SCT and TRT hits are attached if they lie along the track trajectory. The tracks reconstructed by the third sequence are used only to select disappearing-track candidates.

B. Event reconstruction

The event vertex [24] is required to have at least five associated tracks. When more than one such vertex is found, the vertex with the largest $\sum |p_T|^2$ of the associated tracks is chosen as primary. Jets are reconstructed using the anti- k_t algorithm [25] with a distance parameter of 0.4. The inputs to the jet reconstruction algorithm are topological calorimeter energy clusters seeded by cells with energy significantly above the noise level. Jet energies are then calibrated back to the particle level [26]. Reconstructed jets must satisfy the requirements of $p_T > 20$ GeV and $|\eta| < 2.8$. Electron candidates are reconstructed from energy clusters in the electromagnetic calorimeter matched to a track in the ID. Electrons must then fulfill the “loose” identification requirements described in Ref. [27], have transverse energy $E_T > 10$ GeV, and be within the region $|\eta| < 2.47$. Muon candidates are formed by matching ID tracks with either a complete track or a track segment reconstructed in

the muon spectrometer [28]. Furthermore, muons must satisfy the requirements of $N_{\text{b-layer}} > 0$ if crossing an active module of the innermost pixel layer, $N_{\text{pixel}} > 0$, $N_{\text{SCT}} \geq 6$, $p_T > 10$ GeV, and $|\eta| < 2.4$, where $N_{\text{b-layer}}$, N_{pixel} and N_{SCT} are the numbers of hits in the innermost pixel layer, the pixel and SCT detectors, respectively.

Following the object reconstruction described above, overlaps between jets and leptons are resolved to ensure isolation of leptons. First, any jet candidate lying within a distance of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} = 0.2$ of an electron is discarded. Then, any lepton candidate within a distance of $\Delta R = 0.4$ of any surviving jet is discarded.

The calculation of E_T^{miss} is based on the transverse momenta of remaining jets and lepton candidates and on all calorimeter energy clusters that are not associated with such objects [29].

C. Kinematic selection

Following the event reconstruction, selection requirements to reject non-collision background events, given in Ref. [26], are applied to jets. In order to suppress backgrounds from $W/Z + \text{jets}$ and top-pair production processes, events are discarded if they contain any electron or muon candidates (lepton veto). Events containing muons are further suppressed by requiring no tracks with $p_T > 10$ GeV reconstructed in the muon spectrometer. The candidate events are finally required to have $E_T^{\text{miss}} > 90$ GeV, at least one jet with $p_T > 90$ GeV, and $\Delta\phi_{\text{min}}^{\text{jet}-E_T^{\text{miss}}} > 1.5$. The trigger selection is $> 98\%$ efficient for signal events satisfying these selection requirements.

D. Selection of disappearing tracks

The tracks originating from charginos are expected to have high transverse momenta, to be isolated, and to have few associated hits in the outer region of the ID. The TRT detector in particular provides substantial discrimination against penetrating stable charged particles if only a small number of hits on the track is required. Therefore, candidate tracks for decaying charginos are required to fulfill the following criteria:

- (I) the track must have $N_{\text{pixel}} \geq 3$, $N_{\text{b-layer}} \geq 1$ if crossing an active module of the innermost pixel layer, $N_{\text{SCT}} \geq 2$, $|d_0| < 0.1$ mm and $|z_0 \sin \theta| < 0.5$ mm, where d_0 and z_0 are the transverse and longitudinal impact parameters with respect to the primary vertex;
- (II) the track reconstruction must be of good quality, meeting the following requirements: it must have a track fit χ^2 -probability of $> 10\%$, no hits formed in a single pixel row of which the readout is shared with another pixel, and no hits missing in active

silicon modules along the trajectory between the first and last hit of the track;

- (III) the track must be isolated: it must fulfill $p_T^{\text{cone40}}/p_T < 0.04$, where p_T^{cone40} is the sum of p_T of all tracks with $p_T > 400$ MeV, $|d_0| < 1.5$ mm, and $|z_0 \sin \theta| < 1.5$ mm that lie within a cone of $\Delta R = 0.4$ around the track. There must also be no jets having p_T above 45 GeV within a cone of $\Delta R = 0.4$ around the candidate track;
- (IV) the candidate track must have p_T above 15 GeV, and must be the highest- p_T isolated track in the event;
- (V) the candidate track must satisfy $0.1 < |\eta| < 1.9$;
- (VI) the number of TRT hits associated with the track (N_{TRT}), determined by counting hits lying on the extrapolated track, must be less than five.

Criteria (I) and (II) are applied in order to ensure well-reconstructed primary tracks. Criteria (III) and (IV) are employed to select chargino tracks that are isolated and have in most cases the highest p_T . These criteria also substantially reduce background tracks from the pile-up. Criterion (V) is used to ensure coverage by the TRT active region and enhance the rejection of background tracks. Criterion (VI) helps to remove the majority of background tracks in SM processes, as shown in Fig. 2. For SM charged particles traversing the TRT detector, the number of TRT hits is typically $N_{\text{TRT}} \simeq 32$, whereas for charginos that decay before reaching the TRT the expected is $N_{\text{TRT}} \simeq 0$. Hereafter, “high- p_T isolated track selection” and “disappearing-track selection” indicate criteria (I)–(V) and (I)–(VI), respectively.

Making use of short tracks and the whole TRT detector for the background track rejection extends the sensitive decay volume inwards and enlarges the region of signal acceptance in η . This results in better sensitivity for charginos, especially with small lifetime, than in the previous search [8] based on the 7 TeV collision data. Figure 3 shows the tracking efficiency with the disappearing-track selection for decaying charginos as a function of the radius and η of the decay vertex. It is fully efficient for charginos that reach the first SCT layer and decay before reaching the TRT detector. The MC simulation shows that it is also largely independent of $m_{\tilde{\chi}_1^\pm}$. A summary of the kinematic selection criteria, disappearing-track requirements, and data reduction is given in Table I.

V. ESTIMATE OF THE p_T SPECTRUM OF BACKGROUND TRACKS

There are three primary sources of tracks from background processes that mimic the disappearing-track signature: charged hadrons interacting with material in the ID (interacting-hadron tracks), prompt electrons




FIG. 2. Number of TRT hits (N_{TRT}) for data and signal MC events ($m_{\tilde{\chi}_1^\pm} = 200$ GeV, $\tau_{\tilde{\chi}_1^\pm} = 0.2$ ns) with the high- p_T isolated track selection. The expectation from SM MC events is also shown. The solid colored histogram shows the expected distribution for charginos with a decay radius < 563 mm while the hatched histogram shows it for all charginos for these mass and lifetime values. Tracks with $N_{\text{TRT}} < 5$ in SM events, mimicking the decaying-chargino signature, are described in Sec. V.




FIG. 3. The efficiency for decaying charginos with the disappearing-track selection. Vertical and horizontal axes are the radius and η of the decay, respectively. Sensitive layers and areas of the pixel, SCT and TRT detectors are also indicated in the figure.

or muons failing to satisfy their identification criteria (lepton tracks) and low- p_T charged particles whose p_T is highly mismeasured (p_T -mismeasured tracks). Interacting-hadron and electron tracks are responsible for the background in the approximate range $p_T < 50$ GeV, whereas p_T -mismeasured tracks are dominant for $p_T > 100$ GeV. A small contribution from muon tracks is expected throughout the full p_T range. The contribution of charged-hadron decays is significantly smaller than that of interacting hadrons; therefore, such a background source is neglected. A background estimation based on

TABLE I. Summary of selection requirements and data reduction for data and expected signal events ($m_{\tilde{\chi}_1^\pm} = 200$ GeV, $\tau_{\tilde{\chi}_1^\pm} = 0.2$ ns). The signal selection efficiencies are also shown in parentheses. Signal efficiencies are low at the first stage due to the trigger based on a jet from initial-state radiation.

Selection requirement	Observed events	Expected signal MC events (efficiency [%])
Quality requirements and trigger	20479553	1873 (8.8)
Jet cleaning	18627508	1867 (8.8)
Lepton veto	12485944	1827 (8.6)
Leading jet $p_T > 90$ GeV	10308840	1571 (7.4)
$E_T^{\text{miss}} > 90$ GeV	6113773	1484 (7.0)
$\Delta\phi_{\text{min}}^{\text{jet-}E_T^{\text{miss}}} > 1.5$	5604087	1444 (6.8)
High- p_T isolated track selection	34379	21.9 (0.10)
Disappearing-track selection	3256	18.4 (0.087)

the MC simulation has difficulty in accurately describing the properties of these background tracks. Therefore, the background contribution to the disappearing-track candidates is estimated using techniques that do not rely on the MC simulation. Each of the three types of background tracks shows a distinctive p_T spectrum; a simultaneous fit is performed for signal and background yields using the observed p_T spectrum and templates of background-track p_T spectra produced from dedicated control data samples. The p_T spectra of the first two background types are obtained in the same way as in Ref. [8].

A. Interacting-hadron tracks

Charged hadrons, mostly charged pions, can interact with material in the ID and their tracks can be misidentified as disappearing tracks. The shape of the p_T distribution of interacting-hadron tracks is obtained from that of non-interacting-hadron tracks. In the p_T range above 15 GeV, where inelastic interactions dominate, the interaction rate has nearly no dependence on p_T [30], which is also confirmed by the detector simulation. By adopting kinematic selection criteria identical to those for the signal and ensuring traversal of the TRT detector by requiring $N_{\text{TRT}} > 25$, a data sample of non-interacting-hadron tracks is obtained. A pure control data sample is ensured by requiring associated calorimeter activity and removing the contamination from electron and muon tracks (described below) and any chargino signal. The following requirements are applied: $E_T^{\text{cone40}} > 7.5$ GeV and $\sum_{\Delta R < 0.4} E_T^{\text{clus}}/p_T^{\text{track}} > 0.4$, where E_T^{cone40} is the calorimeter transverse energy deposited in a cone of $\Delta R < 0.4$ around the track (excluding E_T of the calorimeter cluster matched to the track), $\sum_{\Delta R < 0.4} E_T^{\text{clus}}$ is the sum of cluster energies in a cone of $\Delta R < 0.4$ around the track, and p_T^{track} is the track p_T .

In most cases, interacting hadrons have associated calorimeter activity that can be used to form jets. Therefore, after the selection requirements, the contribution of this background to the disappearing-track candidates having $p_T > 100$ GeV is negligibly small.

B. Leptons failing to satisfy identification criteria

Some charged leptons ($\ell \equiv e$ or μ) lose much of their momenta in the ID due to scattering with material or large bremsstrahlung. Such leptons are unlikely to be correctly identified (hence surviving the lepton veto) and may be classified as disappearing tracks.

In order to estimate the lepton-track background, a control data sample is defined by requiring kinematic selection identical to those for the signal search sample, while requiring one lepton that fulfills both its identification criteria and the isolated track selection criteria. The p_T spectrum of leptons without any identification requirements is obtained by applying a correction for the identification efficiency. The p_T distribution of lepton background tracks is then estimated by multiplying this distribution by the probability ($\mathcal{P}_\ell^{\text{dis}}$) of failing to satisfy the lepton identification criteria (hence being retained in the signal search sample) and passing the disappearing-track selection criteria. The electron and muon components are considered separately.

For the measurement of $\mathcal{P}_\ell^{\text{dis}}$, a tag-and-probe method is applied to $Z \rightarrow \ell\ell$ events collected with unrescaled single-lepton triggers and by requiring a Z boson candidate with reconstructed invariant mass within ± 5 GeV of the Z mass. Tag-leptons are required to be well isolated from jets and to fulfill the lepton identification criteria. Probe-leptons are selected without any identification requirements but with exactly the same high- p_T isolated track selection criteria used for chargino candidate tracks. The probability $\mathcal{P}_\ell^{\text{dis}}$ is given by the fraction of events in which the probe-lepton passes the disappearing-track selection criteria; it ranges between 10^{-2} – 10^{-4} for electrons and 10^{-4} – 10^{-5} for muons. Statistical uncertainties and uncertainties on the identification efficiency are considered in deriving the estimated p_T spectra and their uncertainties.

C. Tracks with mismeasured p_T

The background contribution to disappearing-track candidates with $p_T > 100$ GeV originates primarily from

tracks with mismeasured p_T (p_T -mismeasured tracks). A high density of silicon hits, hadronic interactions and scattering can lead to combinations of wrong space-points in the procedure of track-seed finding or outward-extension of trajectories, resulting in anomalously high values of p_T especially for short-length tracks. Simulation studies indicate that the p_T spectrum of such tracks depends little on the reconstructed d_0 or production process. Figure 4 shows the p_T spectrum of disappearing tracks with different d_0 values in a multijet-enriched data sample collected with single-jet triggers and requirements of $E_T^{\text{miss}} < 90$ GeV and no leptons: the contamination from interacting-hadron and lepton tracks is expected to be very small in the range $p_T > 50$ GeV or $|d_0| > 1$ mm. The p_T shape of p_T -mismeasured tracks with $|d_0| < 0.1$ mm is found to be the same as that of similarly mismeasured tracks with $1 \text{ mm} < |d_0| < 10$ mm. A sample with a nearly pure p_T -mismeasured track contribution can be obtained with the same requirements as for the signal tracks, while requiring $1 \text{ mm} < |d_0| < 10$ mm. The p_T shape is finally determined by a fit to the sample by a functional form x^{-a} ($x \equiv p_T^{\text{track}}$), where $a = 1.78 \pm 0.05$ is obtained.




FIG. 4. The p_T distributions of disappearing tracks with impact parameter ranges $|d_0| < 0.1$ mm and $1 \text{ mm} < |d_0| < 10$ mm in the multijet-enriched data sample, normalized to unity. The ratio between the two distributions is also shown at the bottom of the figure. The error bars and band in the ratio plot indicate the statistical uncertainties of each sample.

VI. ESTIMATE OF SYSTEMATIC UNCERTAINTIES

The sources of systematic uncertainty on the signal expectation are the following: the theoretical cross-section, parton radiation model, jet energy scale (JES) and resolution (JER), trigger efficiency, pile-up modeling, track

reconstruction efficiency, and the integrated luminosity. The contributions of each systematic uncertainty in the signal yield are summarized in Table II for two reference signal samples.

Theoretical uncertainties on the signal cross-section, already described in Sec. III, range from 6% to 8% depending on $m_{\tilde{\chi}_1^\pm}$. The uncertainties on the modeling of high- p_T jets, originating from initial- and final-state radiation, are estimated by varying the generator tunes in the simulation as well as by generator-level studies carried out on samples produced with an additional jet in the matrix-element method using MADGRAPH5 program [31] and PYTHIA6 program [32]. By adopting PDF tunes that provide less and more radiation and taking the maximum deviation from the nominal tune, the uncertainty due to jet radiation is evaluated. The uncertainty arising from the matching of matrix elements with parton showers is evaluated by doubling and halving the default value of the matching parameter [33]. The resulting changes are combined in quadrature and yield an uncertainty of 10–17% depending on $m_{\tilde{\chi}_1^\pm}$. The uncertainties on the JES and JER result in a variation of the signal selection efficiency that is assessed according to Ref. [26], and an uncertainty of 3–6% is assigned. An uncertainty due to the trigger efficiency is estimated to be 4.5% by taking the difference between data and MC simulation in a W +jet sample in which W decays into μ plus ν_μ . The uncertainty originating from the pile-up modeling in the simulation is evaluated by weighting simulated samples so that the average number of pile-up interactions is varied by $\pm 10\%$, which yields a 0.5% uncertainty on the signal efficiency. The ID material affects the track reconstruction efficiency. An uncertainty of 2% is assigned from Ref. [34] to take into account differences in the tracking efficiency between data and MC simulation related to the detector material description in the simulation. The uncertainty on the integrated luminosity is $\pm 2.8\%$. It is derived, following the same methodology as that detailed in Ref. [15].

Systematic uncertainties on the background p_T shapes and normalizations arising from statistical uncertainties of the control data samples and uncertainties on the lepton identification efficiencies are also considered in deriving the results (discussed in Sec. VII). In order to account for a possible bias induced by the d_0 requirement in the control data sample of p_T -mismeasured tracks, an additional uncertainty is assigned by taking the difference between the value of the parameter a given in Sec. VC and the value 1.82 ± 0.07 derived using SM background MC events remaining after the selection requirements.

VII. FIT TO THE p_T SPECTRUM OF DISAPPEARING TRACKS

The signal hypothesis with a given value of $m_{\tilde{\chi}_1^\pm}$ and $\tau_{\tilde{\chi}_1^\pm}$ is tested based on an extended maximum likelihood

TABLE II. Summary of systematic uncertainties [%] on the expected number of signal events for $m_{\tilde{\chi}_1^\pm} = 200$ GeV and 300 GeV.

	200 GeV	300 GeV
(Theoretical uncertainty)		
Cross-section	6.4	6.8
(Uncertainty on the acceptance)		
Modeling of initial/final-state radiation	14.5	16.4
JES/JER	3.9	6.0
Trigger efficiency	4.5	4.5
Pile-up modeling	0.5	0.5
Track reconstruction efficiency	2.0	2.0
Luminosity	2.8	2.8
Sub-total	16.1	18.4

fit to the p_T spectrum of the disappearing-track candidates. The likelihood function for the track p_T consists of one probability density function for the signal and four for the different backgrounds derived in Sec. V. In the fit, the yields of the signal, interacting-hadron, and p_T -mismeasured tracks are left free. The yields of electron and muon background tracks are constrained to their estimated values within the uncertainties. The effects of systematic uncertainties on the yields and the parameters describing the p_T -distribution shapes of the background tracks are also incorporated into the likelihood function.

The number of observed events having a high- p_T disappearing track above a given threshold and the expectation for the background, derived by the background-only fit in the p_T range below 75 GeV, are given in Table III. No significant deviations from the background expectations are found. The probability (p_0 value) that a background-only experiment is more signal-like than the observation and the model-independent upper limit on the visible cross-section ($\sigma_{\text{vis}}^{95\%}$) at 95% confidence level (CL) are also given in the table. Figure 5 shows the p_T distribution for the selected data events compared to the background model derived by the background-only fit in the full p_T range: the best-fit values for the yields of interacting hadrons, electron tracks, muon tracks and p_T -mismeasured tracks are 2187 ± 71 , 852 ± 35 , 23 ± 8 and 212 ± 33 , respectively. Three selected examples for the signal are also shown in the figure.

An excess with a corresponding significance of $\sim 2\sigma$ is seen in Fig. 5 at p_T around 90 GeV. Detailed investigation of the events in this region show no peculiarities or significant differences in event kinematics or track properties compared to candidates in nearby track- p_T regions. The discrepancy is also not consistent with any of the signal hypotheses studied in this article. For the models considered, high- p_T tracks are expected and the best expected sensitivity derives from the region with p_T above 200 GeV, where a deficit is observed as reported in Table III.

Events with two disappearing-track candidates, being particularly sensitive to chargino-pair production with a long lifetime, are also explored. One candidate event is

found; however, the event lacks high- p_T disappearing-track candidates (their p_T being 30 GeV and 18 GeV).




FIG. 5. The p_T distribution of disappearing-track candidates. The solid circles show data and lines show each background track- p_T spectrum obtained by the background-only fit. The resulting uncertainties on the p_T spectrum for each background are indicated by the error bands. The signal expectations are also shown. The ratio of the data to the background track- p_T spectrum is shown at the bottom of the figure.

VIII. RESULTS

In the absence of a signal, constraints are set on $m_{\tilde{\chi}_1^\pm}$ and $\tau_{\tilde{\chi}_1^\pm}$. The upper limit on the production cross-section for a given $m_{\tilde{\chi}_1^\pm}$ and $\tau_{\tilde{\chi}_1^\pm}$ at 95% CL is set at the point where the CL of the “signal+background” hypothesis, based on the profile likelihood ratio [35] and the CL_s prescription [36], falls below 5% when scanning the CL along various values of signal strength. The constraint on the allowed $\tau_{\tilde{\chi}_1^\pm}$ - $m_{\tilde{\chi}_1^\pm}$ parameter space is shown in Fig. 6. The expected limit is set by the median of the distribution of 95% CL limits calculated by pseudo-experiments with the expected background and no signal, where the systematic parameters are varied according to their systematic uncertainties. The regions excluded by the previous ATLAS search [8] and the LEP2 searches are indicated. The example of the exclusion reached by the ALEPH experiment [9] of 88 GeV at 95% CL that is derived for the chargino mass in the case of heavy sfermions, irrespective of the chargino-neutralino mass difference is shown as the LEP2 result. This constraint is largely independent of $\tan\beta$ or the sign of μ .

The analysis is not performed for signals having $\tau_{\tilde{\chi}_1^\pm} > 10$ ns (corresponding $\Delta m_{\tilde{\chi}_1}$ being below the charged pion mass) because a significant fraction of charginos would traverse the ID before decaying, thereby reducing the

TABLE III. Numbers of observed and expected background events as well as the probability that a background-only experiment is more signal-like than observed (p_0) and the model-independent upper limit on the visible cross-section ($\sigma_{\text{vis}}^{95\%}$) at 95% CL.

	$p_T^{\text{track}} > 75$ GeV	$p_T^{\text{track}} > 100$ GeV	$p_T^{\text{track}} > 150$ GeV	$p_T^{\text{track}} > 200$ GeV
Observed events	59	36	19	13
Expected events	48.5 ± 12.3	37.1 ± 9.4	24.6 ± 6.3	18.0 ± 4.6
p_0 value	0.17	0.41	0.46	0.44
Observed $\sigma_{\text{vis}}^{95\%}$ [fb]	1.76	1.02	0.62	0.44
Expected $\sigma_{\text{vis}}^{95\%}$ [fb]	$1.42^{+0.50}_{-0.39}$	$1.05^{+0.37}_{-0.28}$	$0.67^{+0.27}_{-0.19}$	$0.56^{+0.23}_{-0.16}$

event selection efficiency. In these scenarios the charginos are considered as stable particles and the main search tool would be to look for tracks with anomalous ionization energy loss [37]. In comparison with the previous result, the sensitivity to charginos having $\tau_{\tilde{\chi}_1^\pm} < 1$ ns is significantly improved and the exclusion reach is extended by ~ 200 GeV.

Figure 7 shows the constraint on the allowed $\Delta m_{\tilde{\chi}_1} - m_{\tilde{\chi}_1^\pm}$ parameter space of the minimal AMSB model; the expected 95% CL exclusion reaches $m_{\tilde{\chi}_1^\pm} = 245^{+25}_{-30}$ GeV for $\Delta m_{\tilde{\chi}_1} \sim 160$ MeV. The limits on $\tau_{\tilde{\chi}_1^\pm}$ are converted into limits on $\Delta m_{\tilde{\chi}_1}$ following Ref. [38]. The theoretical prediction of $\Delta m_{\tilde{\chi}_1}$ for wino-like lightest chargino and neutralino states at two-loop level [39] is also indicated in the figure. A new limit that excludes charginos of $m_{\tilde{\chi}_1^\pm} < 270$ GeV (corresponding $\Delta m_{\tilde{\chi}_1}$ and $\tau_{\tilde{\chi}_1^\pm}$ being ~ 160 MeV and ~ 0.2 ns, respectively) at 95% CL is set in the AMSB models.

IX. CONCLUSIONS

The results from a search for charginos nearly mass-degenerate with the lightest neutralino based on the high- p_T disappearing-track signature are presented. The analysis is based on 20.3 fb^{-1} of pp collisions at $\sqrt{s} = 8$ TeV collected by the ATLAS experiment at the LHC. The p_T spectrum of observed candidate tracks is found to be consistent with the expectation from SM background processes, and no indication of decaying charginos is observed. Constraints on the chargino mass, the mean lifetime and the mass splitting are set, which are valid for most scenarios in which the lightest supersymmetric particle is a nearly pure neutral wino. In the AMSB models, a chargino having a mass below 270 GeV is excluded at 95% CL.

ACKNOWLEDGMENTS

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq




FIG. 6. The constraint on the allowed $\tau_{\tilde{\chi}_1^\pm} - m_{\tilde{\chi}_1^\pm}$ space for $\tan \beta = 5$ and $\mu > 0$. The black dashed line shows the expected limits at 95% CL, with the surrounding shaded band indicating the 1σ exclusions due to experimental uncertainties. Observed limits are indicated by the solid bold contour representing the nominal limit and the narrow surrounding shaded band is obtained by varying the cross-section by the theoretical scale and PDF uncertainties. The previous result from Ref. [8] and an example of the limits achieved at LEP2 by the ALEPH experiment [9] are also shown on the left by the dotted line and the shaded region, respectively. The search for charginos with long lifetimes, as indicated by the upper shaded region, is not covered by this analysis. The limits achieved at LEP2 by the ALEPH experiment of 101 GeV for long-lived charginos is taken from [9].

and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET, ERC and NSRF, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT and NSRF, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan;




FIG. 7. The constraint on the allowed $\Delta m_{\tilde{\chi}_1^-} - m_{\tilde{\chi}_1^\pm}$ space of the AMSB model for $\tan\beta = 5$ and $\mu > 0$. The dashed line shows the expected limits at 95% CL, with the surrounding shaded band indicating the 1σ exclusions due to experimental uncertainties. Observed limits are indicated by the solid bold contour representing the nominal limit and the narrow surrounding shaded band is obtained by varying the cross-section by the theoretical scale and PDF uncertainties. The previous result from Ref. [8] and an example of the limits achieved at LEP2 by the ALEPH experiment [9] are also shown on the left by the dotted line and the shaded region, respectively. Charginos in the lower shaded region could have significantly longer lifetime values for which this analysis has no sensitivity as the chargino does not decay within the tracking volume. For this region of long-lived charginos, the limits achieved at LEP2 by the ALEPH experiment is 101 GeV [9].

CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MNE/IFA, Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

-
- [1] G. F. Giudice, M. A. Luty, H. Murayama, and R. Rattazzi, *J. High Energy Phys.* **12** 027 (1998), [arXiv:hep-ph/9810442](#).
 - [2] L. Randall and R. Sundrum, *Nucl. Phys.* **B557** 79 (1999), [arXiv:hep-th/9810155](#).
 - [3] M. Ibe, S. Matsumoto, and T. T. Yanagida, *Phys. Rev.* **D85** 095011 (2012), [arXiv:1202.2253 \[hep-ph\]](#).
 - [4] L. J. Hall, Y. Nomura, and S. Shirai, *J. High Energy Phys.* **1301** 036 (2013), [arXiv:1210.2395 \[hep-ph\]](#).
 - [5] A. Arvanitaki, N. Craig, S. Dimopoulos, and G. Villadoro, *J. High Energy Phys.* **1302** 126 (2013), [arXiv:1210.0555 \[hep-ph\]](#).
 - [6] N. Arkani-Hamed, A. Gupta, D. E. Kaplan, N. Weiner, and T. Zorawski, [arXiv:1212.6971 \[hep-ph\]](#).
 - [7] ATLAS Collaboration, *Eur. Phys. J.* **C72** 1993 (2012), [arXiv:1202.4847 \[hep-ex\]](#).
 - [8] ATLAS Collaboration, *J. High Energy Phys.* **1301** 131 (2013), [arXiv:1210.2852 \[hep-ex\]](#).
 - [9] ALEPH Collaboration, A. Heister et al., *Phys. Lett.* **B533** 223 (2002), [arXiv:hep-ex/0203020 \[hep-ex\]](#).
 - [10] DELPHI Collaboration, J. Abdallah et al., *Eur. Phys. J.* **C34** 145 (2004), [arXiv:hep-ex/0403047 \[hep-ex\]](#).
 - [11] L3 Collaboration, M. Acciarri et al., *Phys. Lett.* **B482** 31 (2000), [arXiv:hep-ex/0002043 \[hep-ex\]](#).
 - [12] OPAL Collaboration, G. Abbiendi et al., *Eur. Phys. J.* **C29** 479 (2003), [arXiv:hep-ex/0210043 \[hep-ex\]](#).
 - [13] ATLAS Collaboration, *JINST* **3** S08003 (2008).
 - [14] ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the z -axis coinciding with the axis of the beam pipe. The x -axis points from the IP to the center of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. Pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.
 - [15] ATLAS Collaboration, [arXiv:1302.4393 \[hep-ex\]](#).

- [16] F. E. Paige, S. D. Protopopescu, H. Baer, and X. Tata, [arXiv:hep-ph/0312045](#) [[hep-ph](#)].
- [17] M. Bahr, S. Gieseke, M. Gigg, D. Grellscheid, K. Hamilton, et al., *Eur. Phys. J. C* **58** 639 (2008), [arXiv:0803.0883](#) [[hep-ph](#)].
- [18] J. Pumplin et al., *J. High Energy Phys.* **07** 012 (2002), [arXiv:hep-ph/0201195](#).
- [19] ATLAS Collaboration, *Eur. Phys. J. C* **70** 823 (2010), [arXiv:1005.4568](#) [[physics.ins-det](#)].
- [20] GEANT4 Collaboration, S. Agostinelli et al., *Nucl. Instrum. Meth. A* **506** 250 (2003).
- [21] W. Beenakker, R. Hopker, M. Spira, and P. Zerwas, *Nucl. Phys. B* **492** 51 (1997), [arXiv:hep-ph/9610490](#) [[hep-ph](#)].
- [22] M. Kramer, A. Kulesza, R. van der Leeuw, M. Mangano, S. Padhi, et al., [arXiv:1206.2892](#) [[hep-ph](#)].
- [23] T. Cornelisen *et al.*, *J. Phys. Conf. Ser.* **119** 032014 (2008).
- [24] ATLAS Collaboration, ATLAS-CONF-2010-069. <http://cdsweb.cern.ch/record/1281344>.
- [25] M. Cacciari, G. P. Salam, and G. Soyez, *J. High Energy Phys.* **04** 063 (2008), [arXiv:0802.1189](#) [[hep-ph](#)].
- [26] ATLAS Collaboration, *Eur. Phys. J. C* **73** 2304 (2013), [arXiv:1112.6426](#) [[hep-ex](#)].
- [27] ATLAS Collaboration, *Eur. Phys. J. C* **72** 1909 (2012), [arXiv:1110.3174](#) [[hep-ex](#)].
- [28] ATLAS Collaboration, ATLAS-CONF-2011-063. <https://cds.cern.ch/record/1345743>.
- [29] ATLAS Collaboration, *Eur. Phys. J. C* **72** 1844 (2012), [arXiv:1108.5602](#) [[hep-ex](#)].
- [30] Particle Data Group Collaboration, K. Nakamura et al., *J. Phys. G* **37** 075021 (2010). Corresponding data may be found at pages 398–399.
- [31] J. Alwall, M. Herquet, F. Maltoni, O. Mattelaer, and T. Stelzer, *J. High Energy Phys.* **1106** 128 (2011), [arXiv:1106.0522](#) [[hep-ph](#)].
- [32] T. Sjöstrand, S. Mrenna, and P. Z. Skands, *J. High Energy Phys.* **0605** 026 (2006), [arXiv:hep-ph/0603175](#).
- [33] J. Alwall, S. Hoche, F. Krauss, N. Lavesson, L. Lonnblad, et al., *Eur. Phys. J. C* **53** 473 (2008), [arXiv:0706.2569](#) [[hep-ph](#)].
- [34] ATLAS Collaboration, *Eur. Phys. J. C* **71** 1636 (2011), [arXiv:1103.1816](#) [[hep-ex](#)].
- [35] G. Cowan, K. Cranmer, E. Gross, and O. Vitells, *Eur. Phys. J. C* **71** 1554 (2011), [arXiv:1007.1727](#) [[physics.data-an](#)].
- [36] A. L. Read, *J. Phys. G* **28** 2693 (2002).
- [37] ATLAS Collaboration, *Phys. Lett. B* **720** 277 (2013), [arXiv:1211.1597](#) [[hep-ex](#)].
- [38] C. Chen, M. Drees, and J. Gunion, [arXiv:hep-ph/9902309](#) [[hep-ph](#)].
- [39] M. Ibe, S. Matsumoto, and R. Sato, *Phys. Lett. B* **721** 252 (2013), [arXiv:1212.5989](#) [[hep-ph](#)].

The ATLAS Collaboration

G. Aad⁴⁸, T. Abajyan²¹, B. Abbott¹¹², J. Abdallah¹²,
 S. Abdel Khalek¹¹⁶, O. Abdinov¹¹, R. Aben¹⁰⁶,
 B. Abi¹¹³, M. Abolins⁸⁹, O.S. AbouZeid¹⁵⁹,
 H. Abramowicz¹⁵⁴, H. Abreu¹³⁷, Y. Abulaiti^{147a,147b},
 B.S. Acharya^{165a,165b,a}, L. Adamczyk^{38a}, D.L. Adams²⁵,
 T.N. Addy⁵⁶, J. Adelman¹⁷⁷, S. Adomeit⁹⁹, T. Adye¹³⁰,
 S. Aefsky²³, T. Agatonovic-Jovin^{13b},
 J.A. Aguilar-Saavedra^{125b,b}, M. Agustoni¹⁷,
 S.P. Ahlen²², A. Ahmad¹⁴⁹, F. Ahmadov^{64,c},
 M. Ahsan⁴¹, G. Aielli^{134a,134b}, T.P.A. Åkesson⁸⁰,
 G. Akimoto¹⁵⁶, A.V. Akimov⁹⁵, M.A. Alam⁷⁶,
 J. Albert¹⁷⁰, S. Albrand⁵⁵, M.J. Alconada Verzi⁷⁰,
 M. Aleksa³⁰, I.N. Aleksandrov⁶⁴, F. Alessandria^{90a},
 C. Alexa^{26a}, G. Alexander¹⁵⁴, G. Alexandre⁴⁹,
 T. Alexopoulos¹⁰, M. Alhroob^{165a,165c}, M. Aliev¹⁶,
 G. Alimonti^{90a}, L. Alio⁸⁴, J. Alison³¹,
 B.M.M. Allbrooke¹⁸, L.J. Allison⁷¹, P.P. Allport⁷³,
 S.E. Allwood-Spiers⁵³, J. Almond⁸³, A. Aloisio^{103a,103b},
 R. Alon¹⁷³, A. Alonso³⁶, F. Alonso⁷⁰, A. Altheimer³⁵,
 B. Alvarez Gonzalez⁸⁹, M.G. Alviggi^{103a,103b},
 K. Amako⁶⁵, Y. Amaral Coutinho^{24a}, C. Amelung²³,
 V.V. Ammosov^{129,*}, S.P. Amor Dos Santos^{125a},
 A. Amorim^{125a,d}, S. Amoroso⁴⁸, N. Amram¹⁵⁴,
 G. Amundsen²³, C. Anastopoulos³⁰, L.S. Ancu¹⁷,
 N. Andari³⁰, T. Andeen³⁵, C.F. Anders^{58b},
 G. Anders^{58a}, K.J. Anderson³¹, A. Andreazza^{90a,90b},
 V. Andrei^{58a}, X.S. Anduaga⁷⁰, S. Angelidakis⁹,
 P. Anger⁴⁴, A. Angerami³⁵, F. Anghinolfi³⁰,
 A.V. Anisenkov¹⁰⁸, N. Anjos^{125a}, A. Annovi⁴⁷,
 A. Antonaki⁹, M. Antonelli⁴⁷, A. Antonov⁹⁷,
 J. Antos^{145b}, F. Anulli^{133a}, M. Aoki¹⁰²,
 L. Aperio Bella¹⁸, R. Apolle^{119,e}, G. Arabidze⁸⁹,
 I. Aracena¹⁴⁴, Y. Arai⁶⁵, A.T.H. Arce⁴⁵, S. Arfaoui¹⁴⁹,
 J-F. Arguin⁹⁴, S. Argyropoulos⁴², E. Arik^{19a,*},
 M. Arik^{19a}, A.J. Armbruster⁸⁸, O. Arnaez⁸²,
 V. Arnal⁸¹, O. Arslan²¹, A. Artamonov⁹⁶,
 G. Artoni^{133a,133b}, S. Asai¹⁵⁶, N. Asbah⁹⁴, S. Ask²⁸,
 B. Åsman^{147a,147b}, L. Asquith⁶, K. Assamagan²⁵,
 R. Astalos^{145a}, A. Astbury¹⁷⁰, M. Atkinson¹⁶⁶,
 N.B. Atlay¹⁴², B. Auerbach⁶, E. Auge¹¹⁶,
 K. Augsten¹²⁷, M. Auresseau^{146b}, G. Avolio³⁰,
 G. Azuelos^{94,f}, Y. Azuma¹⁵⁶, M.A. Baak³⁰,
 C. Bacci^{135a,135b}, A.M. Bach¹⁵, H. Bachacou¹³⁷,
 K. Bachas¹⁵⁵, M. Backes³⁰, M. Backhaus²¹,
 J. Backus Mayes¹⁴⁴, E. Badescu^{26a},
 P. Bagiacchi^{133a,133b}, P. Bagnaia^{133a,133b}, Y. Bai^{33a},
 D.C. Bailey¹⁵⁹, T. Bain³⁵, J.T. Baines¹³⁰,
 O.K. Baker¹⁷⁷, S. Baker⁷⁷, P. Balek¹²⁸, F. Balli¹³⁷,
 E. Banas³⁹, Sw. Banerjee¹⁷⁴, D. Banfi³⁰, A. Bangert¹⁵¹,
 V. Bansal¹⁷⁰, H.S. Bansil¹⁸, L. Barak¹⁷³,
 S.P. Baranov⁹⁵, T. Barber⁴⁸, E.L. Barberio⁸⁷,
 D. Barberis^{50a,50b}, M. Barbero⁸⁴, D.Y. Bardin⁶⁴,
 T. Barillari¹⁰⁰, M. Barisonzi¹⁷⁶, T. Barklow¹⁴⁴,
 N. Barlow²⁸, B.M. Barnett¹³⁰, R.M. Barnett¹⁵,
 A. Baroncelli^{135a}, G. Barone⁴⁹, A.J. Barr¹¹⁹,
 F. Barreiro⁸¹, J. Barreiro Guimarães da Costa⁵⁷,
 R. Bartoldus¹⁴⁴, A.E. Barton⁷¹, V. Bartsch¹⁵⁰,
 A. Bassalat¹¹⁶, A. Basye¹⁶⁶, R.L. Bates⁵³,
 L. Batkova^{145a}, J.R. Batley²⁸, M. Battistin³⁰,
 F. Bauer¹³⁷, H.S. Bawa^{144,g}, T. Beau⁷⁹,
 P.H. Beauchemin¹⁶², R. Beccherle^{50a}, P. Bechtel²¹,
 H.P. Beck¹⁷, K. Becker¹⁷⁶, S. Becker⁹⁹,
 M. Beckingham¹³⁹, A.J. Beddall^{19c}, A. Beddall^{19c},
 S. Bedikian¹⁷⁷, V.A. Bednyakov⁶⁴, C.P. Bee⁸⁴,
 L.J. Beemster¹⁰⁶, T.A. Beermann¹⁷⁶, M. Begeel²⁵,
 K. Behr¹¹⁹, C. Belanger-Champagne⁸⁶, P.J. Bell⁴⁹,
 W.H. Bell⁴⁹, G. Bella¹⁵⁴, L. Bellagamba^{20a},
 A. Bellerive²⁹, M. Bellomo³⁰, A. Belloni⁵⁷,
 O.L. Beloborodova^{108,h}, K. Belotskiy⁹⁷,
 O. Beltramello³⁰, O. Benary¹⁵⁴, D. Benckekroun^{136a},
 K. Bendtz^{147a,147b}, N. Benekos¹⁶⁶, Y. Benhammou¹⁵⁴,
 E. Benhar Nocchioli⁴⁹, J.A. Benitez Garcia^{160b},
 D.P. Benjamin⁴⁵, J.R. Bensinger²³, K. Benslama¹³¹,
 S. Bentvelsen¹⁰⁶, D. Berge³⁰, E. Bergeaas Kuutmann¹⁶,
 N. Berger⁵, F. Berghaus¹⁷⁰, E. Berglund¹⁰⁶,
 J. Beringer¹⁵, C. Bernard²², P. Bernat⁷⁷,
 R. Bernhard⁴⁸, C. Bernius⁷⁸, F.U. Bernlochner¹⁷⁰,
 T. Berry⁷⁶, P. Berta¹²⁸, C. Bertella⁸⁴,
 F. Bertolucci^{123a,123b}, M.I. Besana^{90a}, G.J. Besjes¹⁰⁵,
 O. Bessidskaia^{147a,147b}, N. Besson¹³⁷, S. Bethke¹⁰⁰,
 W. Bhimji⁴⁶, R.M. Bianchi¹²⁴, L. Bianchini²³,
 M. Bianco³⁰, O. Biebel⁹⁹, S.P. Bieniek⁷⁷,
 K. Bierwagen⁵⁴, J. Biesiada¹⁵, M. Biglietti^{135a},
 J. Bilbao De Mendizabal⁴⁹, H. Bilokon⁴⁷,
 M. Bindi^{20a,20b}, S. Binet¹¹⁶, A. Bingul^{19c},
 C. Bini^{133a,133b}, B. Bittner¹⁰⁰, C.W. Black¹⁵¹,
 J.E. Black¹⁴⁴, K.M. Black²², D. Blackburn¹³⁹,
 R.E. Blair⁶, J.-B. Blanchard¹³⁷, T. Blazek^{145a},
 I. Bloch⁴², C. Blocker²³, J. Blocki³⁹, W. Blum^{82,*},
 U. Blumenschein⁵⁴, G.J. Bobbink¹⁰⁶,
 V.S. Bobrovnikov¹⁰⁸, S.S. Bocchetta⁸⁰, A. Bocci⁴⁵,
 C.R. Boddy¹¹⁹, M. Boehler⁴⁸, J. Boek¹⁷⁶, T.T. Boek¹⁷⁶,
 N. Boelaert³⁶, J.A. Bogaerts³⁰, A.G. Bogdanchikov¹⁰⁸,
 A. Bogouch^{91,*}, C. Bohm^{147a}, J. Bohm¹²⁶,
 V. Boisvert⁷⁶, T. Bold^{38a}, V. Boldea^{26a},
 A.S. Boldyrev⁹⁸, N.M. Bolnet¹³⁷, M. Bomben⁷⁹,
 M. Bona⁷⁵, M. Boonekamp¹³⁷, S. Bordini⁷⁹,
 C. Borer¹⁷, A. Borisov¹²⁹, G. Borissov⁷¹, M. Borri⁸³,
 S. Borroni⁴², J. Bortfeldt⁹⁹, V. Bortolotto^{135a,135b},
 K. Bos¹⁰⁶, D. Boscherini^{20a}, M. Bosman¹²,
 H. Boterenbrood¹⁰⁶, J. Bouchami⁹⁴, J. Boudreau¹²⁴,
 E.V. Bouhova-Thacker⁷¹, D. Boumediene³⁴,
 C. Bourdarios¹¹⁶, N. Bousson⁸⁴, S. Boutouil^{136d},
 A. Boveia³¹, J. Boyd³⁰, I.R. Boyko⁶⁴,
 I. Bozovic-Jelisavcic^{13b}, J. Bracinik¹⁸, P. Branchini^{135a},
 A. Brandt⁸, G. Brandt¹⁵, O. Brandt⁵⁴, U. Bratzler¹⁵⁷,
 B. Brau⁸⁵, J.E. Brau¹¹⁵, H.M. Braun^{176,*},
 S.F. Brazzale^{165a,165c}, B. Brelier¹⁵⁹, K. Brendlinger¹²¹,
 R. Brenner¹⁶⁷, S. Bressler¹⁷³, T.M. Bristow⁴⁶,
 D. Britton⁵³, F.M. Brochu²⁸, I. Brock²¹, R. Brock⁸⁹,
 F. Broggi^{90a}, C. Bromberg⁸⁹, J. Bronner¹⁰⁰,
 G. Brooijmans³⁵, T. Brooks⁷⁶, W.K. Brooks^{32b},
 J. Brosamer¹⁵, E. Brost¹¹⁵, G. Brown⁸³, J. Brown⁵⁵,
 P.A. Bruckman de Renstrom³⁹, D. Bruncko^{145b},

- R. Bruneliere⁴⁸, S. Brunet⁶⁰, A. Bruni^{20a}, G. Bruni^{20a}, M. Bruschi^{20a}, L. Bryngemark⁸⁰, T. Buanes¹⁴, Q. Buat⁵⁵, F. Bucci⁴⁹, J. Buchanan¹¹⁹, P. Buchholz¹⁴², R.M. Buckingham¹¹⁹, A.G. Buckley⁴⁶, S.I. Buda^{26a}, I.A. Budagov⁶⁴, B. Budick¹⁰⁹, F. Buehrer⁴⁸, L. Bugge¹¹⁸, O. Bulekov⁹⁷, A.C. Bundock⁷³, M. Bunse⁴³, H. Burckhart³⁰, S. Burdin⁷³, T. Burgess¹⁴, S. Burke¹³⁰, I. Burmeister⁴³, E. Busato³⁴, V. Büscher⁸², P. Bussey⁵³, C.P. Buszello¹⁶⁷, B. Butler⁵⁷, J.M. Butler²², A.I. Butt³, C.M. Buttar⁵³, J.M. Butterworth⁷⁷, W. Buttinger²⁸, A. Buzatu⁵³, M. Byszewski¹⁰, S. Cabrera Urbán¹⁶⁸, D. Caforio^{20a,20b}, O. Cakir^{4a}, P. Calafiura¹⁵, G. Calderini⁷⁹, P. Calfayan⁹⁹, R. Calkins¹⁰⁷, L.P. Caloba^{24a}, R. Caloi^{133a,133b}, D. Calvet³⁴, S. Calvet³⁴, R. Camacho Toro⁴⁹, P. Camarri^{134a,134b}, D. Cameron¹¹⁸, L.M. Caminada¹⁵, R. Caminal Armadans¹², S. Campana³⁰, M. Campanelli⁷⁷, V. Canale^{103a,103b}, F. Canelli³¹, A. Canepa^{160a}, J. Cantero⁸¹, R. Cantrill⁷⁶, T. Cao⁴⁰, M.D.M. Capeans Garrido³⁰, I. Caprini^{26a}, M. Caprini^{26a}, M. Capua^{37a,37b}, R. Caputo⁸², R. Cardarelli^{134a}, T. Carli³⁰, G. Carlino^{103a}, L. Carminati^{90a,90b}, S. Caron¹⁰⁵, E. Carquin^{32a}, G.D. Carrillo-Montoya^{146c}, A.A. Carter⁷⁵, J.R. Carter²⁸, J. Carvalho^{125a,i}, D. Casadei⁷⁷, M.P. Casado¹², C. Caso^{50a,50b,*}, E. Castaneda-Miranda^{146b}, A. Castelli¹⁰⁶, V. Castillo Gimenez¹⁶⁸, N.F. Castro^{125a}, P. Catastini⁵⁷, A. Catinaccio³⁰, J.R. Catmore⁷¹, A. Cattai³⁰, G. Cattani^{134a,134b}, S. Caughron⁸⁹, V. Cavaliere¹⁶⁶, D. Cavalli^{90a}, M. Cavalli-Sforza¹², V. Cavasinni^{123a,123b}, F. Ceradini^{135a,135b}, B. Cerio⁴⁵, A.S. Cerqueira^{24b}, A. Cerri¹⁵, L. Cerrito⁷⁵, F. Cerutti¹⁵, A. Cervelli¹⁷, S.A. Cetin^{19b}, A. Chafaq^{136a}, D. Chakraborty¹⁰⁷, I. Chalupkova¹²⁸, K. Chan³, P. Chang¹⁶⁶, B. Chapleau⁸⁶, J.D. Chapman²⁸, J.W. Chapman⁸⁸, D. Charfeddine¹¹⁶, D.G. Charlton¹⁸, V. Chavda⁸³, C.A. Chavez Barajas³⁰, S. Cheatham⁸⁶, S. Chekanov⁶, S.V. Chekulaev^{160a}, G.A. Chelkov⁶⁴, M.A. Chelstowska⁸⁸, C. Chen⁶³, H. Chen²⁵, K. Chen¹⁴⁹, S. Chen^{33c}, X. Chen¹⁷⁴, Y. Chen³⁵, Y. Cheng³¹, A. Cheplakov⁶⁴, R. Cherkaoui El Moursli^{136e}, V. Chernyatin^{25,*}, E. Cheu⁷, L. Chevalier¹³⁷, V. Chiarella⁴⁷, G. Chiefari^{103a,103b}, J.T. Childers³⁰, A. Chilingarov⁷¹, G. Chiodini^{72a}, A.S. Chisholm¹⁸, R.T. Chislett⁷⁷, A. Chitan^{26a}, M.V. Chizhov⁶⁴, G. Choudalakis³¹, S. Chouridou⁹, B.K.B. Chow⁹⁹, I.A. Christidi⁷⁷, D. Chromek-Burckhart³⁰, M.L. Chu¹⁵², J. Chudoba¹²⁶, G. Ciapetti^{133a,133b}, A.K. Ciftci^{4a}, R. Ciftci^{4a}, D. Cinca⁶², V. Cindro⁷⁴, A. Ciocio¹⁵, M. Cirilli⁸⁸, P. Cirkovic^{13b}, Z.H. Citron¹⁷³, M. Citterio^{90a}, M. Ciubancan^{26a}, A. Clark⁴⁹, P.J. Clark⁴⁶, R.N. Clarke¹⁵, J.C. Clemens⁸⁴, B. Clement⁵⁵, C. Clement^{147a,147b}, Y. Coadou⁸⁴, M. Cobal^{165a,165c}, A. Cocco¹³⁹, J. Cochran⁶³, S. Coelli^{90a}, L. Coffey²³, J.G. Cogan¹⁴⁴, J. Coggeshall¹⁶⁶, J. Colas⁵, B. Cole³⁵, S. Cole¹⁰⁷, A.P. Colijn¹⁰⁶, C. Collins-Tooth⁵³, J. Collot⁵⁵, T. Colombo^{58c}, G. Colon⁸⁵, G. Compostella¹⁰⁰, P. Conde Muiño^{125a}, E. Coniavitis¹⁶⁷, M.C. Conidi¹², S.M. Consonni^{90a,90b}, V. Consorti⁴⁸, S. Constantinescu^{26a}, C. Conta^{120a,120b}, G. Conti⁵⁷, F. Conventi^{103a,j}, M. Cooke¹⁵, B.D. Cooper⁷⁷, A.M. Cooper-Sarkar¹¹⁹, N.J. Cooper-Smith⁷⁶, K. Copic¹⁵, T. Cornelissen¹⁷⁶, M. Corradi^{20a}, F. Corriveau^{86,k}, A. Corso-Radu¹⁶⁴, A. Cortes-Gonzalez¹², G. Cortiana¹⁰⁰, G. Costa^{90a}, M.J. Costa¹⁶⁸, D. Costanzo¹⁴⁰, D. Côté⁸, G. Cottin^{32a}, L. Courneyea¹⁷⁰, G. Cowan⁷⁶, B.E. Cox⁸³, K. Cranmer¹⁰⁹, G. Cree²⁹, S. Crépe-Renaudin⁵⁵, F. Crescioli⁷⁹, M. Cristinziani²¹, G. Crosetti^{37a,37b}, C.-M. Cuciuc^{26a}, C. Cuenca Almenar¹⁷⁷, T. Cuhadar Donszelmann¹⁴⁰, J. Cummings¹⁷⁷, M. Curatolo⁴⁷, C. Cuthbert¹⁵¹, H. Czirr¹⁴², P. Czodrowski⁴⁴, Z. Czyczula¹⁷⁷, S. D'Auria⁵³, M. D'Onofrio⁷³, A. D'Orazio^{133a,133b}, M.J. Da Cunha Sargedas De Sousa^{125a}, C. Da Via⁸³, W. Dabrowski^{38a}, A. Dafinca¹¹⁹, T. Dai⁸⁸, F. Dallaire⁹⁴, C. Dallapiccola⁸⁵, M. Dam³⁶, D.S. Damiani¹³⁸, A.C. Daniells¹⁸, M. Dano Hoffmann³⁶, V. Dao¹⁰⁵, G. Darbo^{50a}, G.L. Darlea^{26c}, S. Darmora⁸, J.A. Dassoulas⁴², W. Davey²¹, C. David¹⁷⁰, T. Davidek¹²⁸, E. Davies^{119,e}, M. Davies⁹⁴, O. Davignon⁷⁹, A.R. Davison⁷⁷, Y. Davygora^{58a}, E. Dawe¹⁴³, I. Dawson¹⁴⁰, R.K. Daya-Ishmukhametova²³, K. De⁸, R. de Asmundis^{103a}, S. De Castro^{20a,20b}, S. De Cecco⁷⁹, J. de Graat⁹⁹, N. De Groot¹⁰⁵, P. de Jong¹⁰⁶, C. De La Taille¹¹⁶, H. De la Torre⁸¹, F. De Lorenzi⁶³, L. De Nooij¹⁰⁶, D. De Pedis^{133a}, A. De Salvo^{133a}, U. De Sanctis^{165a,165c}, A. De Santo¹⁵⁰, J.B. De Vivie De Regie¹¹⁶, G. De Zorzi^{133a,133b}, W.J. Dearnaley⁷¹, R. Debbe²⁵, C. Debenedetti⁴⁶, B. Dechenaux⁵⁵, D.V. Dedovich⁶⁴, J. Degenhardt¹²¹, J. Del Peso⁸¹, T. Del Prete^{123a,123b}, T. Delemontex⁵⁵, F. Deliot¹³⁷, M. Deliyergiyev⁷⁴, A. Dell'Acqua³⁰, L. Dell'Asta²², M. Della Pietra^{103a,j}, D. della Volpe^{103a,103b}, M. Delmastro⁵, P.A. Delsart⁵⁵, C. Deluca¹⁰⁶, S. Demers¹⁷⁷, M. Demichev⁶⁴, A. Demilly⁷⁹, B. Demirköz^{12,l}, S.P. Denisov¹²⁹, D. Derendarz³⁹, J.E. Derkaoui^{136d}, F. Derue⁷⁹, P. Dervan⁷³, K. Desch²¹, P.O. Deviveiros¹⁰⁶, A. Dewhurst¹³⁰, B. DeWilde¹⁴⁹, S. Dhaliwal¹⁰⁶, R. Dhullipudi^{78,m}, A. Di Ciaccio^{134a,134b}, L. Di Ciaccio⁵, C. Di Donato^{103a,103b}, A. Di Girolamo³⁰, B. Di Girolamo³⁰, A. Di Mattia¹⁵³, B. Di Micco^{135a,135b}, R. Di Nardo⁴⁷, A. Di Simone⁴⁸, R. Di Sipio^{20a,20b}, D. Di Valentino²⁹, M.A. Diaz^{32a}, E.B. Diehl⁸⁸, J. Dietrich⁴², T.A. Dietzsch^{58a}, S. Diglio⁸⁷, K. Dindar Yagci⁴⁰, J. Dingfelder²¹, C. Dionisi^{133a,133b}, P. Dita^{26a}, S. Dita^{26a}, F. Dittus³⁰, F. Djama⁸⁴, T. Djobava^{51b}, M.A.B. do Vale^{24c}, A. Do Valle Wemans^{125a,n}, T.K.O. Doan⁵, D. Dobos³⁰, E. Dobson⁷⁷, J. Dodd³⁵, C. Dogliani⁴⁹, T. Doherty⁵³, T. Dohmae¹⁵⁶, Y. Doi^{65,*}, J. Dolejsi¹²⁸, Z. Dolezal¹²⁸

- B.A. Dolgoshein^{97,*}, M. Donadelli^{24d},
 S. Donati^{123a,123b}, J. Donini³⁴, J. Dopke³⁰,
 A. Doria^{103a}, A. Dos Anjos¹⁷⁴, A. Dotti^{123a,123b},
 M.T. Dova⁷⁰, A.T. Doyle⁵³, M. Dris¹⁰, J. Dubbert⁸⁸,
 S. Dube¹⁵, E. Dubreuil³⁴, E. Duchovni¹⁷³,
 G. Duceck⁹⁹, O.A. Ducu^{26a}, D. Duda¹⁷⁶,
 A. Dudarev³⁰, F. Dudziak⁶³, L. Duflot¹¹⁶, L. Duguid⁷⁶,
 M. Dührssen³⁰, M. Dunford^{58a}, H. Duran Yildiz^{4a},
 M. Düren⁵², M. Dwuznik^{38a}, J. Ebke⁹⁹, W. Edson²,
 C.A. Edwards⁷⁶, N.C. Edwards⁴⁶, W. Ehrenfeld²¹,
 T. Eifert¹⁴⁴, G. Eigen¹⁴, K. Einsweiler¹⁵,
 E. Eisenhandler⁷⁵, T. Ekelof¹⁶⁷, M. El Kacimi^{136c},
 M. Ellert¹⁶⁷, S. Elles⁵, F. Ellinghaus⁸², K. Ellis⁷⁵,
 N. Ellis³⁰, J. Elmsheuser⁹⁹, M. Elsing³⁰,
 D. Emeliyanov¹³⁰, Y. Enari¹⁵⁶, O.C. Endner⁸²,
 M. Endo¹¹⁷, R. Engelmann¹⁴⁹, J. Erdmann¹⁷⁷,
 A. Ereditato¹⁷, D. Eriksson^{147a}, G. Ernis¹⁷⁶, J. Ernst²,
 M. Ernst²⁵, J. Ernwein¹³⁷, D. Errede¹⁶⁶, S. Errede¹⁶⁶,
 E. Ertel⁸², M. Escalier¹¹⁶, H. Esch⁴³, C. Escobar¹²⁴,
 X. Espinal Curull¹², B. Esposito⁴⁷, F. Etienne⁸⁴,
 A.I. Etienne¹³⁷, E. Etzion¹⁵⁴, D. Evangelakou⁵⁴,
 H. Evans⁶⁰, L. Fabbri^{20a,20b}, G. Facini³⁰,
 R.M. Fakhrutdinov¹²⁹, S. Falciano^{133a}, Y. Fang^{33a},
 M. Fanti^{90a,90b}, A. Farbin⁸, A. Farilla^{135a},
 T. Farooque¹⁵⁹, S. Farrell¹⁶⁴, S.M. Farrington¹⁷¹,
 P. Farthouat³⁰, F. Fassi¹⁶⁸, P. Fassnacht³⁰,
 D. Fassouliotis⁹, B. Fatholahzadeh¹⁵⁹,
 A. Favareto^{50a,50b}, L. Fayard¹¹⁶, P. Federic^{145a},
 O.L. Fedin¹²², W. Fedorko¹⁶⁹, M. Fehling-Kaschek⁴⁸,
 L. Feligioni⁸⁴, C. Feng^{33d}, E.J. Feng⁶, H. Feng⁸⁸,
 A.B. Fenyuk¹²⁹, W. Fernando⁶, S. Ferrag⁵³,
 J. Ferrando⁵³, V. Ferrara⁴², A. Ferrari¹⁶⁷, P. Ferrari¹⁰⁶,
 R. Ferrari^{120a}, D.E. Ferreira de Lima⁵³, A. Ferrer¹⁶⁸,
 D. Ferrere⁴⁹, C. Ferretti⁸⁸, A. Ferretto Parodi^{50a,50b},
 M. Fiascaris³¹, F. Fiedler⁸², A. Filipčić⁷⁴,
 M. Filipuzzi⁴², F. Filthaut¹⁰⁵, M. Fincke-Keeler¹⁷⁰,
 K.D. Finelli⁴⁵, M.C.N. Fiolhais^{125a,i}, L. Fiorini¹⁶⁸,
 A. Firan⁴⁰, J. Fischer¹⁷⁶, M.J. Fisher¹¹⁰,
 E.A. Fitzgerald²³, M. Flechl⁴⁸, I. Fleck¹⁴²,
 P. Fleischmann¹⁷⁵, S. Fleischmann¹⁷⁶, G.T. Fletcher¹⁴⁰,
 G. Fletcher⁷⁵, T. Flick¹⁷⁶, A. Floderus⁸⁰,
 L.R. Flores Castillo¹⁷⁴, A.C. Florez Bustos^{160b},
 M.J. Flowerdew¹⁰⁰, T. Fonseca Martin¹⁷,
 A. Formica¹³⁷, A. Forti⁸³, D. Fortin^{160a}, D. Fournier¹¹⁶,
 H. Fox⁷¹, P. Francavilla¹², M. Franchini^{20a,20b},
 S. Franchino³⁰, D. Francis³⁰, M. Franklin⁵⁷, S. Franz⁶¹,
 M. Fraternali^{120a,120b}, S. Fratina¹²¹, S.T. French²⁸,
 C. Friedrich⁴², F. Friedrich⁴⁴, D. Froidevaux³⁰,
 J.A. Frost²⁸, C. Fukunaga¹⁵⁷, E. Fullana Torregrosa¹²⁸,
 B.G. Fulson¹⁴⁴, J. Fuster¹⁶⁸, C. Gabaldon⁵⁵,
 O. Gabizon¹⁷³, A. Gabrielli^{20a,20b}, A. Gabrielli^{133a,133b},
 S. Gadatsch¹⁰⁶, T. Gadford²⁵, S. Gadomski⁴⁹,
 G. Gagliardi^{50a,50b}, P. Gagnon⁶⁰, C. Galea⁹⁹,
 B. Galhardo^{125a}, E.J. Gallas¹¹⁹, V. Gallo¹⁷,
 B.J. Gallop¹³⁰, P. Gallus¹²⁷, G. Galster³⁶, K.K. Gan¹¹⁰,
 R.P. Gandrajula⁶², J. Gao^{33b,o}, Y.S. Gao^{144.g},
 F.M. Garay Walls⁴⁶, F. Garbersson¹⁷⁷, C. García¹⁶⁸,
 J.E. García Navarro¹⁶⁸, M. Garcia-Sciveres¹⁵,
 R.W. Gardner³¹, N. Garelli¹⁴⁴, V. Garonne³⁰,
 C. Gatti⁴⁷, G. Gaudio^{120a}, B. Gaur¹⁴², L. Gauthier⁹⁴,
 P. Gauzzi^{133a,133b}, I.L. Gavrilenko⁹⁵, C. Gay¹⁶⁹,
 G. Gaycken²¹, E.N. Gazis¹⁰, P. Ge^{33d,p}, Z. Gecse¹⁶⁹,
 C.N.P. Gee¹³⁰, D.A.A. Geerts¹⁰⁶, Ch. Geich-Gimbel²¹,
 K. Gellerstedt^{147a,147b}, C. Gemme^{50a}, A. Gemmel⁵³,
 M.H. Genest⁵⁵, S. Gentile^{133a,133b}, M. George⁵⁴,
 S. George⁷⁶, D. Gerbaudo¹⁶⁴, A. Gershon¹⁵⁴,
 H. Ghazlane^{136b}, N. Ghodbane³⁴, B. Giacobbe^{20a},
 S. Giagu^{133a,133b}, V. Giangiobbe¹²,
 P. Giannetti^{123a,123b}, F. Gianotti³⁰, B. Gibbard²⁵,
 S.M. Gibson⁷⁶, M. Gilchriese¹⁵, T.P.S. Gillam²⁸,
 D. Gillberg³⁰, A.R. Gillman¹³⁰, D.M. Gingrich^{3,f},
 N. Giokaris⁹, M.P. Giordani^{165c}, R. Giordano^{103a,103b},
 F.M. Giorgi¹⁶, P. Giovannini¹⁰⁰, P.F. Giraud¹³⁷,
 D. Giugni^{90a}, C. Giuliani⁴⁸, M. Giunta⁹⁴,
 B.K. Gjelsten¹¹⁸, I. Gkialas^{155,q}, L.K. Gladilin⁹⁸,
 C. Glasman⁸¹, J. Glatzer²¹, A. Glazov⁴², G.L. Glonti⁶⁴,
 M. Goblirsch-Kolb¹⁰⁰, J.R. Goddard⁷⁵, J. Godfrey¹⁴³,
 J. Godlewski³⁰, C. Goeringer⁸², S. Goldfarb⁸⁸,
 T. Golling¹⁷⁷, D. Golubkov¹²⁹, A. Gomes^{125a,d},
 L.S. Gomez Fajardo⁴², R. Gonçalo⁷⁶,
 J. Goncalves Pinto Firmino Da Costa⁴², L. Gonella²¹,
 S. González de la Hoz¹⁶⁸, G. Gonzalez Parra¹²,
 M.L. Gonzalez Silva²⁷, S. Gonzalez-Sevilla⁴⁹,
 J.J. Goodson¹⁴⁹, L. Goossens³⁰, P.A. Gorbounov⁹⁶,
 H.A. Gordon²⁵, I. Gorelov¹⁰⁴, G. Gorfine¹⁷⁶,
 B. Gorini³⁰, E. Gorini^{72a,72b}, A. Gorišek⁷⁴,
 E. Gornicki³⁹, A.T. Goshaw⁶, C. Gössling⁴³,
 M.I. Gostkin⁶⁴, I. Gough Eschrich¹⁶⁴, M. Gouighri^{136a},
 D. Goujdami^{136c}, M.P. Goulette⁴⁹, A.G. Goussiou¹³⁹,
 C. Goy⁵, S. Gozpinar²³, H.M.X. Grabas¹³⁷,
 L. Graber⁵⁴, I. Grabowska-Bold^{38a}, P. Grafström^{20a,20b},
 K.-J. Grahn⁴², J. Gramling⁴⁹, E. Gramstad¹¹⁸,
 F. Grancagnolo^{72a}, S. Grancagnolo¹⁶, V. Grassi¹⁴⁹,
 V. Gratchev¹²², H.M. Gray³⁰, J.A. Gray¹⁴⁹,
 E. Graziani^{135a}, O.G. Grebenyuk¹²²,
 Z.D. Greenwood^{78,m}, K. Gregersen³⁶, I.M. Gregor⁴²,
 P. Grenier¹⁴⁴, J. Griffiths⁸, N. Grigalashvili⁶⁴,
 A.A. Grillo¹³⁸, K. Grimm⁷¹, S. Grinstein^{12,r},
 Ph. Gris³⁴, Y.V. Grishkevich⁹⁸, J.-F. Grivaz¹¹⁶,
 J.P. Grohs⁴⁴, A. Grohsjean⁴², E. Gross¹⁷³,
 J. Grosse-Knetter⁵⁴, G.C. Grossi^{134a,134b},
 J. Groth-Jensen¹⁷³, Z.J. Grout¹⁵⁰, K. Grybel¹⁴²,
 F. Guescini⁴⁹, D. Guest¹⁷⁷, O. Gueta¹⁵⁴,
 C. Guicheney³⁴, E. Guido^{50a,50b}, T. Guillemin¹¹⁶,
 S. Guindon², U. Gul⁵³, C. Gumpert⁴⁴, J. Gunther¹²⁷,
 J. Guo³⁵, S. Gupta¹¹⁹, P. Gutierrez¹¹²,
 N.G. Gutierrez Ortiz⁵³, C. Gutsche⁷⁷, N. Guttman¹⁵⁴,
 C. Guyot¹³⁷, C. Gwenlan¹¹⁹, C.B. Gwilliam⁷³,
 A. Haas¹⁰⁹, C. Haber¹⁵, H.K. Hadavand⁸, P. Haefner²¹,
 S. Hageboeck²¹, Z. Hajduk³⁹, H. Hakobyan¹⁷⁸,
 D. Hall¹¹⁹, G. Halladjian⁶², K. Hamacher¹⁷⁶,
 P. Hamal¹¹⁴, K. Hamano⁸⁷, M. Hamer⁵⁴,
 A. Hamilton^{146a,s}, S. Hamilton¹⁶², L. Han^{33b},
 K. Hanagaki¹¹⁷, K. Hanawa¹⁵⁶, M. Hance¹⁵,
 C. Handel⁸², P. Hanke^{58a}, J.R. Hansen³⁶,
 J.B. Hansen³⁶, J.D. Hansen³⁶, P.H. Hansen³⁶,

- P. Hansson¹⁴⁴, K. Hara¹⁶¹, A.S. Hard¹⁷⁴,
T. Harenberg¹⁷⁶, S. Harkusha⁹¹, D. Harper⁸⁸,
R.D. Harrington⁴⁶, O.M. Harris¹³⁹, P.F. Harrison¹⁷¹,
F. Hartjes¹⁰⁶, A. Harvey⁵⁶, S. Hasegawa¹⁰²,
Y. Hasegawa¹⁴¹, S. Hassani¹³⁷, S. Haug¹⁷,
M. Hauschild³⁰, R. Hauser⁸⁹, M. Havranek²¹,
C.M. Hawkes¹⁸, R.J. Hawkins³⁰, A.D. Hawkins⁸⁰,
T. Hayashi¹⁶¹, D. Hayden⁸⁹, C.P. Hays¹¹⁹,
H.S. Hayward⁷³, S.J. Haywood¹³⁰, S.J. Head¹⁸,
T. Heck⁸², V. Hedberg⁸⁰, L. Heelan⁸, S. Heim¹²¹,
B. Heinemann¹⁵, S. Heisterkamp³⁶, J. Hejbal¹²⁶,
L. Helary²², C. Heller⁹⁹, M. Heller³⁰,
S. Hellman^{147a,147b}, D. Hellmich²¹, C. Helsen³⁰,
J. Henderson¹¹⁹, R.C.W. Henderson⁷¹, A. Henrichs¹⁷⁷,
A.M. Henriques Correia³⁰, S. Henrot-Versille¹¹⁶,
C. Hensel⁵⁴, G.H. Herbert¹⁶, C.M. Hernandez⁸,
Y. Hernández Jiménez¹⁶⁸, R. Herrberg-Schubert¹⁶,
G. Herten⁴⁸, R. Hertenberger⁹⁹, L. Hervas³⁰,
G.G. Hesketh⁷⁷, N.P. Hessey¹⁰⁶, R. Hickling⁷⁵,
E. Higón-Rodríguez¹⁶⁸, J.C. Hill²⁸, K.H. Hiller⁴²,
S. Hillert²¹, S.J. Hillier¹⁸, I. Hinchliffe¹⁵, E. Hines¹²¹,
M. Hirose¹¹⁷, D. Hirschbuehl¹⁷⁶, J. Hobbs¹⁴⁹,
N. Hod¹⁰⁶, M.C. Hodgkinson¹⁴⁰, P. Hodgson¹⁴⁰,
A. Hoecker³⁰, M.R. Hoefkamp¹⁰⁴, J. Hoffman⁴⁰,
D. Hoffmann⁸⁴, J.I. Hofmann^{58a}, M. Hohlfeld⁸²,
T.R. Holmes¹⁵, S.O. Holmgren^{147a}, T.M. Hong¹²¹,
L. Hooft van Huysduynen¹⁰⁹, J.-Y. Hostachy⁵⁵,
S. Hou¹⁵², A. Houmada^{136a}, J. Howard¹¹⁹,
J. Howarth⁸³, M. Hrabovsky¹¹⁴, I. Hristova¹⁶,
J. Hrivnac¹¹⁶, T. Hryn'ova⁵, P.J. Hsu⁸², S.-C. Hsu¹³⁹,
D. Hu³⁵, X. Hu²⁵, Y. Huang^{146c}, Z. Hubacek³⁰,
F. Hubaut⁸⁴, F. Huegging²¹, A. Huettmann⁴²,
T.B. Huffman¹¹⁹, E.W. Hughes³⁵, G. Hughes⁷¹,
M. Huhtinen³⁰, T.A. Hülsing⁸², M. Hurwitz¹⁵,
N. Huseynov^{64,c}, J. Huston⁸⁹, J. Huth⁵⁷,
G. Iacobucci⁴⁹, G. Iakovidis¹⁰, I. Ibragimov¹⁴²,
L. Iconomidou-Fayard¹¹⁶, J. Idarraga¹¹⁶, E. Ideal¹⁷⁷,
P. Iengo^{103a}, O. Igonkina¹⁰⁶, T. Iizawa¹⁷², Y. Ikegami⁶⁵,
K. Ikematsu¹⁴², M. Ikeno⁶⁵, D. Iliadis¹⁵⁵, N. Ilic¹⁵⁹,
Y. Inamaru⁶⁶, T. Ince¹⁰⁰, P. Ioannou⁹, M. Iodice^{135a},
K. Iordanidou⁹, V. Ippolito^{133a,133b}, A. Irlles Quiles¹⁶⁸,
C. Isaksson¹⁶⁷, M. Ishino⁶⁷, M. Ishitsuka¹⁵⁸,
R. Ishmukhametov¹¹⁰, C. Issever¹¹⁹, S. Istin^{19a},
A.V. Ivashin¹²⁹, W. Iwanski³⁹, H. Iwasaki⁶⁵,
J.M. Izen⁴¹, V. Izzo^{103a}, B. Jackson¹²¹, J.N. Jackson⁷³,
M. Jackson⁷³, P. Jackson¹, M.R. Jaekel³⁰, V. Jain²,
K. Jakobs⁴⁸, S. Jakobsen³⁶, T. Jakoubek¹²⁶,
J. Jakubek¹²⁷, D.O. Jamin¹⁵², D.K. Jana¹¹²,
E. Jansen⁷⁷, H. Jansen³⁰, J. Janssen²¹, M. Janus¹⁷¹,
R.C. Jared¹⁷⁴, G. Jarlskog⁸⁰, L. Jeanty⁵⁷,
G.-Y. Jeng¹⁵¹, I. Jen-La Plante³¹, D. Jennens⁸⁷,
P. Jenni^{48,t}, J. Jentsch⁴³, C. Jeske¹⁷¹, S. Jézéquel⁵,
M.K. Jha^{20a}, H. Ji¹⁷⁴, W. Ji⁸², J. Jia¹⁴⁹, Y. Jiang^{33b},
M. Jimenez Belenguer⁴², S. Jin^{33a}, A. Jinaru^{26a},
O. Jinnouchi¹⁵⁸, M.D. Joergensen³⁶, D. Joffe⁴⁰,
K.E. Johansson^{147a}, P. Johansson¹⁴⁰, K.A. Johns⁷,
K. Jon-And^{147a,147b}, G. Jones¹⁷¹, R.W.L. Jones⁷¹,
T.J. Jones⁷³, P.M. Jorge^{125a}, K.D. Joshi⁸³,
J. Jovicevic¹⁴⁸, X. Ju¹⁷⁴, C.A. Jung⁴³, R.M. Jungst³⁰,
P. Jussel⁶¹, A. Juste Rozas^{12,r}, M. Kaci¹⁶⁸,
A. Kaczmarska³⁹, P. Kadlecik³⁶, M. Kado¹¹⁶,
H. Kagan¹¹⁰, M. Kagan¹⁴⁴, E. Kajomovitz⁴⁵,
S. Kalinin¹⁷⁶, S. Kama⁴⁰, N. Kanaya¹⁵⁶, M. Kaneda³⁰,
S. Kaneti²⁸, T. Kanno¹⁵⁸, V.A. Kantserov⁹⁷,
J. Kanzaki⁶⁵, B. Kaplan¹⁰⁹, A. Kapli³¹, D. Kar⁵³,
K. Karakostas¹⁰, N. Karastathis¹⁰, M. Karneviskiy⁸²,
S.N. Karpov⁶⁴, K. Karthik¹⁰⁹, V. Kartvelishvili⁷¹,
A.N. Karyukhin¹²⁹, L. Kashif¹⁷⁴, G. Kasieczka^{58b},
R.D. Kass¹¹⁰, A. Kastanas¹⁴, Y. Kataoka¹⁵⁶,
A. Katre⁴⁹, J. Katzy⁴², V. Kaushik⁷, K. Kawagoe⁶⁹,
T. Kawamoto¹⁵⁶, G. Kawamura⁵⁴, S. Kazama¹⁵⁶,
V.F. Kazanin¹⁰⁸, M.Y. Kazarinov⁶⁴, R. Keeler¹⁷⁰,
P.T. Keener¹²¹, R. Kehoe⁴⁰, M. Keil⁵⁴, J.S. Keller¹³⁹,
H. Keoshkerian⁵, O. Kepka¹²⁶, B.P. Kerševan⁷⁴,
S. Kersten¹⁷⁶, K. Kessoku¹⁵⁶, J. Keung¹⁵⁹,
F. Khalil-zada¹¹, H. Khandanyan^{147a,147b},
A. Khanov¹¹³, D. Kharchenko⁶⁴, A. Khodinov⁹⁷,
A. Khomich^{58a}, T.J. Khoo²⁸, G. Khoriali²¹,
A. Khoroshilov¹⁷⁶, V. Khovanskiy⁹⁶, E. Khramov⁶⁴,
J. Khubua^{51b}, H. Kim^{147a,147b}, S.H. Kim¹⁶¹,
N. Kimura¹⁷², O. Kind¹⁶, B.T. King⁷³, M. King⁶⁶,
R.S.B. King¹¹⁹, S.B. King¹⁶⁹, J. Kirk¹³⁰,
A.E. Kiryunin¹⁰⁰, T. Kishimoto⁶⁶, D. Kisielewska^{38a},
T. Kitamura⁶⁶, T. Kittelmann¹²⁴, K. Kiuchi¹⁶¹,
E. Kladiva^{145b}, M. Klein⁷³, U. Klein⁷³,
K. Kleinknecht⁸², P. Klimek^{147a,147b}, A. Klimentov²⁵,
R. Klingenberg⁴³, J.A. Klinger⁸³, E.B. Klinkby³⁶,
T. Klioutchnikova³⁰, P.F. Klok¹⁰⁵, E.-E. Kluge^{58a},
P. Kluit¹⁰⁶, S. Kluth¹⁰⁰, E. Kneringer⁶¹,
E.B.F.G. Knoops⁸⁴, A. Knue⁵⁴, B.R. Ko⁴⁵,
T. Kobayashi¹⁵⁶, M. Kobel⁴⁴, M. Kocian¹⁴⁴,
P. Kodys¹²⁸, S. Koenig⁸², P. Koevesarki²¹, T. Koffas²⁹,
E. Koffeman¹⁰⁶, L.A. Kogan¹¹⁹, S. Kohlmann¹⁷⁶,
Z. Kohout¹²⁷, T. Kohriki⁶⁵, T. Koi¹⁴⁴, H. Kolanoski¹⁶,
I. Koletsou⁵, J. Koll⁸⁹, A.A. Komar^{95,*}, Y. Komori¹⁵⁶,
T. Kondo⁶⁵, K. Köneke⁴⁸, A.C. König¹⁰⁵, T. Kono^{65,u},
R. Konoplich^{109,v}, N. Konstantinidis⁷⁷,
R. Kopeliansky¹⁵³, S. Koperny^{38a}, L. Köpke⁸²,
A.K. Kopp⁴⁸, K. Korcyl³⁹, K. Kordas¹⁵⁵, A. Korn⁴⁶,
A.A. Korol¹⁰⁸, I. Korolkov¹², E.V. Korolkova¹⁴⁰,
V.A. Korotkov¹²⁹, O. Kortner¹⁰⁰, S. Kortner¹⁰⁰,
V.V. Kostyukhin²¹, S. Kotov¹⁰⁰, V.M. Kotov⁶⁴,
A. Kotwal⁴⁵, C. Kourkoumelis⁹, V. Kouskoura¹⁵⁵,
A. Koutsman^{160a}, R. Kowalewski¹⁷⁰, T.Z. Kowalski^{38a},
W. Kozanecki¹³⁷, A.S. Kozhin¹²⁹, V. Kral¹²⁷,
V.A. Kramarenko⁹⁸, G. Kramberger⁷⁴, M.W. Krasny⁷⁹,
A. Krasznahorkay¹⁰⁹, J.K. Kraus²¹, A. Kravchenko²⁵,
S. Kreiss¹⁰⁹, J. Kretzschmar⁷³, K. Kreutzfeldt⁵²,
N. Krieger⁵⁴, P. Krieger¹⁵⁹, K. Kroeninger⁵⁴,
H. Kroha¹⁰⁰, J. Kroll¹²¹, J. Kröseberg²¹, J. Krstic^{13a},
U. Kruchonak⁶⁴, H. Krüger²¹, T. Kruker¹⁷,
N. Krumnack⁶³, Z.V. Krumshteyn⁶⁴, A. Kruse¹⁷⁴,
M.C. Kruse⁴⁵, M. Kruskal²², T. Kubota⁸⁷, S. Kuday^{4a},
S. Kuehn⁴⁸, A. Kugel^{58c}, T. Kuhl⁴², V. Kukhtin⁶⁴,
Y. Kulchitsky⁹¹, S. Kuleshov^{32b}, M. Kuna^{133a,133b},
J. Kunkle¹²¹, A. Kupco¹²⁶, H. Kurashige⁶⁶,

- M. Kurata¹⁶¹, Y.A. Kurochkin⁹¹, R. Kurumida⁶⁶,
V. Kus¹²⁶, E.S. Kuwertz¹⁴⁸, M. Kuze¹⁵⁸, J. Kvita¹⁴³,
R. Kwee¹⁶, A. La Rosa⁴⁹, L. La Rotonda^{37a,37b},
L. Labarga⁸¹, S. Lablak^{136a}, C. Lacasta¹⁶⁸,
F. Lacava^{133a,133b}, J. Lacey²⁹, H. Lacker¹⁶,
D. Lacour⁷⁹, V.R. Lacuesta¹⁶⁸, E. Ladygin⁶⁴,
R. Lafaye⁵, B. Laforge⁷⁹, T. Lagouri¹⁷⁷, S. Lai⁴⁸,
H. Laier^{58a}, E. Laisne⁵⁵, L. Lambourne⁷⁷,
C.L. Lampen⁷, W. Lampl⁷, E. Lançon¹³⁷,
U. Landgraf⁴⁸, M.P.J. Landon⁷⁵, V.S. Lang^{58a},
C. Lange⁴², A.J. Lankford¹⁶⁴, F. Lanni²⁵,
K. Lantzschi³⁰, A. Lanza^{120a}, S. Laplace⁷⁹, C. Lapoire²¹,
J.F. Laporte¹³⁷, T. Lari^{90a}, A. Larner¹¹⁹, M. Lassnig³⁰,
P. Laurelli⁴⁷, V. Lavorini^{37a,37b}, W. Lavrijsen¹⁵,
P. Laycock⁷³, B.T. Le⁵⁵, O. Le Dortz⁷⁹,
E. Le Guirrec⁸⁴, E. Le Menedeu¹², T. LeCompte⁶,
F. Ledroit-Guillon⁵⁵, C.A. Lee¹⁵², H. Lee¹⁰⁶,
J.S.H. Lee¹¹⁷, S.C. Lee¹⁵², L. Lee¹⁷⁷, G. Lefebvre⁷⁹,
M. Lefebvre¹⁷⁰, M. Legendre¹³⁷, F. Legger⁹⁹,
C. Leggett¹⁵, A. Lehan⁷³, M. Lehmacher²¹,
G. Lehmann Miotto³⁰, A.G. Leister¹⁷⁷, M.A.L. Leite^{24d},
R. Leitner¹²⁸, D. Lellouch¹⁷³, B. Lemmer⁵⁴,
V. Lendermann^{58a}, K.J.C. Leney^{146c}, T. Lenz¹⁰⁶,
G. Lenzen¹⁷⁶, B. Lenzi³⁰, R. Leone⁷, K. Leonhardt⁴⁴,
S. Leontsinis¹⁰, C. Leroy⁹⁴, J-R. Lessard¹⁷⁰,
C.G. Lester²⁸, C.M. Lester¹²¹, J. Levêque⁵, D. Levin⁸⁸,
L.J. Levinson¹⁷³, A. Lewis¹¹⁹, G.H. Lewis¹⁰⁹,
A.M. Leyko²¹, M. Leyton¹⁶, B. Li^{33b,w}, B. Li⁸⁴,
H. Li¹⁴⁹, H.L. Li³¹, S. Li⁴⁵, X. Li⁸⁸, Z. Liang^{119,x},
H. Liao³⁴, B. Libert^{134a}, P. Lichard³⁰, K. Lie¹⁶⁶,
J. Liebal²¹, W. Liebigh¹⁴, C. Limbach²¹, A. Limosani⁸⁷,
M. Limper⁶², S.C. Lin^{152,y}, F. Linde¹⁰⁶,
B.E. Lindquist¹⁴⁹, J.T. Linnemann⁸⁹, E. Lipeles¹²¹,
A. Lipniacka¹⁴, M. Lisovyi⁴², T.M. Liss¹⁶⁶,
D. Lissauer²⁵, A. Lister¹⁶⁹, A.M. Litke¹³⁸, B. Liu¹⁵²,
D. Liu¹⁵², J.B. Liu^{33b}, K. Liu^{33b,z}, L. Liu⁸⁸, M. Liu⁴⁵,
M. Liu^{33b}, Y. Liu^{33b}, M. Livan^{120a,120b},
S.S.A. Livermore¹¹⁹, A. Lleres⁵⁵, J. Llorente Merino⁸¹,
S.L. Lloyd⁷⁵, F. Lo Sterzo^{133a,133b}, E. Lobodzinska⁴²,
P. Loch⁷, W.S. Lockman¹³⁸, T. Loddenkoetter²¹,
F.K. Loebinger⁸³, A.E. Loevschall-Jensen³⁶,
A. Loginov¹⁷⁷, C.W. Loh¹⁶⁹, T. Lohse¹⁶,
K. Lohwasser⁴⁸, M. Lokajicek¹²⁶, V.P. Lombardo⁵,
J.D. Long⁸⁸, R.E. Long⁷¹, L. Lopes^{125a},
D. Lopez Mateos⁵⁷, B. Lopez Paredes¹⁴⁰, J. Lorenz⁹⁹,
N. Lorenzo Martinez¹¹⁶, M. Losada¹⁶³, P. Loscutoff¹⁵,
M.J. Losty^{160a,*}, X. Lou⁴¹, A. Lounis¹¹⁶, J. Love⁶,
P.A. Love⁷¹, A.J. Lowe^{144,g}, F. Lu^{33a}, H.J. Lubatti¹³⁹,
C. Luci^{133a,133b}, A. Lucotte⁵⁵, D. Ludwig⁴²,
I. Ludwig⁴⁸, F. Luehring⁶⁰, W. Lukas⁶¹,
L. Luminari^{133a}, E. Lund¹¹⁸, J. Lundberg^{147a,147b},
O. Lundberg^{147a,147b}, B. Lund-Jensen¹⁴⁸,
M. Lungwitz⁸², D. Lynn²⁵, R. Lysak¹²⁶, E. Lytken⁸⁰,
H. Ma²⁵, L.L. Ma^{33d}, G. Maccarrone⁴⁷,
A. Macchiolo¹⁰⁰, B. Maček⁷⁴, J. Machado Miguens^{125a},
D. Macina³⁰, R. Mackeprang³⁶, R. Madar⁴⁸,
R.J. Madaras¹⁵, H.J. Maddocks⁷¹, W.F. Mader⁴⁴,
A. Madsen¹⁶⁷, M. Maeno⁸, T. Maeno²⁵, L. Magnoni¹⁶⁴,
E. Magradze⁵⁴, K. Mahboubi⁴⁸, J. Mahlstedt¹⁰⁶,
S. Mahmoud⁷³, G. Mahout¹⁸, C. Maiani¹³⁷,
C. Maidantchik^{24a}, A. Maio^{125a,d}, S. Majewski¹¹⁵,
Y. Makida⁶⁵, N. Makovec¹¹⁶, P. Mal^{137,aa},
B. Malaescu⁷⁹, Pa. Malecki³⁹, V.P. Maleev¹²²,
F. Malek⁵⁵, U. Mallik⁶², D. Malon⁶, C. Malone¹⁴⁴,
S. Maltezos¹⁰, V.M. Malyshev¹⁰⁸, S. Malyukov³⁰,
J. Mamuzic^{13b}, L. Mandelli^{90a}, I. Mandić⁷⁴,
R. Mandrysch⁶², J. Maneira^{125a}, A. Manfredini¹⁰⁰,
L. Manhaes de Andrade Filho^{24b},
J.A. Manjarres Ramos¹³⁷, A. Mann⁹⁹,
P.M. Manning¹³⁸, A. Manousakis-Katsikakis⁹,
B. Mansoulie¹³⁷, R. Mantifel⁸⁶, L. Mapelli³⁰,
L. March¹⁶⁸, J.F. Marchand²⁹, F. Marchese^{134a,134b},
G. Marchiori⁷⁹, M. Marcisovsky¹²⁶, C.P. Marino¹⁷⁰,
C.N. Marques^{125a}, F. Marroquim^{24a}, Z. Marshall¹⁵,
L.F. Marti¹⁷, S. Marti-Garcia¹⁶⁸, B. Martin³⁰,
B. Martin⁸⁹, J.P. Martin⁹⁴, T.A. Martin¹⁷¹,
V.J. Martin⁴⁶, B. Martin dit Latour⁴⁹, H. Martinez¹³⁷,
M. Martinez^{12,r}, S. Martin-Haugh¹⁵⁰,
A.C. Martyniuk¹⁷⁰, M. Marx¹³⁹, F. Marzano^{133a},
A. Marzin¹¹², L. Masetti⁸², T. Mashimo¹⁵⁶,
R. Mashinistov⁹⁵, J. Masik⁸³, A.L. Maslennikov¹⁰⁸,
I. Massa^{20a,20b}, N. Massol⁵, P. Mastrandrea¹⁴⁹,
A. Mastroberardino^{37a,37b}, T. Masubuchi¹⁵⁶,
H. Matsunaga¹⁵⁶, T. Matsushita⁶⁶, P. Mättig¹⁷⁶,
S. Mättig⁴², J. Mattmann⁸², C. Mattraversi^{119,e},
J. Maurer⁸⁴, S.J. Maxfield⁷³, D.A. Maximov^{108,h},
R. Mazini¹⁵², L. Mazzaferro^{134a,134b}, M. Mazzanti^{90a},
G. Mc Goldrick¹⁵⁹, S.P. Mc Kee⁸⁸, A. McCarn⁸⁸,
R.L. McCarthy¹⁴⁹, T.G. McCarthy²⁹,
N.A. McCubbin¹³⁰, K.W. McFarlane^{56,*},
J.A. McFayden¹⁴⁰, G. Mchedlidze^{51b}, T. McLaughlan¹⁸,
S.J. McMahon¹³⁰, R.A. McPherson^{170,k}, A. Meade⁸⁵,
J. Mechnich¹⁰⁶, M. Mechtel¹⁷⁶, M. Medinnis⁴²,
S. Meehan³¹, R. Meera-Lebbai¹¹², S. Mehlhase³⁶,
A. Mehta⁷³, K. Meier^{58a}, C. Meineck⁹⁹, B. Meirose⁸⁰,
C. Melachrinou³¹, B.R. Mellado Garcia^{146c},
F. Meloni^{90a,90b}, L. Mendoza Navas¹⁶³,
A. Mengarelli^{20a,20b}, S. Menke¹⁰⁰, E. Meoni¹⁶²,
K.M. Mercurio⁵⁷, S. Mergelmeyer²¹, N. Meric¹³⁷,
P. Mermod⁴⁹, L. Merola^{103a,103b}, C. Meroni^{90a},
F.S. Merritt³¹, H. Merritt¹¹⁰, A. Messina^{30,ab},
J. Metcalfe²⁵, A.S. Mete¹⁶⁴, C. Meyer⁸², C. Meyer³¹,
J-P. Meyer¹³⁷, J. Meyer³⁰, J. Meyer⁵⁴, S. Michal³⁰,
R.P. Middleton¹³⁰, S. Migas⁷³, L. Mijović¹³⁷,
G. Mikenberg¹⁷³, M. Mikestikova¹²⁶, M. Mikuš⁷⁴,
D.W. Miller³¹, W.J. Mills¹⁶⁹, C. Mills⁵⁷, A. Milov¹⁷³,
D.A. Milstead^{147a,147b}, D. Milstein¹⁷³,
A.A. Minaenko¹²⁹, M. Miñano Moya¹⁶⁸,
I.A. Minashvili⁶⁴, A.I. Mincer¹⁰⁹, B. Mindur^{38a},
M. Mineev⁶⁴, Y. Ming¹⁷⁴, L.M. Mir¹², G. Mirabelli^{133a},
T. Mitani¹⁷², J. Mitrevski¹³⁸, V.A. Mitsou¹⁶⁸,
S. Mitsui⁶⁵, P.S. Miyagawa¹⁴⁰, J.U. Mjörnmark⁸⁰,
T. Moa^{147a,147b}, V. Moeller²⁸, S. Mohapatra¹⁴⁹,
W. Mohr⁴⁸, S. Molander^{147a,147b}, R. Moles-Valls¹⁶⁸,
A. Molfetas³⁰, K. Mönig⁴², C. Monini⁵⁵, J. Monk³⁶,
E. Monnier⁸⁴, J. Montejo Berlingen¹², F. Monticelli⁷⁰,

- S. Monzani^{20a,20b}, R.W. Moore³, C. Mora Herrera⁴⁹,
A. Moraes⁵³, N. Morange⁶², J. Morel⁵⁴, D. Moreno⁸²,
M. Moreno Llácer¹⁶⁸, P. Morettini^{50a},
M. Morgenstern⁴⁴, M. Morii⁵⁷, S. Moritz⁸²,
A.K. Morley¹⁴⁸, G. Mornacchi³⁰, J.D. Morris⁷⁵,
L. Morvaj¹⁰², H.G. Moser¹⁰⁰, M. Mosidze^{51b},
J. Moss¹¹⁰, R. Mount¹⁴⁴, E. Mountricha^{10,ac},
S.V. Mouraviev^{95,*}, E.J.W. Moyse⁸⁵, R.D. Mudd¹⁸,
F. Mueller^{58a}, J. Mueller¹²⁴, K. Mueller²¹, T. Mueller²⁸,
T. Mueller⁸², D. Muenstermann⁴⁹, Y. Munwes¹⁵⁴,
J.A. Murillo Quijada¹⁸, W.J. Murray¹³⁰, I. Mussche¹⁰⁶,
E. Musto¹⁵³, A.G. Myagkov^{129,ad}, M. Myska¹²⁶,
O. Nackenhorst⁵⁴, J. Nadal¹², K. Nagai⁶¹, R. Nagai¹⁵⁸,
Y. Nagai⁸⁴, K. Nagano⁶⁵, A. Nagarkar¹¹⁰,
Y. Nagasaka⁵⁹, M. Nagel¹⁰⁰, A.M. Nairz³⁰,
Y. Nakahama³⁰, K. Nakamura⁶⁵, T. Nakamura¹⁵⁶,
I. Nakano¹¹¹, H. Namasivayam⁴¹, G. Nanava²¹,
A. Napier¹⁶², R. Narayan^{58b}, M. Nash^{77,e},
T. Nattermann²¹, T. Naumann⁴², G. Navarro¹⁶³,
H.A. Neal⁸⁸, P.Yu. Nechaeva⁹⁵, T.J. Neep⁸³,
A. Negri^{120a,120b}, G. Negri³⁰, M. Negrini^{20a},
S. Nektarijevic⁴⁹, A. Nelson¹⁶⁴, T.K. Nelson¹⁴⁴,
S. Nemecek¹²⁶, P. Nemethy¹⁰⁹, A.A. Nepomuceno^{24a},
M. Nessi^{30,ae}, M.S. Neubauer¹⁶⁶, M. Neumann¹⁷⁶,
A. Neusiedl⁸², R.M. Neves¹⁰⁹, P. Nevski²⁵,
F.M. Newcomer¹²¹, P.R. Newman¹⁸, D.H. Nguyen⁶,
V. Nguyen Thi Hong¹³⁷, R.B. Nickerson¹¹⁹,
R. Nicolaidou¹³⁷, B. Nicquevert³⁰, J. Nielsen¹³⁸,
N. Nikiforou³⁵, A. Nikiforov¹⁶, V. Nikolaenko^{129,ad},
I. Nikolic-Audit⁷⁹, K. Nikolics⁴⁹, K. Nikolopoulos¹⁸,
P. Nilsson⁸, Y. Ninomiya¹⁵⁶, A. Nisati^{133a}, R. Nisius¹⁰⁰,
T. Nobe¹⁵⁸, L. Nodulman⁶, M. Nomachi¹¹⁷,
I. Nomidis¹⁵⁵, S. Norberg¹¹², M. Nordberg³⁰,
J. Novakova¹²⁸, M. Nozaki⁶⁵, L. Nozka¹¹⁴, K. Ntekas¹⁰,
A.-E. Nuncio-Quiroz²¹, G. Nunes Hanninger⁸⁷,
T. Nunnemann⁹⁹, E. Nurse⁷⁷, B.J. O'Brien⁴⁶,
F. O'grady⁷, D.C. O'Neil¹⁴³, V. O'Shea⁵³,
L.B. Oakes⁹⁹, F.G. Oakham^{29,f}, H. Oberlack¹⁰⁰,
J. Ocariz⁷⁹, A. Ochi⁶⁶, M.I. Ochoa⁷⁷, S. Oda⁶⁹,
S. Odaka⁶⁵, H. Ogren⁶⁰, A. Oh⁸³, S.H. Oh⁴⁵,
C.C. Ohm³⁰, T. Ohshima¹⁰², W. Okamura¹¹⁷,
H. Okawa²⁵, Y. Okumura³¹, T. Okuyama¹⁵⁶,
A. Olariu^{26a}, A.G. Olchevski⁶⁴, S.A. Olivares Pino⁴⁶,
M. Oliveira^{125a,i}, D. Oliveira Damazio²⁵,
E. Oliver Garcia¹⁶⁸, D. Olivito¹²¹, A. Olszewski³⁹,
J. Olszowska³⁹, A. Onofre^{125a,af}, P.U.E. Onyisi^{31,ag},
C.J. Oram^{160a}, M.J. Oreglia³¹, Y. Oren¹⁵⁴,
D. Orestano^{135a,135b}, N. Orlando^{72a,72b},
C. Oropeza Barrera⁵³, R.S. Orr¹⁵⁹, B. Osculati^{50a,50b},
R. Ospanov¹²¹, G. Otero y Garzon²⁷, H. Otono⁶⁹,
M. Ouchrif^{136d}, E.A. Ouellette¹⁷⁰, F. Ould-Saada¹¹⁸,
A. Ouraou¹³⁷, K.P. Oussoren¹⁰⁶, Q. Ouyang^{33a},
A. Ovcharova¹⁵, M. Owen⁸³, S. Owen¹⁴⁰,
V.E. Ozcan^{19a}, N. Ozturk⁸, K. Pachal¹¹⁹,
A. Pacheco Pages¹², C. Padilla Aranda¹²,
S. Pagan Griso¹⁵, E. Paganis¹⁴⁰, C. Pahl¹⁰⁰, F. Paige²⁵,
P. Pais⁸⁵, K. Pajchel¹¹⁸, G. Palacino^{160b}, S. Palestini³⁰,
D. Pallin³⁴, A. Palma^{125a}, J.D. Palmer¹⁸, Y.B. Pan¹⁷⁴,
E. Panagiotopoulou¹⁰, J.G. Panduro Vazquez⁷⁶,
P. Pani¹⁰⁶, N. Panikashvili⁸⁸, S. Panitkin²⁵,
D. Pantea^{26a}, Th.D. Papadopoulou¹⁰,
K. Papageorgiou^{155,q}, A. Paramonov⁶,
D. Paredes Hernandez³⁴, M.A. Parker²⁸,
F. Parodi^{50a,50b}, J.A. Parsons³⁵, U. Parzefall⁴⁸,
S. Pashapour⁵⁴, E. Pasqualucci^{133a}, S. Passaggio^{50a},
A. Passeri^{135a}, F. Pastore^{135a,135b,*}, Fr. Pastore⁷⁶,
G. Pásztor^{49,ah}, S. Pataraja¹⁷⁶, N.D. Patel¹⁵¹,
J.R. Pater⁸³, S. Patricelli^{103a,103b}, T. Pauly³⁰,
J. Pearce¹⁷⁰, M. Pedersen¹¹⁸, S. Pedraza Lopez¹⁶⁸,
M.I. Pedraza Morales¹⁷⁴, S.V. Peleganchuk¹⁰⁸,
D. Pelikan¹⁶⁷, H. Peng^{33b}, B. Penning³¹, A. Penson³⁵,
J. Penwell⁶⁰, D.V. Perepelitsa³⁵, T. Perez Cavalcanti⁴²,
E. Perez Codina^{160a}, M.T. Pérez García-Estañ¹⁶⁸,
V. Perez Reale³⁵, L. Perini^{90a,90b}, H. Pernegger³⁰,
R. Perrino^{72a}, V.D. Peshekhonov⁶⁴, K. Peters³⁰,
R.F.Y. Peters^{54,ai}, B.A. Petersen³⁰, J. Petersen³⁰,
T.C. Petersen³⁶, E. Petit⁵, A. Petridis^{147a,147b},
C. Petridou¹⁵⁵, E. Petrolo^{133a}, F. Petrucci^{135a,135b},
M. Petteni¹⁴³, R. Pezosa^{32b}, P.W. Phillips¹³⁰,
G. Piacquadio¹⁴⁴, E. Pianori¹⁷¹, A. Picazio⁴⁹,
E. Piccaro⁷⁵, M. Piccinini^{20a,20b}, S.M. Piec⁴²,
R. Piegai²⁷, D.T. Pignotti¹¹⁰, J.E. Pilcher³¹,
A.D. Pilkington⁷⁷, J. Pina^{125a,d},
M. Pinamonti^{165a,165c,aj}, A. Pinder¹¹⁹, J.L. Pinfeld³,
A. Pingel³⁶, B. Pinto^{125a}, C. Pizio^{90a,90b},
M.-A. Pleier²⁵, V. Pleskot¹²⁸, E. Plotnikova⁶⁴,
P. Plucinski^{147a,147b}, S. Poddar^{58a}, F. Podlyski³⁴,
R. Poettgen⁸², L. Poggioli¹¹⁶, D. Pohl²¹, M. Pohl⁴⁹,
G. Polesello^{120a}, A. Policicchio^{37a,37b}, R. Polifka¹⁵⁹,
A. Polini^{20a}, C.S. Pollard⁴⁵, V. Polychronakos²⁵,
D. Pomeroy²³, K. Pommès³⁰, L. Pontecorvo^{133a},
B.G. Pope⁸⁹, G.A. Popeneciu^{26b}, D.S. Popovic^{13a},
A. Poppleton³⁰, X. Portell Bueso¹², G.E. Pospelov¹⁰⁰,
S. Pospisil¹²⁷, K. Potamianos¹⁵, I.N. Potrap⁶⁴,
C.J. Potter¹⁵⁰, C.T. Potter¹¹⁵, G. Poulard³⁰,
J. Poveda⁶⁰, V. Pozdnyakov⁶⁴, R. Prabhu⁷⁷,
P. Pralavorio⁸⁴, A. Pranko¹⁵, S. Prasad³⁰,
R. Pravahan⁸, S. Prell⁶³, D. Price⁶⁰, J. Price⁷³,
L.E. Price⁶, D. Prieur¹²⁴, M. Primavera^{72a},
M. Proissl⁴⁶, K. Prokofiev¹⁰⁹, F. Prokoshin^{32b},
E. Protopapadaki¹³⁷, S. Protopopescu²⁵, J. Proudfoot⁶,
X. Prudent⁴⁴, M. Przybycien^{38a}, H. Przysieznik⁵,
S. Psoroulas²¹, E. Ptacek¹¹⁵, E. Pueschel⁸⁵,
D. Puldon¹⁴⁹, M. Purohit^{25,ak}, P. Puzo¹¹⁶,
Y. Pylypchenko⁶², J. Qian⁸⁸, A. Quadt⁵⁴,
D.R. Quarrie¹⁵, W.B. Quayle^{146c}, D. Quilty⁵³,
V. Radeka²⁵, V. Radescu⁴², P. Radloff¹¹⁵,
F. Ragusa^{90a,90b}, G. Rahal¹⁷⁹, S. Rajagopalan²⁵,
M. Rammensee⁴⁸, M. Rammes¹⁴²,
A.S. Randle-Conde⁴⁰, C. Rangel-Smith⁷⁹, K. Rao¹⁶⁴,
F. Rauscher⁹⁹, T.C. Rave⁴⁸, T. Ravenscroft⁵³,
M. Raymond³⁰, A.L. Read¹¹⁸, D.M. Rebuffi^{120a,120b},
A. Redelbach¹⁷⁵, G. Redlinger²⁵, R. Reece¹²¹,
K. Reeves⁴¹, A. Reinsch¹¹⁵, I. Reisinger⁴³, M. Relich¹⁶⁴,
C. Rembser³⁰, Z.L. Ren¹⁵², A. Renaud¹¹⁶,
M. Rescigno^{133a}, S. Resconi^{90a}, B. Resende¹³⁷,

- P. Reznicek⁹⁹, R. Rezvani⁹⁴, R. Richter¹⁰⁰,
 E. Richter-Was^{38b}, M. Ridel⁷⁹, P. Rieck¹⁶,
 M. Rijssenbeek¹⁴⁹, A. Rimoldi^{120a,120b}, L. Rinaldi^{20a},
 R.R. Rios⁴⁰, E. Ritsch⁶¹, I. Riu¹², G. Rivoltella^{90a,90b},
 F. Rizatdinova¹¹³, E. Rizvi⁷⁵, S.H. Robertson^{86,k},
 A. Robichaud-Veronneau¹¹⁹, D. Robinson²⁸,
 J.E.M. Robinson⁸³, A. Robson⁵³,
 J.G. Rocha de Lima¹⁰⁷, C. Roda^{123a,123b},
 D. Roda Dos Santos¹²⁶, L. Rodrigues³⁰, A. Roe⁵⁴,
 S. Roe³⁰, O. Röhne¹¹⁸, S. Rolli¹⁶², A. Romaniouk⁹⁷,
 M. Romano^{20a,20b}, G. Romeo²⁷, E. Romero Adam¹⁶⁸,
 N. Rompotis¹³⁹, L. Roos⁷⁹, E. Ros¹⁶⁸, S. Rosati^{133a},
 K. Rosbach⁴⁹, A. Rose¹⁵⁰, M. Rose⁷⁶, P.L. Rosendahl¹⁴,
 O. Rosenthal¹⁴², V. Rossetti¹², E. Rossi^{103a,103b},
 L.P. Rossi^{50a}, R. Rosten¹³⁹, M. Rotaru^{26a}, I. Roth¹⁷³,
 J. Rothberg¹³⁹, D. Rousseau¹¹⁶, C.R. Royon¹³⁷,
 A. Rozanov⁸⁴, Y. Rozen¹⁵³, X. Ruan^{146c}, F. Rubbo¹²,
 I. Rubinskiy⁴², V.I. Rud⁹⁸, C. Rudolph⁴⁴,
 M.S. Rudolph¹⁵⁹, F. Rühr⁷, A. Ruiz-Martinez⁶³,
 L. Rumyantsev⁶⁴, Z. Rurikova⁴⁸, N.A. Rusakovich⁶⁴,
 A. Ruschke⁹⁹, J.P. Rutherford⁷, N. Ruthmann⁴⁸,
 P. Ruzicka¹²⁶, Y.F. Ryabov¹²², M. Rybar¹²⁸,
 G. Rybkin¹¹⁶, N.C. Ryder¹¹⁹, A.F. Saavedra¹⁵¹,
 A. Saddique³, I. Sadeh¹⁵⁴, H.F.W. Sadrozinski¹³⁸,
 R. Sadykov⁶⁴, F. Safai Tehrani^{133a}, H. Sakamoto¹⁵⁶,
 Y. Sakurai¹⁷², G. Salamanna⁷⁵, A. Salamon^{134a},
 M. Saleem¹¹², D. Salek³⁰, D. Salihagic¹⁰⁰,
 A. Salnikov¹⁴⁴, J. Salt¹⁶⁸, B.M. Salvachua Ferrando⁶,
 D. Salvatore^{37a,37b}, F. Salvatore¹⁵⁰, A. Salvucci¹⁰⁵,
 A. Salzburger³⁰, D. Sampsonidis¹⁵⁵,
 A. Sanchez^{103a,103b}, J. Sánchez¹⁶⁸,
 V. Sanchez Martinez¹⁶⁸, H. Sandaker¹⁴, H.G. Sander⁸²,
 M.P. Sanders⁹⁹, M. Sandhoff¹⁷⁶, T. Sandoval²⁸,
 C. Sandoval¹⁶³, R. Sandstroem¹⁰⁰, D.P.C. Sankey¹³⁰,
 A. Sansoni⁴⁷, C. Santoni³⁴, R. Santonico^{134a,134b},
 H. Santos^{125a}, I. Santoyo Castillo¹⁵⁰, K. Sapp¹²⁴,
 A. Saproinov⁶⁴, J.G. Saraiva^{125a},
 E. Sarkisyan-Grinbaum⁸, B. Sarrazin²¹,
 G. Sartisohn¹⁷⁶, O. Sasaki⁶⁵, Y. Sasaki¹⁵⁶, N. Sasao⁶⁷,
 I. Satsounkevitch⁹¹, G. Sauvage^{5,*}, E. Sauvan⁵,
 J.B. Sauvan¹¹⁶, P. Savard^{159,f}, V. Savinov¹²⁴,
 D.O. Savu³⁰, C. Sawyer¹¹⁹, L. Sawyer^{78,m},
 D.H. Saxon⁵³, J. Saxon¹²¹, C. Sbarra^{20a}, A. Sbrizzi³,
 T. Scanlon³⁰, D.A. Scannicchio¹⁶⁴, M. Scarcella¹⁵¹,
 J. Schaarschmidt¹¹⁶, P. Schacht¹⁰⁰, D. Schaefer¹²¹,
 A. Schaelicke⁴⁶, S. Schaepe²¹, S. Schaezel^{158b},
 U. Schäfer⁸², A.C. Schaffer¹¹⁶, D. Schaile⁹⁹,
 R.D. Schamberger¹⁴⁹, V. Scharf^{58a}, V.A. Schegelsky¹²²,
 D. Scheirich⁸⁸, M. Schernau¹⁶⁴, M.I. Scherzer³⁵,
 C. Schiavi^{50a,50b}, J. Schieck⁹⁹, C. Schillo⁴⁸,
 M. Schioppa^{37a,37b}, S. Schlenker³⁰, E. Schmidt⁴⁸,
 K. Schmieden³⁰, C. Schmitt⁸², C. Schmitt⁹⁹,
 S. Schmitt^{58b}, B. Schneider¹⁷, Y.J. Schnellbach⁷³,
 U. Schnoor⁴⁴, L. Schoeffel¹³⁷, A. Schoening^{58b},
 B.D. Schoenrock⁸⁹, A.L.S. Schorlemmer⁵⁴, M. Schott⁸²,
 D. Schouten^{160a}, J. Schovancova²⁵, M. Schram⁸⁶,
 S. Schramm¹⁵⁹, M. Schreyer¹⁷⁵, C. Schroeder⁸²,
 N. Schroer^{58c}, N. Schuh⁸², M.J. Schultens²¹,
 H.-C. Schultz-Coulon^{58a}, H. Schulz¹⁶, M. Schumacher⁴⁸,
 B.A. Schumm¹³⁸, Ph. Schune¹³⁷, A. Schwartzman¹⁴⁴,
 Ph. Schwegler¹⁰⁰, Ph. Schwemling¹³⁷,
 R. Schwienhorst⁸⁹, J. Schwindling¹³⁷, T. Schwindt²¹,
 M. Schwoerer⁵, F.G. Sciacca¹⁷, E. Scifo¹¹⁶, G. Sciolla²³,
 W.G. Scott¹³⁰, F. Scutti²¹, J. Searcy⁸⁸, G. Sedov⁴²,
 E. Sedykh¹²², S.C. Seidel¹⁰⁴, A. Seiden¹³⁸, F. Seifert⁴⁴,
 J.M. Seixas^{24a}, G. Sekhniaidze^{103a}, S.J. Sekula⁴⁰,
 K.E. Selbach⁴⁶, D.M. Seliverstov¹²², G. Sellers⁷³,
 M. Seman^{145b}, N. Semprini-Cesari^{20a,20b}, C. Serfon³⁰,
 L. Serin¹¹⁶, L. Serkin⁵⁴, T. Serre⁸⁴, R. Seuster^{160a},
 H. Severini¹¹², F. Sforza¹⁰⁰, A. Sfyrla³⁰, E. Shabalina⁵⁴,
 M. Shamim¹¹⁵, L.Y. Shan^{33a}, J.T. Shank²²,
 Q.T. Shao⁸⁷, M. Shapiro¹⁵, P.B. Shatalov⁹⁶,
 K. Shaw^{165a,165c}, P. Sherwood⁷⁷, S. Shimizu⁶⁶,
 M. Shimojima¹⁰¹, T. Shin⁵⁶, M. Shiyakova⁶⁴,
 A. Shmeleva⁹⁵, M.J. Shochet³¹, D. Short¹¹⁹,
 S. Shrestha⁶³, E. Shulga⁹⁷, M.A. Shupe⁷,
 S. Shushkevich⁴², P. Sicho¹²⁶, D. Sidorov¹¹³,
 A. Sidoti^{133a}, F. Siegert⁴⁸, Dj. Sijacki^{13a}, O. Silbert¹⁷³,
 J. Silva^{125a}, Y. Silver¹⁵⁴, D. Silverstein¹⁴⁴,
 S.B. Silverstein^{147a}, V. Simak¹²⁷, O. Simard⁵,
 Lj. Simic^{13a}, S. Simion¹¹⁶, E. Simioni⁸², B. Simmons⁷⁷,
 R. Simoniello^{90a,90b}, M. Simonyan³⁶, P. Sinervo¹⁵⁹,
 N.B. Sinev¹¹⁵, V. Sipica¹⁴², G. Siragusa¹⁷⁵, A. Sircar⁷⁸,
 A.N. Sisakyan^{64,*}, S.Yu. Sivoklov⁹⁸, J. Sjölin^{147a,147b},
 T.B. Sjusen¹⁴, L.A. Skinnari¹⁵, H.P. Skottowe⁵⁷,
 K.Yu. Skovpen¹⁰⁸, P. Skubic¹¹², M. Slater¹⁸,
 T. Slavicek¹²⁷, K. Sliwa¹⁶², V. Smakhtin¹⁷³,
 B.H. Smart⁴⁶, L. Smestad¹¹⁸, S.Yu. Smirnov⁹⁷,
 Y. Smirnov⁹⁷, L.N. Smirnova^{98,al}, O. Smirnova⁸⁰,
 K.M. Smith⁵³, M. Smizanska⁷¹, K. Smolek¹²⁷,
 A.A. Snesarev⁹⁵, G. Snidero⁷⁵, J. Snow¹¹², S. Snyder²⁵,
 R. Sobie^{170,k}, F. Socher⁴⁴, J. Sodomka¹²⁷, A. Soffer¹⁵⁴,
 D.A. Soh^{152,x}, C.A. Solans³⁰, M. Solar¹²⁷, J. Solc¹²⁷,
 E.Yu. Soldatov⁹⁷, U. Soldevila¹⁶⁸,
 E. Solfaroli Camillocci^{133a,133b}, A.A. Solodkov¹²⁹,
 O.V. Solovyanov¹²⁹, V. Solovyev¹²², N. Soni¹,
 A. Sood¹⁵, V. Sopko¹²⁷, B. Sopko¹²⁷, M. Sosebee⁸,
 R. Soualah^{165a,165c}, P. Soueid⁹⁴, A.M. Soukharev¹⁰⁸,
 D. South⁴², S. Spagnolo^{72a,72b}, F. Spanò⁷⁶,
 W.R. Spearman⁵⁷, R. Spighi^{20a}, G. Spigo³⁰,
 M. Spousta^{128,am}, T. Spreitzer¹⁵⁹, B. Spurlock⁸,
 R.D. St. Denis⁵³, J. Stahlman¹²¹, R. Stamen^{58a},
 E. Stanecka³⁹, R.W. Stanek⁶, C. Stanescu^{135a},
 M. Stanescu-Bellu⁴², M.M. Stanitzki⁴², S. Stapnes¹¹⁸,
 E.A. Starchenko¹²⁹, J. Stark⁵⁵, P. Staroba¹²⁶,
 P. Starovoitov⁴², R. Staszewski³⁹, P. Stavina^{145a,*},
 G. Steele⁵³, P. Steinbach⁴⁴, P. Steinberg²⁵, I. Stekl¹²⁷,
 B. Stelzer¹⁴³, H.J. Stelzer⁸⁹, O. Stelzer-Chilton^{160a},
 H. Stenzel⁵², S. Stern¹⁰⁰, G.A. Stewart³⁰,
 J.A. Stillings²¹, M.C. Stockton⁸⁶, M. Stoebe⁸⁶,
 K. Stoerig⁴⁸, G. Stoica^{26a}, S. Stonjek¹⁰⁰,
 A.R. Stradling⁸, A. Straessner⁴⁴, J. Strandberg¹⁴⁸,
 S. Strandberg^{147a,147b}, A. Strandlie¹¹⁸, E. Strauss¹⁴⁴,
 M. Strauss¹¹², P. Strizenc^{145b}, R. Ströhmer¹⁷⁵,
 D.M. Strom¹¹⁵, R. Stroynowski⁴⁰, S.A. Stucci¹⁷,
 B. Stugu¹⁴, I. Stumer^{25,*}, J. Stupak¹⁴⁹, P. Sturm¹⁷⁶,

- N.A. Styles⁴², D. Su¹⁴⁴, H.S. Subramania³,
R. Subramaniam⁷⁸, A. Succurro¹², Y. Sugaya¹¹⁷,
C. Suhr¹⁰⁷, M. Suk¹²⁷, V.V. Sulin⁹⁵, S. Sultansoy^{4c},
T. Sumida⁶⁷, X. Sun⁵⁵, J.E. Sundermann⁴⁸,
K. Suruliz¹⁴⁰, G. Susinno^{37a,37b}, M.R. Sutton¹⁵⁰,
Y. Suzuki⁶⁵, M. Svatos¹²⁶, S. Swedish¹⁶⁹,
M. Swiatlowski¹⁴⁴, I. Sykora^{145a}, T. Sykora¹²⁸, D. Ta⁸⁹,
K. Tackmann⁴², J. Taenzer¹⁵⁹, A. Taffard¹⁶⁴,
R. Tafirout^{160a}, N. Taiblum¹⁵⁴, Y. Takahashi¹⁰²,
H. Takai²⁵, R. Takashima⁶⁸, H. Takeda⁶⁶,
T. Takeshita¹⁴¹, Y. Takubo⁶⁵, M. Talby⁸⁴,
A.A. Talyshev^{108,h}, J.Y.C. Tam¹⁷⁵, M.C. Tamsett^{78,an},
K.G. Tan⁸⁷, J. Tanaka¹⁵⁶, R. Tanaka¹¹⁶, S. Tanaka¹³²,
S. Tanaka⁶⁵, A.J. Tanasijczuk¹⁴³, K. Tani⁶⁶,
N. Tannoury⁸⁴, S. Tapprogge⁸², S. Tarem¹⁵³,
F. Tarrade²⁹, G.F. Tartarelli^{90a}, P. Tas¹²⁸,
M. Tasevsky¹²⁶, T. Tashiro⁶⁷, E. Tassi^{37a,37b},
A. Tavares Delgado^{125a}, Y. Tayalati^{136d}, C. Taylor⁷⁷,
F.E. Taylor⁹³, G.N. Taylor⁸⁷, W. Taylor^{160b},
F.A. Teischinger³⁰, M. Teixeira Dias Castanheira⁷⁵,
P. Teixeira-Dias⁷⁶, K.K. Temming⁴⁸, H. Ten Kate³⁰,
P.K. Teng¹⁵², S. Terada⁶⁵, K. Terashi¹⁵⁶, J. Terron⁸¹,
S. Terzo¹⁰⁰, M. Testa⁴⁷, R.J. Teuscher^{159,k},
J. Therhaag²¹, T. Theveneaux-Pelzer³⁴, S. Thoma⁴⁸,
J.P. Thomas¹⁸, E.N. Thompson³⁵, P.D. Thompson¹⁸,
P.D. Thompson¹⁵⁹, A.S. Thompson⁵³, L.A. Thomsen³⁶,
E. Thomson¹²¹, M. Thomson²⁸, W.M. Thong⁸⁷,
R.P. Thun^{88,*}, F. Tian³⁵, M.J. Tibbetts¹⁵, T. Tic¹²⁶,
V.O. Tikhomirov^{95,ao}, Yu.A. Tikhonov^{108,h},
S. Timoshenko⁹⁷, E. Tiouchichine⁸⁴, P. Tipton¹⁷⁷,
S. Tisserant⁸⁴, T. Todorov⁵, S. Todorova-Nova¹²⁸,
B. Toggerson¹⁶⁴, J. Tojo⁶⁹, S. Tokár^{145a},
K. Tokushuku⁶⁵, K. Tollefson⁸⁹, L. Tomlinson⁸³,
M. Tomoto¹⁰², L. Tompkins³¹, K. Toms¹⁰⁴,
A. Tonoyan¹⁴, N.D. Topilin⁶⁴, E. Torrence¹¹⁵,
H. Torres¹⁴³, E. Torró Pastor¹⁶⁸, J. Toth^{84,ah},
F. Touchard⁸⁴, D.R. Tovey¹⁴⁰, H.L. Tran¹¹⁶,
T. Trefzger¹⁷⁵, L. Tremblet³⁰, A. Tricoli³⁰,
I.M. Trigger^{160a}, S. Trincaz-Duvoid⁷⁹, M.F. Tripiana⁷⁰,
N. Triplett²⁵, W. Trischuk¹⁵⁹, B. Trocmé⁵⁵,
C. Troncon^{90a}, M. Trottier-McDonald¹⁴³,
M. Trovatelli^{135a,135b}, P. True⁸⁹, M. Trzebinski³⁹,
A. Trzupek³⁹, C. Tsarouchas³⁰, J.C-L. Tseng¹¹⁹,
P.V. Tsiareshka⁹¹, D. Tsiounou¹³⁷, G. Tsipolitis¹⁰,
N. Tsirintanis⁹, S. Tsiskaridze¹², V. Tsiskaridze⁴⁸,
E.G. Tskhadadze^{51a}, I.I. Tsukerman⁹⁶, V. Tsulaia¹⁵,
J.-W. Tsung²¹, S. Tsuno⁶⁵, D. Tsybychev¹⁴⁹,
A. Tua¹⁴⁰, A. Tudorache^{26a}, V. Tudorache^{26a},
J.M. Tuggle³¹, A.N. Tuna¹²¹, S.A. Tupputi^{20a,20b},
S. Turchikhin^{98,al}, D. Turecek¹²⁷, I. Turk Cakir^{4d},
R. Turra^{90a,90b}, P.M. Tuts³⁵, A. Tykhonov⁷⁴,
M. Tyllmad^{147a,147b}, M. Tyndel¹³⁰, K. Uchida²¹,
I. Ueda¹⁵⁶, R. Ueno²⁹, M. Ughetto⁸⁴, M. Uglund¹⁴,
M. Uhlenbrock²¹, F. Ukegawa¹⁶¹, G. Unal³⁰,
A. Undrus²⁵, G. Unel¹⁶⁴, F.C. Ungaro⁴⁸, Y. Unno⁶⁵,
D. Urbaniec³⁵, P. Urquijo²¹, G. Usai⁸, A. Usanova⁶¹,
L. Vacavant⁸⁴, V. Vacek¹²⁷, B. Vachon⁸⁶, S. Vahsen¹⁵,
N. Valencic¹⁰⁶, S. Valentineti^{20a,20b}, A. Valero¹⁶⁸,
L. Valery³⁴, S. Valkar¹²⁸, E. Valladolid Gallego¹⁶⁸,
S. Vallecorsa⁴⁹, J.A. Valls Ferrer¹⁶⁸, R. Van Berg¹²¹,
P.C. Van Der Deijl¹⁰⁶, R. van der Geer¹⁰⁶,
H. van der Graaf¹⁰⁶, R. Van Der Leeuw¹⁰⁶,
D. van der Ster³⁰, N. van Eldik³⁰, P. van Gemmeren⁶,
J. Van Nieuwkoop¹⁴³, I. van Vulpen¹⁰⁶,
M.C. van Woerden³⁰, M. Vanadia¹⁰⁰, W. Vandelli³⁰,
A. Vaniachine⁶, P. Vankov⁴², F. Vannucci⁷⁹,
R. Vari^{133a}, E.W. Varnes⁷, T. Varol⁸⁵, D. Varouchas¹⁵,
A. Vartapetian⁸, K.E. Varvell¹⁵¹,
V.I. Vassilakopoulos⁵⁶, F. Vazeille³⁴,
T. Vazquez Schroeder⁵⁴, J. Veatch⁷, F. Veloso^{125a},
S. Veneziano^{133a}, A. Ventura^{72a,72b}, D. Ventura⁸⁵,
M. Venturi⁴⁸, N. Venturi¹⁵⁹, V. Vercesi^{120a},
M. Verducci¹³⁹, W. Verkerke¹⁰⁶, J.C. Vermeulen¹⁰⁶,
A. Vest⁴⁴, M.C. Vetterli^{143,f}, O. Viazlo⁸⁰, I. Vichou¹⁶⁶,
T. Vickey^{146c,ap}, O.E. Vickey Boeriu^{146c},
G.H.A. Viehhauser¹¹⁹, S. Viel¹⁶⁹, R. Vigne³⁰,
M. Villa^{20a,20b}, M. Villaplana Perez¹⁶⁸, E. Vilucchi⁴⁷,
M.G. Vincter²⁹, V.B. Vinogradov⁶⁴, J. Virzi¹⁵,
O. Vitells¹⁷³, M. Viti⁴², I. Vivarelli¹⁵⁰, F. Vives Vaque³,
S. Vlachos¹⁰, D. Vladouiu⁹⁹, M. Vlasak¹²⁷, A. Vogel²¹,
P. Vokac¹²⁷, G. Volpi⁴⁷, M. Volpi⁸⁷, G. Volpini^{90a},
H. von der Schmitt¹⁰⁰, H. von Radziewski⁴⁸,
E. von Toerne²¹, V. Vorobel¹²⁸, M. Vos¹⁶⁸, R. Voss³⁰,
J.H. Vossebeld⁷³, N. Vranjes¹³⁷,
M. Vranjes Milosavljevic¹⁰⁶, V. Vrba¹²⁶,
M. Vreeswijk¹⁰⁶, T. Vu Anh⁴⁸, R. Vuillermet³⁰,
I. Vukotic³¹, Z. Vykydal¹²⁷, W. Wagner¹⁷⁶,
P. Wagner²¹, S. Wahrenmund⁴⁴, J. Wakabayashi¹⁰²,
S. Walch⁸⁸, J. Walder⁷¹, R. Walker⁹⁹,
W. Walkowiak¹⁴², R. Wall¹⁷⁷, P. Waller⁷³, B. Walsh¹⁷⁷,
C. Wang⁴⁵, H. Wang¹⁷⁴, H. Wang⁴⁰, J. Wang¹⁵²,
J. Wang^{33a}, K. Wang⁸⁶, R. Wang¹⁰⁴, S.M. Wang¹⁵²,
T. Wang²¹, X. Wang¹⁷⁷, A. Warburton⁸⁶, C.P. Ward²⁸,
D.R. Wardrope⁷⁷, M. Warsinsky⁴⁸, A. Washbrook⁴⁶,
C. Wasicki⁴², I. Watanabe⁶⁶, P.M. Watkins¹⁸,
A.T. Watson¹⁸, I.J. Watson¹⁵¹, M.F. Watson¹⁸,
G. Watts¹³⁹, S. Watts⁸³, A.T. Waugh¹⁵¹,
B.M. Waugh⁷⁷, S. Webb⁸³, M.S. Weber¹⁷,
S.W. Weber¹⁷⁵, J.S. Webster³¹, A.R. Weidberg¹¹⁹,
P. Weigell¹⁰⁰, J. Weingarten⁵⁴, C. Weiser⁴⁸,
H. Weits¹⁰⁶, P.S. Wells³⁰, T. Wenaus²⁵, D. Wendland¹⁶,
Z. Weng^{152,x}, T. Wengler³⁰, S. Wenig³⁰, N. Wermes²¹,
M. Werner⁴⁸, P. Werner³⁰, M. Wessels^{58a}, J. Wetter¹⁶²,
K. Whalen²⁹, A. White⁸, M.J. White¹, R. White^{32b},
S. White^{123a,123b}, D. Whiteson¹⁶⁴, D. Whittington⁶⁰,
D. Wicke¹⁷⁶, F.J. Wickens¹³⁰, W. Wiedenmann¹⁷⁴,
M. Wielers^{80,e}, P. Wienemann²¹, C. Wigglesworth³⁶,
L.A.M. Wiik-Fuchs²¹, P.A. Wijeratne⁷⁷,
A. Wildauer¹⁰⁰, M.A. Wildt^{42,aaq}, I. Wilhelm¹²⁸,
H.G. Wilkens³⁰, J.Z. Will⁹⁹, E. Williams³⁵,
H.H. Williams¹²¹, S. Williams²⁸, W. Willis^{35,*},
S. Willocq⁸⁵, J.A. Wilson¹⁸, A. Wilson⁸⁸,
I. Wingerter-Seez⁵, S. Winkelmann⁴⁸, F. Winklmeier¹¹⁵,
M. Wittgen¹⁴⁴, T. Wittig⁴³, J. Wittkowski⁹⁹,
S.J. Wollstadt⁸², M.W. Wolter³⁹, H. Wolters^{125a,i},
W.C. Wong⁴¹, B.K. Wosiek³⁹, J. Wotschack³⁰,

M.J. Woudstra⁸³, K.W. Wozniak³⁹, K. Wraight⁵³,
M. Wright⁵³, S.L. Wu¹⁷⁴, X. Wu⁴⁹, Y. Wu⁸⁸, E. Wulf⁶⁵,
T.R. Wyatt⁸³, B.M. Wynne⁴⁶, S. Xella³⁶, M. Xiao¹³⁷,
C. Xu^{33b,ac}, D. Xu^{33a}, L. Xu^{33b,ar}, B. Yabsley¹⁵¹,
S. Yacoob^{146b,as}, M. Yamada⁶⁵, H. Yamaguchi¹⁵⁶,
Y. Yamaguchi¹⁵⁶, A. Yamamoto⁶⁵, K. Yamamoto⁶³,
S. Yamamoto¹⁵⁶, T. Yamamura¹⁵⁶, T. Yamanaka¹⁵⁶,
K. Yamauchi¹⁰², Y. Yamazaki⁶⁶, Z. Yan²², H. Yang^{33e},
H. Yang¹⁷⁴, U.K. Yang⁸³, Y. Yang¹¹⁰, Z. Yang^{147a,147b},
S. Yanush⁹², L. Yao^{33a}, Y. Yasu⁶⁵, E. Yatsenko⁴²,
K.H. Yau Wong²¹, J. Ye⁴⁰, S. Ye²⁵, A.L. Yen⁵⁷,
E. Yildirim⁴², M. Yilmaz^{4b}, R. Yoosofmiya¹²⁴,
K. Yorita¹⁷², R. Yoshida⁶, K. Yoshihara¹⁵⁶,
C. Young¹⁴⁴, C.J.S. Young¹¹⁹, S. Youssef²², D.R. Yu¹⁵,
J. Yu⁸, J. Yu¹¹³, L. Yuan⁶⁶, A. Yurkewicz¹⁰⁷,
B. Zabinski³⁹, R. Zaidan⁶², A.M. Zaitsev^{129,ad},
S. Zambito²³, L. Zanello^{133a,133b}, D. Zanzi¹⁰⁰,
A. Zaytsev²⁵, C. Zeitnitz¹⁷⁶, M. Zeman¹²⁷, A. Zemla³⁹,
O. Zenin¹²⁹, T. Ženiš^{145a}, D. Zerwas¹¹⁶,
G. Zevi della Porta⁵⁷, D. Zhang⁸⁸, H. Zhang⁸⁹,
J. Zhang⁶, L. Zhang¹⁵², X. Zhang^{33d}, Z. Zhang¹¹⁶,
Z. Zhao^{33b}, A. Zhemchugov⁶⁴, J. Zhong¹¹⁹, B. Zhou⁸⁸,
L. Zhou³⁵, N. Zhou¹⁶⁴, C.G. Zhu^{33d}, H. Zhu⁴²,
J. Zhu⁸⁸, Y. Zhu^{33b}, X. Zhuang^{33a}, A. Zibell⁹⁹,
D. Zieminska⁶⁰, N.I. Zimin⁶⁴, C. Zimmermann⁸²,
R. Zimmermann²¹, S. Zimmermann²¹,
S. Zimmermann⁴⁸, Z. Zinonov^{123a,123b},
M. Ziolkowski¹⁴², R. Zitoun⁵, L. Živković³⁵,
G. Zobernig¹⁷⁴, A. Zoccoli^{20a,20b}, M. zur Nedden¹⁶,
G. Zurzolo^{103a,103b}, V. Zutshi¹⁰⁷, L. Zwalinski³⁰.

¹ School of Chemistry and Physics, University of Adelaide, Adelaide, Australia

² Physics Department, SUNY Albany, Albany NY, United States of America

³ Department of Physics, University of Alberta, Edmonton AB, Canada

⁴ (a) Department of Physics, Ankara University, Ankara; (b) Department of Physics, Gazi University, Ankara; (c) Division of Physics, TOBB University of Economics and Technology, Ankara; (d) Turkish Atomic Energy Authority, Ankara, Turkey

⁵ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America

⁷ Department of Physics, University of Arizona, Tucson AZ, United States of America

⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America

⁹ Physics Department, University of Athens, Athens, Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece

¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹² Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona,

Barcelona, Spain

¹³ (a) Institute of Physics, University of Belgrade, Belgrade; (b) Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia

¹⁴ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America

¹⁶ Department of Physics, Humboldt University, Berlin, Germany

¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

¹⁹ (a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics, Dogus University, Istanbul; (c) Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey

²⁰ (a) INFN Sezione di Bologna; (b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

²¹ Physikalisches Institut, University of Bonn, Bonn, Germany

²² Department of Physics, Boston University, Boston MA, United States of America

²³ Department of Physics, Brandeis University, Waltham MA, United States of America

²⁴ (a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (b) Federal University of Juiz de Fora (UFJF), Juiz de Fora; (c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; (d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil

²⁵ Physics Department, Brookhaven National Laboratory, Upton NY, United States of America

²⁶ (a) National Institute of Physics and Nuclear Engineering, Bucharest; (b) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; (c) University Politehnica Bucharest, Bucharest; (d) West University in Timisoara, Timisoara, Romania

²⁷ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

²⁸ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

²⁹ Department of Physics, Carleton University, Ottawa ON, Canada

³⁰ CERN, Geneva, Switzerland

³¹ Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America

³² (a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

³³ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Department of

- Modern Physics, University of Science and Technology of China, Anhui; ^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) School of Physics, Shandong University, Shandong; ^(e) Physics Department, Shanghai Jiao Tong University, Shanghai, China
- ³⁴ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France
- ³⁵ Nevis Laboratory, Columbia University, Irvington NY, United States of America
- ³⁶ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark
- ³⁷ ^(a) INFN Gruppo Collegato di Cosenza; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy
- ³⁸ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
- ³⁹ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland
- ⁴⁰ Physics Department, Southern Methodist University, Dallas TX, United States of America
- ⁴¹ Physics Department, University of Texas at Dallas, Richardson TX, United States of America
- ⁴² DESY, Hamburg and Zeuthen, Germany
- ⁴³ Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- ⁴⁴ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
- ⁴⁵ Department of Physics, Duke University, Durham NC, United States of America
- ⁴⁶ SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- ⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy
- ⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- ⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland
- ⁵⁰ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
- ⁵¹ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- ⁵² II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- ⁵³ SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- ⁵⁴ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- ⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France
- ⁵⁶ Department of Physics, Hampton University, Hampton VA, United States of America
- ⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America
- ⁵⁸ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
- ⁵⁹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- ⁶⁰ Department of Physics, Indiana University, Bloomington IN, United States of America
- ⁶¹ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- ⁶² University of Iowa, Iowa City IA, United States of America
- ⁶³ Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America
- ⁶⁴ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- ⁶⁵ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- ⁶⁶ Graduate School of Science, Kobe University, Kobe, Japan
- ⁶⁷ Faculty of Science, Kyoto University, Kyoto, Japan
- ⁶⁸ Kyoto University of Education, Kyoto, Japan
- ⁶⁹ Department of Physics, Kyushu University, Fukuoka, Japan
- ⁷⁰ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- ⁷¹ Physics Department, Lancaster University, Lancaster, United Kingdom
- ⁷² ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- ⁷³ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- ⁷⁴ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- ⁷⁵ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- ⁷⁶ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- ⁷⁷ Department of Physics and Astronomy, University College London, London, United Kingdom
- ⁷⁸ Louisiana Tech University, Ruston LA, United States of America
- ⁷⁹ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- ⁸⁰ Fysiska institutionen, Lunds universitet, Lund, Sweden
- ⁸¹ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- ⁸² Institut für Physik, Universität Mainz, Mainz, Germany
- ⁸³ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- ⁸⁴ CPPM, Aix-Marseille Université and CNRS/IN2P3,

Marseille, France

⁸⁵ Department of Physics, University of Massachusetts, Amherst MA, United States of America

⁸⁶ Department of Physics, McGill University, Montreal QC, Canada

⁸⁷ School of Physics, University of Melbourne, Victoria, Australia

⁸⁸ Department of Physics, The University of Michigan, Ann Arbor MI, United States of America

⁸⁹ Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America

⁹⁰ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy

⁹¹ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus

⁹² National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus

⁹³ Department of Physics, Massachusetts Institute of Technology, Cambridge MA, United States of America

⁹⁴ Group of Particle Physics, University of Montreal, Montreal QC, Canada

⁹⁵ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia

⁹⁶ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia

⁹⁷ Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia

⁹⁸ D.V.Skobel'tsyn Institute of Nuclear Physics, M.V.Lomonosov Moscow State University, Moscow, Russia

⁹⁹ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany

¹⁰⁰ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany

¹⁰¹ Nagasaki Institute of Applied Science, Nagasaki, Japan

¹⁰² Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan

¹⁰³ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy

¹⁰⁴ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America

¹⁰⁵ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands

¹⁰⁶ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands

¹⁰⁷ Department of Physics, Northern Illinois University, DeKalb IL, United States of America

¹⁰⁸ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia

¹⁰⁹ Department of Physics, New York University, New York NY, United States of America

¹¹⁰ Ohio State University, Columbus OH, United States of America

¹¹¹ Faculty of Science, Okayama University, Okayama, Japan

¹¹² Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America

¹¹³ Department of Physics, Oklahoma State University, Stillwater OK, United States of America

¹¹⁴ Palacký University, RCPTM, Olomouc, Czech Republic

¹¹⁵ Center for High Energy Physics, University of Oregon, Eugene OR, United States of America

¹¹⁶ LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France

¹¹⁷ Graduate School of Science, Osaka University, Osaka, Japan

¹¹⁸ Department of Physics, University of Oslo, Oslo, Norway

¹¹⁹ Department of Physics, Oxford University, Oxford, United Kingdom

¹²⁰ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy

¹²¹ Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America

¹²² Petersburg Nuclear Physics Institute, Gatchina, Russia

¹²³ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy

¹²⁴ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America

¹²⁵ ^(a) Laboratório de Instrumentação e Física

Experimental de Partículas - LIP, Lisboa, Portugal; ^(b) Departamento de Física Teórica y del Cosmos and

CAFPE, Universidad de Granada, Granada, Spain

¹²⁶ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic

¹²⁷ Czech Technical University in Prague, Praha, Czech Republic

¹²⁸ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic

¹²⁹ State Research Center Institute for High Energy Physics, Protvino, Russia

¹³⁰ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom

¹³¹ Physics Department, University of Regina, Regina SK, Canada

¹³² Ritsumeikan University, Kusatsu, Shiga, Japan

¹³³ ^(a) INFN Sezione di Roma I; ^(b) Dipartimento di Fisica, Università La Sapienza, Roma, Italy

¹³⁴ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy

¹³⁵ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy

¹³⁶ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies -

Université Hassan II, Casablanca; ^(b) Centre National de l'Énergie des Sciences Techniques Nucleaires, Rabat;

^(c) Faculté des Sciences Semlalia, Université Cadi

- Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco
- ¹³⁷ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
- ¹³⁸ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America
- ¹³⁹ Department of Physics, University of Washington, Seattle WA, United States of America
- ¹⁴⁰ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
- ¹⁴¹ Department of Physics, Shinshu University, Nagano, Japan
- ¹⁴² Fachbereich Physik, Universität Siegen, Siegen, Germany
- ¹⁴³ Department of Physics, Simon Fraser University, Burnaby BC, Canada
- ¹⁴⁴ SLAC National Accelerator Laboratory, Stanford CA, United States of America
- ¹⁴⁵ ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
- ¹⁴⁶ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- ¹⁴⁷ ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
- ¹⁴⁸ Physics Department, Royal Institute of Technology, Stockholm, Sweden
- ¹⁴⁹ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America
- ¹⁵⁰ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
- ¹⁵¹ School of Physics, University of Sydney, Sydney, Australia
- ¹⁵² Institute of Physics, Academia Sinica, Taipei, Taiwan
- ¹⁵³ Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
- ¹⁵⁴ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- ¹⁵⁵ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- ¹⁵⁶ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
- ¹⁵⁷ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- ¹⁵⁸ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- ¹⁵⁹ Department of Physics, University of Toronto, Toronto ON, Canada
- ¹⁶⁰ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON, Canada
- ¹⁶¹ Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
- ¹⁶² Department of Physics and Astronomy, Tufts University, Medford MA, United States of America
- ¹⁶³ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- ¹⁶⁴ Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America
- ¹⁶⁵ ^(a) INFN Gruppo Collegato di Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- ¹⁶⁶ Department of Physics, University of Illinois, Urbana IL, United States of America
- ¹⁶⁷ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- ¹⁶⁸ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
- ¹⁶⁹ Department of Physics, University of British Columbia, Vancouver BC, Canada
- ¹⁷⁰ Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
- ¹⁷¹ Department of Physics, University of Warwick, Coventry, United Kingdom
- ¹⁷² Waseda University, Tokyo, Japan
- ¹⁷³ Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- ¹⁷⁴ Department of Physics, University of Wisconsin, Madison WI, United States of America
- ¹⁷⁵ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- ¹⁷⁶ Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- ¹⁷⁷ Department of Physics, Yale University, New Haven CT, United States of America
- ¹⁷⁸ Yerevan Physics Institute, Yerevan, Armenia
- ¹⁷⁹ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
- ^a Also at Department of Physics, King's College London, London, United Kingdom
- ^b Also at Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa, Portugal
- ^c Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ^d Also at Faculdade de Ciências and CFNUL, Universidade de Lisboa, Lisboa, Portugal
- ^e Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- ^f Also at TRIUMF, Vancouver BC, Canada

- ^g Also at Department of Physics, California State University, Fresno CA, United States of America
- ^h Also at Novosibirsk State University, Novosibirsk, Russia
- ⁱ Also at Department of Physics, University of Coimbra, Coimbra, Portugal
- ^j Also at Università di Napoli Parthenope, Napoli, Italy
- ^k Also at Institute of Particle Physics (IPP), Canada
- ^l Also at Department of Physics, Middle East Technical University, Ankara, Turkey
- ^m Also at Louisiana Tech University, Ruston LA, United States of America
- ⁿ Also at Dep Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
- ^o Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ^p Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
- ^q Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece
- ^r Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain
- ^s Also at Department of Physics, University of Cape Town, Cape Town, South Africa
- ^t Also at CERN, Geneva, Switzerland
- ^u Also at O Chadai Academic Production, Ochanomizu University, Tokyo, Japan
- ^v Also at Manhattan College, New York NY, United States of America
- ^w Also at Institute of Physics, Academia Sinica, Taipei, Taiwan
- ^x Also at School of Physics and Engineering, Sun Yat-sen University, Guanzhou, China
- ^y Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan
- ^z Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- ^{aa} Also at School of Physical Sciences, National Institute of Science Education and Research, Bhubaneswar, India
- ^{ab} Also at Dipartimento di Fisica, Università La Sapienza, Roma, Italy
- ^{ac} Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
- ^{ad} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia
- ^{ae} Also at Section de Physique, Université de Genève, Geneva, Switzerland
- ^{af} Also at Departamento de Fisica, Universidade de Minho, Braga, Portugal
- ^{ag} Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America
- ^{ah} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary
- ^{ai} Also at DESY, Hamburg and Zeuthen, Germany
- ^{aj} Also at International School for Advanced Studies (SISSA), Trieste, Italy
- ^{ak} Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America
- ^{al} Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia
- ^{am} Also at Nevis Laboratory, Columbia University, Irvington NY, United States of America
- ^{an} Also at Physics Department, Brookhaven National Laboratory, Upton NY, United States of America
- ^{ao} Also at Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
- ^{ap} Also at Department of Physics, Oxford University, Oxford, United Kingdom
- ^{aq} Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany
- ^{ar} Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- ^{as} Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa
- * Deceased