

PDF hosted at the Radboud Repository of the Radboud University Nijmegen

The following full text is a preprint version which may differ from the publisher's version.

For additional information about this publication click this link.

<http://hdl.handle.net/2066/191671>

Please be advised that this information was generated on 2019-04-22 and may be subject to change.



**The impact of supply base complexity on disruptions and performance:
The moderating effects of slack and visibility**

Journal:	<i>International Journal of Production Research</i>
Manuscript ID:	TPRS-2013-IJPR-1131.R3
Manuscript Type:	Special Issue Paper
Date Submitted by the Author:	n/a
Complete List of Authors:	Brandon-Jones, Emma; University of Bath, School of Management Squire, Brian; University of Bath, School of Management; Van Rossenberg, Yvonne; University of Bath, School of Management
Keywords:	SUPPLY CHAIN MANAGEMENT, EMPIRICAL STUDY
Keywords (user):	SUPPLY CHAIN DISRUPTION, SUPPLY BASE COMPLEXITY

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

SCHOLARONE™
Manuscripts

For Peer Review Only

1
2
3
4
5 **The impact of supply base complexity on disruptions and performance:**
6 **The moderating effects of slack and visibility**
7
8

9
10 Emma Brandon-Jones
11 Information, Decisions and Operations Group
12 School of Management
13 University of Bath
14 Bath BA2 7AY
15 United Kingdom
16 E-mail address: ebj20@bath.ac.uk
17 Tel: +44 (0)1225 384940
18

19
20 Brian Squire*
21 Information, Decisions and Operations Group
22 School of Management
23 University of Bath
24 Bath BA2 7AY
25 United Kingdom
26 E-mail address: b.c.squire@bath.ac.uk
27 Tel: +44 (0)1225 384731
28

29
30 Yvonne G.T. Van Rossenberg
31 Work and Employment Research Centre
32 School of Management
33 University of Bath
34 Bath BA2 7AY
35 United Kingdom
36 E-mail address: ygtvr20@bath.ac.uk
37 Tel: +44 (0)1225 385731
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54

55
56
57

* Corresponding author
58 Authors listed in alphabetical order
59
60

Abstract

In the face of increasing supply base complexity, organisations have to develop new ways to manage or mitigate risk. This paper investigates the impact of four dimensions of complexity on the frequency of disruptions and plant performance. We apply insights from Organisational Information Processing Theory to understand how organisations can mitigate against the impact of more frequent disruptions. We test the moderating effects of slack resources as a means to absorb the effects of disruptions and supply visibility as a means to improve the ability to handle disruptions. The model is tested with data from 264 supply chain management professionals. Our findings broadly support the original hypotheses and suggest that supply base complexity can increase the frequency of disruptions and reduce plant performance but that slack resources and visibility can help to mitigate the effects. **The study offers valuable insights into the management of supply base complexity.**

Keywords: supply base complexity, supply chain disruption, supply chain management, empirical study

1. Introduction

Supply base complexity refers to upstream complexity in the supply chain, which is created by large numbers of suppliers; suppliers which are different in terms of technical competence or size; long and/or unreliable lead-times; and the broad geographic dispersion of the supply base (Caridi *et al.* 2010). While complexity enables organisations to reach new markets and offer greater product variety (Isik 2009), it is generally perceived to have a negative effect on performance, or increase risk (Fridgen *et al.* 2014). Empirical evidence is generally supportive of the latter perspective where studies have found adverse consequences for supply chain vulnerability, plant performance, production and transaction costs, and supplier innovation (Choi and Krause 2006, Bozarth *et al.* 2009, Wagner and Neshat 2010).

Organisations negatively affected by supply base complexity have the choice of two broad options. The first option is to reduce complexity. For example, General Motors and General Electric rationalised the total number of suppliers in their supply base in order to reduce complexities and costs within their respective supply chains (Choi and Krause 2006). On the other hand, it is not always possible or even desirable to reduce complexity. The second option is therefore to accommodate complexity and find ways of limiting its effects. Organisational Information Processing Theory (OIPT) (Galbraith 1973, 1977) posits two mechanisms for accommodating the environmental uncertainty created by complexity: (1) strategies that reduce the amount of information processing required and therefore absorb the effects of uncertainty; and (2) strategies that increase information processing capacity and therefore enhance the organisation's ability to handle uncertainty. While prior research has successfully applied OIPT to the effects of manufacturing plant complexity (Flynn and Flynn 1999), this has yet to be extended to study complexity in the upstream supply base (cf. Bozarth *et al.* 2009).

1
2
3 Understanding the impacts of supply base complexity and how to reduce its negative
4 effects are therefore timely and important questions for both research and practice. Building
5 on prior research (Bozarth *et al.* 2009, Isik 2009), this study suggests that supply base
6 complexity directly impacts the frequency of supply disruptions, which in turn impacts plant
7 performance. Based on the principles of OIPT, we examine how the negative effects of
8 disruptions can be mitigated through the development of slack resources and visibility within
9 the supply base (Bode *et al.* 2011).
10
11
12
13
14
15
16
17

18 **Our research seeks to make three main contributions to the empirical supply chain risk**
19 **management literature (cf. Thun *et al.* 2011, Grötsch *et al.* 2013, Lavastre *et al.* 2014). First,**
20 **we show that not all dimensions of supply base complexity have a negative effect on the**
21 **frequency of disruptions. Specifically, our results indicate that the size of the supply base and**
22 **lead-times that are long and/or unreliable have an impact on the frequency of disruptions but**
23 **that geographic dispersion and the differentiation of suppliers do not have significant effects.**
24 **Second, we answer calls for further empirical research in the area of supply chain risk**
25 **management (Sodhi *et al.* 2012) to provide empirical evidence that the negative effects of**
26 **disruptions can be reduced through the use of slack resources, in the form of capacity and**
27 **inventory, and supply chain visibility. Third, we use insights from OIPT to show that slack**
28 **resources and visibility are only of benefit to plant performance under conditions of frequent**
29 **supply disruptions.**
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

48 **2. Theoretical background and hypothesis development**

49 **2.1 Supply Base Complexity**

50
51 Supply base complexity relates to the upstream part of the focal firm's supply chain.
52 Although supply base, or upstream, complexity is measured differently across studies (e.g.
53 Bozarth *et al.*, 2009; Choi and Krause, 2006), five components are commonly used in various
54
55
56
57
58
59
60

1
2
3 combinations: the number of suppliers; the level of differentiation between suppliers; the
4
5 delivery reliability and lead-time of suppliers; the geographic dispersion of suppliers; and the
6
7 inter-relationships between suppliers (Vachon and Klassen 2002, Choi and Krause 2006,
8
9 Caridi *et al.* 2010). The focus of this study is on the first four of these dimensions. While we
10
11 acknowledge that inter-relationships between suppliers are an important component of
12
13 complexity, they require data collection at the level of the supply network. Since this study
14
15 relies on key informants located in the buyer plants, this fifth dimension could not be
16
17 investigated.
18
19

20
21 The four dimensions we measure can be shown to contribute to complexity for a variety
22
23 of reasons. First, the number of suppliers, or the scale of the supply base, necessarily
24
25 increases complexity due to the greater number of information flows, physical flows and
26
27 relationships to be managed (Bozarth *et al.* 2009). Second, differentiation among suppliers,
28
29 in terms of size and technical ability, creates complexity as managers are forced to adapt to a
30
31 range of cultures, practices and technical capabilities (Choi and Krause 2006). Third,
32
33 unreliable and/or long supplier delivery creates complexity as managers must use more
34
35 demand data (Frank *et al.* 2000), extend their planning horizons and engage in collaborative
36
37 or supplier development activities (Simangunsong *et al.* 2012). Finally, the more
38
39 geographically disparate suppliers are, the more complexity it creates through having to
40
41 manage suppliers with different cultural or linguistic characteristics (Stringfellow *et al.*
42
43 2008), for example, as well as having the challenge of longer lead-times and variability in
44
45 quality levels (Gray *et al.* 2011).
46
47
48
49
50
51

52 **2.2 Organisational Information Processing Theory**

53
54 Organisational Information Processing Theory (OIPT) centres on the notion that the
55
56 greater the degree of task uncertainty, the greater the amount of information that needs to be
57
58
59
60

1
2
3 processed by decision-makers during the task (Galbraith 1973). Organisations that face high
4 uncertainty must gather, interpret and synthesise more information to successfully execute
5 tasks than those in stable environments (Daft and Lengel 1986). Within this study, the task
6 under consideration is the management of the upstream supply chain. Uncertainty is created
7 as organisations must collect information on a greater number of variables in complex supply
8 chains when compared to simple ones (Galbraith 1977). Sources of supply chain uncertainty,
9 which are internal or upstream, may include: natural disasters, complexity, demand
10 amplification; forecast horizons; the configuration and infrastructure of the supply chain;
11 customer demand; and suppliers themselves (Simangunsong *et al.* 2012). Since supply base
12 complexity increases uncertainty, further information is needed in order to manage it,
13 therefore OIPT may be used as a theoretical perspective to understand how the supply chain
14 may be more effectively managed under these conditions.
15
16
17
18
19
20
21
22
23
24
25
26
27
28

29
30 One method of managing uncertainty created by complexity is effective information
31 processing. Information processing needs are defined as the communication requirements for
32 inter-organisational interactions in the context of the supply chain (Premkumar *et al.* 2005).
33 Given variability in information processing needs, organisations must develop an appropriate
34 level of information processing capacity whereby the fit between needs and capacity will
35 determine performance. To create fit, organisations can either: (1) develop buffers, such as
36 multi-sourcing or additional capacity, that absorb uncertainty (and therefore the volume of
37 information required); or (2) invest in mechanisms that improve organisations' capability to
38 process more information (Galbraith 1973, Flynn and Flynn 1999). Supply chain managers
39 will typically hold safety stock to buffer against the uncertainty created by the lag between
40 demand and supply. Alternatively, they can share demand data through the supply chain in
41 an effort to improve the process and quality of decision making (Mason-Jones and Towill
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 2000). These mechanisms may be utilised to reduce the uncertainty caused by supply base
4
5 complexity and subsequently enable better management of complex supply chains.
6

7 We explicitly ground our hypothesis development in OIPT (cf. Gattiker 2007, Trentin
8 *et al.* 2011). Specifically we explore the effects of the additional task complexity created by
9
10 supply base complexity for the frequency of disruptions and their impact on performance.
11
12 Our ‘fit as moderation’ model hypothesises that in general complexity increases the
13
14 frequency of disruptions and in turn reduces performance, but that this may be offset by the
15
16 creation of slack resources and/ or improving information processing capacity through
17
18 visibility (cf. Galbraith, 1973). Figure 1 presents our hypothesised model.
19
20
21

22 [Figure 1 near here]
23
24
25
26

27 ***2.3 The effect of supply base complexity on the frequency of supply disruptions*** 28

29 Supply chain disruptions are defined as “unplanned and unanticipated events that
30
31 disrupt the normal flow of goods and materials within a supply chain” (Craighead *et al.* 2007,
32
33 p.132). Our study is concerned with the impact of supply base complexity on the frequency
34
35 of disruption. Studies have previously found that supply base and supply chain complexity
36
37 have a number of negative performance implications, including delivery speed and reliability
38
39 (Vachon and Klassen 2002), responsiveness (Choi and Krause 2006), quality (Zhuo *et al.*
40
41 2009), overall plant performance (Bozarth *et al.* 2009) and the severity of disruptions
42
43 (Craighead *et al.* 2007).
44
45
46

47 Because the four dimensions of complexity each represent a separate managerial
48
49 decision, our study examines their effects independently. For example, managers could have
50
51 a very large but domestic supply base and would thus be interested in the effects of scale but
52
53 less in global dispersion. Alternatively, a manager might have a very homogeneous set of
54
55 suppliers but very unreliable deliveries. Their interest would thus lie in the effect of delivery
56
57
58
59
60

1
2
3 and less in the differentiation between suppliers. Based on these suppositions, we create a
4
5 separate hypothesis for each of the four dimensions.
6

7
8 When a supply base has a large number of suppliers (high scale complexity), there is an
9
10 increased likelihood of unreliable delivery (Choi and Krause, 2006). Although a very simple
11
12 supply base, characterised by single-sourcing, might be of high risk due to reduced flexibility
13
14 (Choi and Krause, 2006), it is deemed less likely to suffer from a higher frequency of
15
16 disruptions than a more complex supply chain due to the number of actors involved in the
17
18 network. Similarly, Smith *et al.* (1991) show that structural complexity reduces
19
20 responsiveness as the transmission of information between organisations within the supply
21
22 chain becomes modified, delayed or even completely blocked. Given that the movement of
23
24 physical goods and services within the supply chain is driven by the flows of information,
25
26 delay in the latter could very quickly lead to disruption of the former. Therefore,
27
28

29
30 *H1a: The higher the scale complexity of a firm's supply base, the higher the frequency*
31
32 *of supply disruptions*
33
34
35

36
37 Firms with a high level of differentiation between their suppliers, in terms of technical
38
39 capability or size, may experience coordination problems across their supply base (Choi and
40
41 Krause, 2006). OIPT suggests that task complexity, here caused by the coordination problem
42
43 stemming from differentiation, creates greater uncertainty and therefore greater information
44
45 processing requirements. If these requirements are not met, organisational performance will
46
47 suffer. Specifically, this may cause more frequent disruptions, such as late deliveries or
48
49 inability to fulfil demand. Thus,
50

51
52 *H1b: The higher the differentiation complexity of a firm's supply base, the higher the*
53
54 *frequency of supply disruptions*
55
56
57
58
59
60

1
2
3 An organisation which experiences delivery complexity, that is long lead-times and
4 unreliability of delivery, may experience more frequent disruptions due to the greater
5 distance to be travelled (Stecke and Kumar 2009), demand amplification effects such as the
6 bullwhip (Lee *et al.* 1997) and less rapid responses to changes in end-customer demand
7 (Simangunsong *et al.*, 2012) thereby potentially experiencing more frequent disruptions than
8 organisations with short lead-times. In addition, long lead time supply chains may also have
9 less transparency enhancing the potential for disruptions. Subsequently,

10
11
12
13
14
15
16
17
18 *H1c: The higher the delivery complexity of a firm's supply base, the higher the*
19 *frequency of supply disruptions*
20
21
22

23
24
25 With very geographically dispersed suppliers creating a truly global supply chain, the
26 unpredictability of that supply chain increases in terms of delivery reliability (Manuj and
27 Mentzer 2008) suggesting the potential for more frequent disruptions (Yang and Yang 2009).
28 For example, Holweg *et al.* (2011) suggest that global supply chains are more likely to suffer
29 from inventory obsolescence, stock-outs, greater expediting and increased stock holdings due
30 to the risk of disruption to product flow. We hypothesise that:
31
32
33
34
35
36
37

38
39 *H1d: The higher the geographic dispersion complexity of a firm's supply base, the*
40 *higher the frequency of supply disruptions*
41
42
43
44

45 **2.4 The effect of supply disruptions on plant performance**

46
47 Despite broad anecdotal evidence for the effect of disruptions on performance,
48 empirical evidence remains limited. Studies have shown that supply chain disruptions may
49 adversely affect operating performance, in terms of profitability, net sales, costs, and asset
50 and inventory performance (Hendricks and Singhal 2005). Although Wagner and Bode
51 (2008) find that supply chain risks affect performance in a negative manner, this is not
52
53
54
55
56
57
58
59
60

1
2
3 consistent across all types of risk. This study examines the impact of the frequency of
4
5 disruptions on plant performance, defined as a measure of the manufacturing plant's
6
7 performance relative to competitors (Bozarth *et al.* 2009). The more frequently a disruption
8
9 occurs within a given organisation, the more likely it is that plant performance will diminish
10
11 as a result. This leads to hypothesis 2:

12
13
14 *H2: The higher the frequency of supply disruptions, the lower the plant performance*
15
16

17 18 **2.5 The moderating effect of slack resources** 19

20 Galbraith (1973) proposes two broad strategies for managing task uncertainty. The first
21
22 of these is the creation of slack resources in order to reduce the need for information
23
24 processing. Therefore, consistent with the reasoning of OIPT, we propose that an
25
26 organisation can absorb the uncertainty created by complexity and supply disruptions through
27
28 the creation of slack resources (Premkumar *et al.* 2005). There are a variety of slack
29
30 resources available within the upstream supply chain, such as extra capacity and extra
31
32 inventory (Chopra and Sodhi 2004), which are not directly related to one individual supplier
33
34 (Bode *et al.*, 2011). Although these approaches may reduce uncertainty, higher stock levels
35
36 increase holding costs; and extra capacity requires initial investment and prevents working
37
38 capital being deployed elsewhere. The creation of slack is therefore a decision to increase the
39
40 resources available rather than utilise existing resources more efficiently (Galbraith 1973).
41
42 Nevertheless, this does not mean that the use of slack resources is always the inferior, or
43
44 more costly, choice. Investment decisions must be balanced against the alternative
45
46 information processing choices, for example, holding extra inventory may be more cost
47
48 efficient for a plant than investment in a customised ERP system.
49
50
51
52

53
54 Therefore, we suggest that slack resources moderate the relationship between frequency
55
56 of disruptions and plant performance where slack is considered a core method for increasing
57
58
59
60

1
2
3 supply chain resilience (Chopra and Sodhi 2004, Tang 2006) and has been shown to
4
5 positively moderate the stock markets' reaction to disruptions (Hendricks *et al.* 2009). More
6
7 specifically, we suggest that the introduction of extra capacity within the supply network and
8
9 safety stock will help to offset the deleterious effects of disruptions on performance.
10

11
12 Extra capacity within the supply base may take the form of lower capacity utilisation at
13
14 suppliers and the deliberate retention of back up suppliers even when the costs are higher
15
16 (Sheffi and Rice Jr 2005). For example, Cisco Systems Inc. retains a capacity to manufacture
17
18 higher value items in the US allowing for continuity of operations for the profitable home
19
20 market in the face of a disruption (Chopra and Sodhi 2004). We suggest that extra capacity
21
22 buffers organisations against disruptions where it can be used to divert products and
23
24 manufacturing away from those parts of the supply base impacted by the disruption. More
25
26 recently, Bode *et al.* (2011) also find that firms that experience large disruptions are more
27
28 likely to add extra capacity and increase their independence from suppliers in subsequent
29
30 time periods. This leads to the formulation of the following hypothesis:
31
32

33
34 *H3a: Extra production capacity positively moderates the relationship between the*
35
36 *frequency of supply chain disruptions and plant performance; the higher the level of*
37
38 *production capacity, the lower the negative effects of disruption frequency on plant*
39
40 *performance*
41

42
43 Similarly, organisations may hold extra inventory as a means of creating slack to buffer
44
45 against the effects of disruptions (Inman and Blumenfeld 2013). For example, to cope with a
46
47 very complex supply chain (Brintrup *et al.* 2011) with many (potentially billions) of product
48
49 variants, UK automotive manufacturers hold substantial stocks of finished goods inventory to
50
51 buffer against uncertainty. This allows them to close the gap between customer choice and
52
53 the lead-time of a build to order model thereby simultaneously improving delivery and
54
55
56
57
58
59
60

flexibility performance[†]. Similarly, it has been reported that automakers, including Toyota, are starting to carry higher inventories of sensitive parts in the wake of the Japanese Tsunami disaster (Greimel 2012). These buffer stocks should allow operations to continue in the face of disruptions that may have previously ground to a halt within days due to lean and Just-in-Time operations. This leads to the formulation of the following hypotheses:

H3b: Safety stock at suppliers positively moderates the relationship between the frequency of supply chain disruptions and plant performance; the higher the level of safety stock at suppliers, the lower the negative effects of disruption frequency on plant performance

H3c: Safety stock at plant positively moderates the relationship between the frequency of supply chain disruptions and plant performance; the higher the level of safety stock at plant, the lower the negative effects of disruption frequency on plant performance

2.6 The moderating effect of supply chain visibility

According to Galbraith (1973), a second strategy for managing task uncertainty is to improve information processing capacity, for example through the creation of supply chain visibility. While slack resources reduce the amount of information that needs to be processed in any given task, an alternative strategy is to increase an organisation's information processing capacity to improve information collection, flow and accuracy (Tushman and Nadler 1978). Visibility, in terms of identifying and understanding inventory and demand levels across the upstream supply chain (Braunscheidel and Suresh 2009), improves an organisation's capability to process this information. Specifically, visibility allows members of the supply base to access useful information around the products' movement and, while enabled by technology, is not wholly dependent upon it (Caridi *et al.* 2010).

[†] Of course, finished goods inventory costs the manufacturers in the form of depreciation and sales incentives.

1
2
3 When supply chain visibility is enhanced, it has the potential to reduce the adverse
4 effects of a supply chain disruption (Blackhurst *et al.* 2005) and also to improve supply chain
5 resilience (Jüttner and Maklan 2011). The use of visibility systems may also allow earlier
6 detection of disruptions (Sheffi & Rice, 2005). Greater visibility, created through improved
7 knowledge and understanding of inventory and demand levels, allows organisations to
8 proactively manage potential risks in their supply chain. Therefore:
9
10
11
12
13
14
15

16 *H4: Visibility positively moderates the relationship between the frequency of supply*
17 *chain disruptions and plant performance; the higher the visibility, the lower the negative*
18 *effects of disruption frequency on plant performance*
19
20
21
22
23
24

25 **3. Methodology**

26 **3.1 Sample and procedure**

27
28
29 A sample of 1200 United Kingdom manufacturing firms was surveyed from The
30 Chartered Institute of Purchasing and Supply (CIPS) database. Respondents were selected by
31 job function (supply chain manager or equivalent) and industry code (SIC 11000, 15000,
32 16000, 17000, 19000, 20000, 21000, 23000 – 36,000). In order to maximise response rate,
33 respondents were first contacted by telephone to discuss the purpose of the survey, the
34 commitment required and to invite participation. Second, a cover letter, survey and branded
35 pen were sent to each respondent. The letter explained the purpose of the research and
36 emphasised the endorsement from CIPS. We attempted to further maximise the response rate
37 through a follow-up email after two weeks and a mailing after an additional four weeks.
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

1
2
3 We received 264 usable responses representing an effective response rate of 22.0%,
4 meeting the threshold for effective operations management research (Malhotra and Grover
5 1998). A profile of respondents is provided in Table 1.
6
7
8
9

10
11 [Table 1 near here]
12
13

14
15
16 Non-response bias was tested through a comparison of early respondents
17 (questionnaires received in the first two weeks), late respondents (questionnaires received in
18 the third week or later) and non-respondents (a subsample of 25 non-respondents was
19 selected at random from the initial contact list) (Armstrong and Overton 1977). Early and
20 late respondents did not differ significantly on any of the variables used in this study while
21 respondents and non-respondents did not differ significantly in terms of plant size or industry
22 code suggesting that non-response bias is not likely to be a significant concern for our data
23 sample.
24
25
26
27
28
29
30
31
32
33

36 **3.2 Measures**

37
38 Consistent with Bozarth *et al.* (2009), this study defined the unit of analysis as the
39 upstream supply base of a manufacturing plant. Respondents were requested to answer all
40 questions considering the inbound supply chain of their manufacturing plant. Likert scaled
41 items were measured on a five-point scale.
42
43
44
45

46
47 *Supply base complexity:* A measure of upstream supply base complexity was developed
48 from Bozarth *et al.* (2009), Choi and Krause (2006) and Caridi *et al.* (2010). Items reflected
49 four dimensions of complexity: (a) scale, (b) differentiation, (c) delivery reliability, and (d)
50 geographic dispersion. Upstream supply chains are considered more complex if they involve
51
52
53
54
55
56
57
58
59
60

1
2
3 more actors, the actors are dissimilar, lead times are long and/or unreliable and actors more
4
5 dispersed.
6

7
8 Scale was measured by the number of players, differentiation as the degree of
9
10 difference in size and technical capability between suppliers (Caridi *et al.* 2010), and delivery
11
12 reliability by on-time performance and lead time (Bozarth *et al.* 2009). Geographic dispersion
13
14 was measured with an index developed by Stock *et al.* (2000). Respondents were asked to
15
16 specify the percentage of their plant's suppliers located in the following regions: Europe,
17
18 Asia, North America and Other. Dispersion was then calculated using the following formula:
19

$$20 \text{ DISP} = 1 - \frac{(|\text{Europe}\% - 25| + |\text{Asia}\% - 25| + |\text{N. America}\% - 25| + |\text{Other}\% - 25|)}{150}$$

21
22

23
24
25
26
27
28 Values range from 0 where all suppliers are concentrated in a single region to 1 where
29
30 all suppliers are spread equally across all four regions.
31

32
33 *Frequency of Disruptions:* Our analysis adopts the mean value of a six-item measure
34
35 developed by Zsisidin and Wagner (2010) that examines the frequency with which a
36
37 manufacturing plant has been disrupted due to suppliers.
38

39
40 *Plant Performance:* Our measure of plant performance consists of the four classic
41
42 performance dimensions of cost, quality, flexibility and delivery (Rosenzweig and Roth
43
44 2004, Liu *et al.* 2012). We adopted the nine items developed in the High Performance
45
46 Manufacturing (HPM) survey (Zhang *et al.* 2012) that includes the unit cost of
47
48 manufacturing, inventory turnover, conformance to product specifications, product capability
49
50 and performance, cycle time, on time delivery performance, fast delivery, flexibility to
51
52 change product mix, and flexibility to change volume. The overall measure of plant
53
54 performance is the mean of the four dimensions, an approach well embedded in the
55
56 operations management literature (Naor *et al.* 2010).
57
58
59
60

1
2
3 *Visibility:* We measured visibility using a scale developed by Braunscheidel and Suresh
4
5 (2009). The two items examined the extent to which inventory and demand levels are visible
6
7 throughout the supply chain.
8

9
10 *Slack resources:* We measure three dimensions of slack resources that reflect the levels
11
12 of extra production capacity in the network, safety stock at suppliers and safety stock at the
13
14 plant (Sheffi and Rice Jr 2005).
15

16 *Control variables:*

17
18 We control for plant size and supplier concentration. Plant size has been previously
19
20 linked to supply chain disruptions. For example Wagner and Neshat (2011) find that larger
21
22 organisations are more vulnerable to supply chain relationships while Hendricks *et al.* (2009)
23
24 find firm size is a significant control variable when analysing the abnormal returns from
25
26 disruptions. We measure plant size by the log of the total number of employees at the plant.
27
28

29
30 Supplier concentration represents the number of suppliers accounting for 30% of the
31
32 plant's purchasing budget (Vachon *et al.* 2009). Supplier concentration may impact the
33
34 frequency of disruptions and plant performance where there may be less redundancy in the
35
36 supply base.
37
38

39 40 41 **3.3 Measure validation**

42
43 To assess the quality of our measures in terms of their validity and reliability, we
44
45 conducted confirmatory factor analysis (CFA). We conducted a CFA using MPlus 7 to
46
47 estimate the measurement properties of the multi-item constructs. As shown in Table 2 all
48
49 factor loadings were in excess of the commonly accepted 0.40 standard suggesting no need to
50
51 delete items to improve model fit (Anderson and Gerbing 1988). The only exception was
52
53 'unit cost of manufacturing' that displays a marginal loading of 0.38, however, following
54
55 Naor *et al* (2010), we retain the item for content validity purposes. The measurement model
56
57
58
59
60

1
2
3 also revealed a good fit of the model to the data. We observed a chi-square value: $\chi^2 (208) =$
4 326.73; Tucker-Lewis Index (TLI) = .94; comparative fit index (CFI) = .95; and root mean
5 square error of approximation (RMSEA) = .05, each supporting strong model fit.
6
7
8
9

10
11 [Table 2 near here]
12
13

14
15
16 To evaluate the psychometric properties of the measures, we analysed the validity and
17 reliability of all the multi-item scales. Specifically, we assessed item reliability, convergent
18 validity and discriminant validity (Fornell and Larcker 1981). The composite reliability of all
19 constructs was above the threshold value of 0.70. Convergent validity was assessed on the
20 basis of Cronbach's alpha and the significance of the factor loadings ($t > 2.0$) (Shah and
21 Goldstein 2006). Discriminant validity of the constructs was assessed on the basis of the
22 average variance extracted (AVE) for each measurement scale. The value for each construct
23 should equal or exceed 0.50 (Fornell and Larcker 1981). As presented in Table 2, our scales
24 exceed the recommended thresholds for each of the tests, indicating that the constructs have
25 good reliability and convergent and discriminant validity. The only exception was the
26 marginal Cronbach's Alpha ($\alpha = 0.68$) of delivery complexity, however, this is still within the
27 limits of less established measures (Nunnally 1978).
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44

45 **3.4 Common Methods Bias**

46
47 A major concern with self-reported survey data is common method variance, which is
48 variance that is attributable to the measurement method rather than to the constructs the
49 measures represent (Podsakoff *et al.* 2003). To test for common methods bias we conducted a
50 modified version of Harman's one factor test as suggested by Malhotra *et al.* (2006). The fit
51 indices indicated that a hypothesised model consisting of a single factor had very poor fit (χ^2
52
53
54
55
56
57
58
59
60

(69) = 1619.156. TLI = .40; CFI = .34; RMSEA = .15). This suggests that common methods bias is not a concern for our data.

4. Results

Table 3 presents the correlations and descriptive statistics for each of the variables used in our study. Two dimensions of supply base complexity are positively correlated to the frequency of disruptions, which in turn, has a negative correlation with plant performance. The statistics also indicate relatively concentrated supply bases in our sample (mean = 0.19, SD = 0.19), a result which is broadly in line with prior studies (Lorentz *et al.* 2012).

[Table 3 near here]

The hypothesised relationships were tested using hierarchical moderated regression analysis. We mean-centred all model variables to reduce the risk of multicollinearity of the interaction terms (Aiken and West 1991). Additionally, we tested for collinearity by calculating the variance inflation factor for each of the regression coefficients in the model. Values ranged from 1.03 to 1.14, significantly below the cut-off value of 10 suggested by Hair *et al.* (1998).

Table 4 presents the results of the first regression analysis. Step 1 indicates that neither of the control variables had a significant effect on the frequency of disruptions. In step 2 we find that scale complexity ($\beta = .16, p < .01$) and delivery complexity ($\beta = .40, p < .01$) have significant effects. The results confirm hypotheses H1a and H1c and suggest that plants with a larger number of suppliers and longer and unreliable lead-times will be subject to more frequent supply disruptions. On the other hand, we find that differentiation and geographic dispersion do not have a significant effect on the frequency of disruptions.

[Table 4 near here]

Hypotheses two to four are tested in a regression model predicting plant performance. Results are displayed in Table 5. Step 1 shows that two of the control variables, scale complexity ($\beta = -0.18$, $p < .01$) and delivery complexity ($\beta = -.16$, $p < .01$), have significant negative effects on plant performance. These results are broadly in line with Bozarth et al (2009) who find negative, although not necessarily significant, effects of the number of suppliers and delivery performance for schedule attainment and the unit cost of manufacturing. Step 2 adds the frequency of disruptions to the regression model. The effect of the frequency of disruptions on plant performance is significant and negative ($\beta = -.18$, $p < .01$). The result confirms hypothesis 2, that plants with more frequent supply disruptions will have lower plant performance, but is also subject to interaction effects.

Step 3 adds the direct effects of the slack resources moderator terms. The results show extra production capacity has a significant direct positive effect on plant performance and that safety stock at the plant has a significant negative effect. Step 4 adds the interaction terms to our model. We find that both extra production capacity ($\beta = .11$, $p < .05$) and safety stock at suppliers ($\beta = .11$, $p < .05$) have a significant positive interaction with the frequency of disruptions. The results provide support for hypotheses 3a and 3b and indicate that the negative effects of disruption frequency may be reduced through these two types of slack. On the other hand, holding stock at the focal plant (hypothesis 3c) does not have a significant interaction effect.

The effect of visibility is tested in the same way. Step 5 adds the direct effect of visibility and step 6 adds the interaction term between the frequency of disruptions and visibility. We find that visibility has a significant positive direct effect ($\beta = .22$, $p < .01$) and

1
2
3 a significant positive moderation effect ($\beta = .11, p < .05$). The results lend support for
4
5 hypothesis 4 and show that the negative effects of disruption frequency may be reduced by
6
7 increased supply chain visibility.
8
9

10
11 [Table 5 near here]
12
13

14
15
16 To further analyse the interaction effects, we estimate the simple slopes (Aiken and
17
18 West 1991) of each of the significant interaction effects using values of one standard
19
20 deviation above the mean to represent high levels of 'extra production capacity', 'safety stock
21
22 at suppliers' and 'visibility' and one standard deviation below the mean to represent low
23
24 values of these variables (Cohen and Cohen 1983). Figure 2a shows that in the situation of
25
26 frequent supply disruptions, extra production capacity reduces the negative effects on plant
27
28 performance. In order to clarify the meaning of the interaction effects we conduct a simple
29
30 slope test, in which the slope is calculated by substituting the value of Z into the regression
31
32 equation (Cohen and Cohen 1983, Dawson 2013). As demonstrated in Figure 2a, the impact
33
34 of supply chain disruptions on plant performance is significant and negative for organisations
35
36 with 'low' extra production capacity (-1 SD gradient = -1.83, $p < .001$), but non-significant
37
38 for organisations with 'high' extra production capacity (+1 SD gradient = -.54, $p = .34$).
39
40
41

42
43 Figure 2b shows that in the situation of frequent supply disruptions, safety stock
44
45 reduces the negative effects on plant performance. The simple slope test indicates the impact
46
47 of supply chain disruptions on plant performance is significant and negative for organisations
48
49 with 'low' safety stock at suppliers (-1 SD gradient = -1.90, $p < .001$) but non-significant for
50
51 organisations with 'high' safety stock at suppliers (+1 SD gradient = -.46, $p = .51$). However,
52
53 the figure also indicates a trade-off function where plant performance is lower for
54
55 organisations with 'high' safety stock at suppliers when disruptions are infrequent. This
56
57
58
59
60

1
2
3 finding may be explained due to the additional costs and deterioration of stock sitting at the
4
5 supplier plant for indeterminate periods of time waiting for a disruption.
6
7

8
9
10 [Figures 2a and 2b near here]
11

12
13
14 Figure 3 shows that in the situation of frequent supply disruptions, visibility reduces the
15
16 negative effects on plant performance. The simple slope test indicates the impact of supply
17
18 chain disruptions on plant performance is significant and negative for organisations with
19
20 'low' visibility (+1 SD gradient = -3.09, $p < 0.01$) but non-significant for organisations with
21
22 'high' visibility (+1 SD gradient = -.50, $p = .39$).
23
24

25
26
27 [Figure 3 near here]
28
29

30 31 32 **5. Discussion**

33
34 Our study makes several contributions to the extant literature and theoretical
35
36 understanding of issues relating to supply base complexity and performance. First, we find
37
38 that the dimensions of supply base complexity have different effects on the frequency of
39
40 disruptions. While prior research has been extremely valuable to our understanding of the
41
42 link between complexity and risk (Craighead *et al.* 2007), our research adds further empirical
43
44 precision to show that the number of suppliers and delivery complexities are the primary
45
46 drivers of disruption frequency, while geographic dispersion and the differentiation between
47
48 suppliers do not have a significant effect. Second, we add to the empirical base of supply
49
50 chain risk management literature and follow calls from leading scholars in the field for
51
52 further empirical work (Sodhi *et al.* 2012). Finally, we show that both slack resources and
53
54 visibility have the potential to offset the negative effects of supply disruptions for plant
55
56
57
58
59
60

1
2
3 performance. This complements previous research that indicates that slack and vertical
4 relatedness may reduce the negative impact of disruptions on the stock market reaction
5 (Hendricks *et al.* 2009). Our findings are discussed in more detail below.
6
7
8
9

10 11 **5.1 Supply Complexity, Frequency of Disruptions, and Plant Performance**

12
13
14 Complexity within global supply chains has been found to increase disruptions and
15 reduce performance (Wagner and Bode 2006, Craighead *et al.* 2007, Bozarth *et al.* 2009).
16 We find that supply base complexity in terms of scale (H1a) and delivery (H1c) leads to a
17 decrease in performance due to an increase in the number of supply chain disruptions but that
18 the effects of differentiation (H1b) and geographic dispersion (H1d) are found to be
19 insignificant. We suggest that the scale of the supply base might lead to more frequent supply
20 disruptions due to the increased nodes in the supply network and therefore an increased
21 probability of disruptions at some point, and that the delivery complexity of the supply base
22 might lead to more frequent disruptions because forecasting becomes more difficult for
23 suppliers with long or unreliable lead-times.
24
25
26
27
28
29
30
31
32
33
34
35

36
37 However, an increase in the differentiation between suppliers does not affect the
38 frequency of disruptions. Indeed if we consider the broad portfolio of spend in most
39 manufacturing (Kraljic 1983), suppliers are likely to be differentiated based on the products
40 and services supplied. Some will be basic commodities (non-critical items), while others will
41 be the critical inputs into the process (strategic items). Purchasing professionals therefore
42 become naturally accustomed to the variety within the supply base offsetting any issues for
43 performance. We also find that the effect of geographic dispersion is non-significant. The
44 two competing effects that are borne from global dispersion can perhaps explain this. On the
45 one hand, organisations are exposed because of travel distances, time-zone differences,
46 language differences, cultural distances (Stringfellow *et al.* 2008), and exchange rate
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 fluctuations (Holweg *et al.* 2011). Such trends may increase risks. On the other hand,
4
5 portfolio theory would suggest that a dispersed supply base actually reduces risks because the
6
7 supply base is less dense (Craighead *et al.* 2007). These two competing pressures may help
8
9 to explain our non-significant finding.
10

11
12 Despite broad anecdotal evidence for the effect of disruptions on performance,
13
14 empirical evidence remains limited. We find that high frequency of supply chain disruptions
15
16 decreases plant performance (H2). This may be explained by the consequences of disruptions
17
18 that may affect different types of performance such as the quality of the finished product,
19
20 flexibility and delivery, as well as cost.
21

22 23 24 25 **5.2 Slack Resources and Visibility** 26

27
28 OIPT posits a need to fit information processing capacity with information processing
29
30 requirements. Disruptions are, by definition, unplanned and unanticipated events that limit
31
32 an organisation's ability to operate in a pre-determined manner (cf. Craighead *et al.* 2007).
33
34 Disruptions therefore increase an organisation's information processing requirements which
35
36 can be met through the use of slack resources, such as extra production capacity, or safety
37
38 stock at the plant or supplier, that act to reduce the need for information processing, or
39
40 through the creation of greater visibility in the supply chain that improves an organisation's
41
42 information processing capacity.
43
44

45
46 Previous studies suggest that the use of multiple suppliers, excess capacity and safety
47
48 stock can be an effective means of creating resilience (Chopra and Sodhi 2004). However,
49
50 such research was concerned with the direct effects of slack resources. We suggest that the
51
52 use of extra production capacity, and supply stock at supplier (H3a and H3b) may moderate
53
54 the relationship between the frequency of disruptions and plant performance. These slack
55
56 resources effectively buffer against the uncertainty created by disruptions and subsequently
57
58
59
60

1
2
3 reduce the negative impact on performance. Supply stock at the plant was not found to have
4
5 this effect (H3c). Shortening product lifecycles and increasing product variety means that
6
7 holding extra inventory in one's own plant may lead to excessive holding and obsolescence
8
9 costs (Tang 2006) and therefore may negate the benefits of buffering against disruptions. Our
10
11 study also confirms that visibility may reduce the effect of supply chain disruptions on plant
12
13 performance (H4) as the information provided enables the focal organisation to quickly
14
15 reallocate suppliers or products in the event of a disruption.
16
17
18
19

20 21 **5.3 Managerial Implications**

22
23 This study demonstrates the effect that different types of supply base complexity have
24
25 on the frequency of supply disruptions. Since supply chain practitioners are especially
26
27 interested in understanding supply chain disruptions (Craighead *et al.* 2007), and supply
28
29 chains are becoming increasingly complex (Harland *et al.*, 2003), it is important for managers
30
31 to understand how complexity affects the frequency of disruptive events within the supply
32
33 chain. Our study shows that complexity in terms of scale and delivery affects the frequency
34
35 of disruptions whilst complexity in terms of differentiation and geographic dispersion does
36
37 not. Therefore managers can concentrate on reducing the types of complexity that have the
38
39 most impact.
40
41
42

43 Although more frequent disruptions lead to an adverse effect on plant performance, our
44
45 findings suggest that there are ways to reduce this impact through the use of slack resources
46
47 and visibility. By providing managers with an understanding of these strategies, they should
48
49 be able to mitigate these negative consequences. Creating slack resources (extra production
50
51 capacity and safety stock at supplier) can help to lessen the effect of supply chain disruptions
52
53 on plant performance. An alternative approach is to improve visibility across the supply chain
54
55 to enhance flexibility in the eventuality of a disruption.
56
57
58
59
60

5.4 Limitations and Future Research

The limitations of our study open both conceptual and methodological avenues for future research. First, studies could closely examine the balance between inventory, disruptions and costs. Our research provides empirical evidence for the trade-off between safety stock, disruptions and plant performance: higher performance is associated with low levels of supplier safety stock at low disruption frequency but high levels of supplier safety stock as disruptions become more frequent (Figure 2b). Future research could search for a balance between these variables to model the optimal stocking levels under varying frequency of disruptions to maximise performance considerations (including costs). Given that safety stock can also represent an inventory risk (Chopra and Sodhi 2004), models could also include different types of inventory, for example pooled inventory, to determine the effects of different inventory management strategies for varying individual performance variables, including costs and flexibility, as well as composite variables such as the one used in this study. Second, the same models could be applied to understand the optimal levels of capacity required. In particular, further research is required to understand the opportunity costs of capacity under-utilisation versus its benefits during a disruption.

Third, studies could examine the fit between the type of disruption and the methods used to offset the effect on performance. For example, is strategic stock preferable to visibility (and vice versa) for different causes of disruptions, for example operational contingencies, natural catastrophes or terrorism and political instability (Kleindorfer and Saad 2005)? Finally, in line with OIPT theorising, our study has examined the interaction effects of slack resources and visibility. Future studies could examine a broader portfolio of risk management techniques including flexible contracting, the availability of alternative sources of supply, postponement and network design (Tang 2006).

Table 1. Profile of Respondents.

Title	Number	Percentage
Annual Sales Revenue		
Under £10 Million	38	14.5
£11 – 25 Million	48	18.4
£26 – 50 Million	40	15.2
£51 – 75 Million	23	8.6
£76 – 100 Million	13	4.7
£101 – 250 Million	27	10.2
£251 – 500 Million	23	8.6
Over £501 Million	52	19.9
TOTAL	264	100
Number of employees		
0-50	31	11.7
51-100	45	17.2
101-200	50	18.8
201-500	62	23.4
501-1000	27	10.2
1001+	49	18.7
TOTAL	264	100
Industry Sector		
Oil and Gas	14	5.3
Food and Beverage	17	6.4
Textiles & Apparel	4	1.5
Wood products	1	0.4
Paper products	7	2.7
Chemical products	23	8.7
Rubber & plastic products	8	3
Basic & fabricated products	26	9.8
Machinery	48	18.2
Electrical and optical equipment	51	19.3
Automotive & transport	37	14
Furniture	26	9.8
TOTAL	264	100

Table 2. Factor Analysis.

Scales and associated indicators	Standardized factor loadings	Standard Error
Disruption occurrence		
(Cronbach's α = .86; CR = .90; AVE = .61)		
Operations disrupted due to a late delivery from supplier	0.85	0.03
Operations disrupted due to a quality problem from supplier	0.76	0.03
Expedited shipments to avoid a disruption due to a late delivery	0.61	0.05
Late deliveries to customers	0.66	0.04
Unacceptable delivered quality from supplier	0.60	0.05
Excess costs (e.g. premium freight, higher prices from an alternate source) for this product due to a supplier's failure to perform	0.61	0.05
Plant performance		
(Cronbach's α = .83; CR = .81; AVE = .89)		
Unit cost of manufacturing	0.33	0.06
Inventory turnover	0.39	0.06
Conformance to product specifications	0.40	0.06
Product capability and performance	0.44	0.06
Cycle time (from raw materials to delivery)	0.69	0.04
On time delivery performance	0.80	0.03
Fast delivery	0.84	0.03
Flexibility to change product mix	0.67	0.04
Flexibility to change volume	0.66	0.04
Visibility		
(Cronbach's α = .81; CR = .94; AVE = .90)		
Inventory levels are visible throughout the supply chain	0.84	0.08
Demand levels are visible throughout the supply chain	0.78	0.07
Complexity Scale		
(Cronbach's α = .81; CR = .92; AVE = .87)		
This supply chain is very complex	0.99	0.09
This supply chain involves a lot of players (e.g. suppliers, logistics, service providers)	0.68	0.07
Differentiation Complexity		
(Cronbach's α = .73; CR = .95; AVE = .91)		
Suppliers in this supply chain are the same size	1.36	0.69
Suppliers in this supply chain have the same level of technical capability	0.43	0.22
Delivery Complexity		
(Cronbach's α = .68; CR = .93; AVE = .87)		
We can depend on on-time delivery from suppliers in this supply chain	0.90	0.06
We can depend on short lead times from suppliers in this supply chain	0.58	0.06

*CR and AVE require a model based test unavailable for two items constructs, factor loadings displayed are extrantion loadings based on Principal Component Analysis

** All constructs were scaled as 1 = strong disagree to 5 = strongly agree. The first item in each scale was fixed to a loading of 1.0 in the the initial run to set the scale of the construct. CFA Fit Statistics: X² (208) = 326.73 ; TLI = .94; CFI = .95 ; RMSEA = .05.

Table 3. Descriptive Statistics and Intercorrelations of Constructs

No	Variable	M	SD	1	2	3	4	5	6	7	8	9	10
<i>Supply complexity</i>													
1	Geographical dispersion	0.19	0.19	1									
2	Scale	3.64	0.91	.27**	1								
3	Differentiation	3.18***	0.78	.12	.12	1							
4	Delivery	2.03***	0.87	.03	.17**	-.05	1						
<i>Slack Resources</i>													
5	Extra production capacity	2.71	0.87	.19**	.15*	.09	-.18**	1					
6	Safety stock at suppliers	2.74	0.99	.06	.08	.12	-.30**	.31**	1				
7	Safety stock at plant	2.89	0.96	.01	.11	-.03	.06	.14*	.25**	1			
8	Visibility	3.06	1.03	.14**	.05	-.07	-.23**	.22**	.21**	.03	1		
9	Frequency of Disruption	2.90	0.66	.07	.23**	.06	.43**	-.02	-.11	.02	-.14*	1	
10	Plant Performance	31.69	4.67	.01	-.21**	-.05	-.19**	.19**	0.08	-.09	.24**	-.25**	1

*Correlation is significant at the 0.05 level.
 **Correlation is significant at the 0.01 level.
 *** Scores are reversed.

View Only

Table 4. Regression Analysis for Frequency of Disruption

Step	Variables	Frequency of Disruption	
		1	2
1	Control variables		
	Plant size	.08	.02
	Supplier concentration	.09	.08
2	Main effects		
	<i>Supply complexity</i>		
	Geographical Dispersion		.00
	Scale		.16**
	Differentiation		.02
	Delivery		.40**
	R ²	.01	.22
	Adjusted R ²	.01	.20
	ΔR^2		.19**

* Significant at the 0.05 level

** Significant at the 0.01 level


Table 5. Regression Analysis for Plant Performance

Step	Variables	Plant Performance					
		1	2	3	4	5	6
1	Control variables						
	Plant size	-.09	-.09	-.11*	-.12*	-.09	-.09
	Supplier concentration	.04	.06	.05	.05	.05	.05
	Supply complexity						
	Geographical Dispersion	.08	.08	.05	.06	.05	.05
	Scale	-.18**	-.15**	-.17**	-.18**	-.17**	-.15**
	Differentiation	-.01	-.01	-.03	-.04	.01	.00
	Delivery	-.16**	-.09	-.02	-.02	-.04	-.03
2	Main effect						
	Frequency of Disruption (FoD)		-.18**	-.19**	-.17**	-.17**	-.17**
	Buffering effect						
3	Slack resources						
	Extra production capacity (EPC)			.22**	.21**		
	Safety stock at suppliers (SSAS)			.04	.03		
	Safety stock at plant (SSAP)			-.12**	-.13**		
4	Visibility (VIS)					.22**	.21**
	Interaction effect						
5	FoD x EPC				.11*		
	FoD x SSAS				.11*		
	FoD x SSAP				.05		
6	FoD x VIS						.11*
	R ²	.08	.10	.16	.19	.15	.16
	Adjusted R ²	.06	.08	.13	.15	.12	.13
	ΔR^2		.02*	.05**	.02*	.04*	.01*

* Significant at the 0.05 level

** Significant at the 0.01 level

Figure 1. Hypothesized model



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Figure 2. The interaction effects on plant performance (a) the moderation effect of extra production capacity, and (b) the moderation effect of safety stock at suppliers.

Figure 2a




Figure 2b





Figure 3. The interaction effect of visibility on plant performance.



Bibliography

- 1
2
3
4
5 Aiken, L.S. & West, S.G., 1991. *Multiple regression: Testing and interpreting interactions*
6 Newbury Park, CA: Sage Publications Inc.
- 7 Armstrong, S.J. & Overton, T.S., 1977. Estimating non-response bias in mail surveys.
8 *Journal of Marketing Research*, 14 (3), 396-402.
- 9 Blackhurst, J., Craighead, C.W., Elkins, D. & Handfield, R.B., 2005. An empirically derived
10 agenda of critical research issues for managing supply-chain disruptions.
11 *International Journal of Production Research*, 43 (19), 4067 - 4081.
- 12 Bode, C., Wagner, S.M., Petersen, K.J. & Ellram, L.M., 2011. Understanding responses to
13 supply chain disruptions: Insights from information processing and resource
14 dependence perspectives. *Academy of Management Journal*, 54 (4), 833-856.
- 15 Bozarth, C.C., Warsing, D.P., Flynn, B.B. & Flynn, E.J., 2009. The impact of supply chain
16 complexity on manufacturing plant performance. *Journal of Operations Management*,
17 27 (1), 78-93.
- 18 Braunscheidel, M.J. & Suresh, N.C., 2009. The organizational antecedents of a firm's supply
19 chain agility for risk mitigation and response. *Journal of Operations Management*, 27
20 (2), 119-140.
- 21 Brintrup, A., Kito, T., Lopez, E., New, S. & Reed-Tsochas, F., 2011. The structure of the
22 toyota supply network: The emergence of resilience. *CABDyN Working Paper #2011-*
23 *05-012*.
- 24 Caridi, M., Crippa, L., Perego, A., Sianesi, A. & Tumino, A., 2010. Do virtuality and
25 complexity affect supply chain visibility? *International Journal of Production*
26 *Economics*, 127, 372-383.
- 27 Choi, T.Y. & Krause, D.R., 2006. The supply base and its complexity: Implications for
28 transaction costs, risks, responsiveness, and innovation. *Journal of Operations*
29 *Management*, 24 (5), 637-652.
- 30 Chopra, S. & Sodhi, M.S., 2004. Managing risk to avoid supply-chain breakdown. *MIT Sloan*
31 *Management Review*, 46 (1), 53-61.
- 32 Cohen, J. & Cohen, P., 1983. *Applied multiple regression/correlation analyses for the*
33 *behavioral sciences* Hillsdale, NJ: Lawrence Erlbaum Associates.
- 34 Craighead, C.W., Blackhurst, J., Rungtusanatham, M.J. & Handfield, R.B., 2007. The
35 severity of supply chain disruptions: Design characteristics and mitigation
36 capabilities. *Decision Sciences Journal*, 38 (1), 131-156.
- 37 Daft, R.L. & Lengel, R.H., 1986. Organizational information requirements, media richness
38 and structural design. *Management Science*, 32 (5), 554-571.
- 39 Dawson, J., 2013. Moderation in management research: What, why, when, and how. *Journal*
40 *of Business and Psychology*, 1-19.
- 41 Flynn, B.B. & Flynn, E.J., 1999. Information-processing alternatives for coping with
42 manufacturing environment complexity. *Decision Sciences*, 30 (4), 1021-1052.
- 43 Fornell, C. & Larcker, D.F., 1981. Evaluating structural equation models with unobservable
44 variables and measurement error. *Journal of marketing research*, 39-50.
- 45 Frank, C., Drezner, Z., Ryan, J.K. & Simchi-Levi, D., 2000. Quantifying the bullwhip effect
46 in a simple supply chain: The impact of forecasting, lead times, and information.
47 *Management Science*, 46 (3), 436.
- 48 Fridgen, G., Stepanek, C. & Wolf, T., 2014. Investigation of exogenous shocks in complex
49 supply networks – a modular petri net approach. *International Journal of Production*
50 *Research*, 1-22.
- 51 Galbraith, J.R., 1973. *Designing complex organizations* Reading, MA.: Addison-Wesley.
- 52 Galbraith, J.R., 1977. *Organization design* Reading, MA: Addison-Wesley.
- 53
54
55
56
57
58
59
60

- 1
2
3 Gattiker, T.F., 2007. Enterprise resource planning (erp) systems and the manufacturing–
4 marketing interface: An information-processing theory view. *International Journal of*
5 *Production Research*, 45 (13), 2895-2917.
- 6 Gray, J.V., Roth, A.V. & Leiblein, M.J., 2011. Quality risk in offshore manufacturing:
7 Evidence from the pharmaceutical industry. *Journal of Operations Management*, 29
8 (7), 737-752.
- 9 Greimel, H., 2012. Tsunami: The aftermath. *Automotive News*.
- 10 Grötsch, V.M., Blome, C. & Schleper, M.C., 2013. Antecedents of proactive supply chain
11 risk management – a contingency theory perspective. *International Journal of*
12 *Production Research*, 51 (10), 2842-2867.
- 13 Hair, J.F., Anderson, R.E., Tatham, R.L. & Black, W.C., 1998. *Multivariate data analysis*,
14 5th ed. New Jersey, USA: Prentice-Hall.
- 15 Hendricks, K.B. & Singhal, V.R., 2005. Association between supply chain glitches and
16 operating performance. *Management Science*, 51 (5), 695-711.
- 17 Hendricks, K.B., Singhal, V.R. & Zhang, R., 2009. The effect of operational slack,
18 diversification, and vertical relatedness on the stock market reaction to supply chain
19 disruptions. *Journal of Operations Management*, 27 (3), 233-246.
- 20 Holweg, M., Reichhart, A. & Hong, E., 2011. On risk and cost in global sourcing.
21 *International Journal of Production Economics*, 131 (1), 333-341.
- 22 Inman, R.R. & Blumenfeld, D.E., 2013. Product complexity and supply chain design.
23 *International Journal of Production Research*, 52 (7), 1956-1969.
- 24 Isik, F., 2009. An entropy-based approach for measuring complexity in supply chains.
25 *International Journal of Production Research*, 48 (12), 3681-3696.
- 26 Jüttner, U. & Maklan, S., 2011. Supply chain resilience in the global financial crisis: An
27 empirical study. *Supply Chain Management: An International Journal*, 16 (4), 246-
28 259.
- 29 Kleindorfer, P.R. & Saad, G.H., 2005. Managing disruption risks in supply chains.
30 *Production & Operations Management*, 14 (1), 53-68.
- 31 Kraljic, P., 1983. Purchasing must become supply management. *Harvard Business Review*,
32 61 (5), 110-117.
- 33 Lavastre, O., Gunasekaran, A. & Spalanzani, A., 2014. Effect of firm characteristics, supplier
34 relationships and techniques used on supply chain risk management (scrm): An
35 empirical investigation on french industrial firms. *International Journal of Production*
36 *Research*, 52 (11), 3381-3403.
- 37 Lee, H.L., Padmanabhan, V. & Whang, S., 1997. Information distortion in a supply chain:
38 The bullwhip effect. *Management Science*, 43 (4), 456-558.
- 39 Liu, G., Shah, R. & Schroeder, R.G., 2012. The relationships among functional integration,
40 mass customisation, and firm performance. *International Journal of Production*
41 *Research*, 50 (3), 677-690.
- 42 Lorentz, H., Töyli, J., Solakivi, T., Hälinen, H. & Ojala, L., 2012. Effects of geographic
43 dispersion on intra-firm supply chain performance. *Supply Chain Management: An*
44 *International Journal*, 17 (6), 611-626.
- 45 Malhotra, M.K. & Grover, V., 1998. An assessment of survey research in pom: From
46 constructs to theory. *Journal of Operations Management*, 16, 407-425.
- 47 Malhotra, N.K., Kim, S.S. & Patil, A., 2006. Common method variance in is research: A
48 comparison of alternative approaches and a reanalysis of past research. *Management*
49 *Science*, 52 (12), 1865-1883.
- 50 Manuj, I. & Mentzer, J.T., 2008. Global supply chain risk management strategies.
51 *International Journal of Physical Distribution & Logistics Management*, 38 (3), 192-
52 223.
- 53
54
55
56
57
58
59
60

- 1
2
3 Mason-Jones, R. & Towill, D.R., 2000. Coping with uncertainty: Reducing "bullwhip"
4 behaviour in global supply chains. *Supply Chain Forum: An International Journal*, 1,
5 40-45.
- 6 Naor, M., Linderman, K. & Schroeder, R., 2010. The globalization of operations in eastern
7 and western countries: Unpacking the relationship between national and
8 organizational culture and its impact on manufacturing performance. *Journal of*
9 *Operations Management*, 28 (3), 194-205.
- 10 Nunnally, J.C., 1978. *Psychometric theory*, 2nd ed. New Delhi: Tata McGraw-Hill.
- 11 Podsakoff, P.M., Mackenzie, S.B., Lee, J.Y. & Podsakoff, N.P., 2003. Common method
12 biases in behavioral research: A critical review of the literature and recommended
13 remedies. *Journal of Applied Psychology*, 88, 879-903.
- 14 Premkumar, G., Ramamurthy, K. & Saunders, C.S., 2005. Information processing view of
15 organisations: An exploratory examination of fit in the context of interorganisational
16 relationships. *Journal of Management Information Systems*, 22 (1), 257-294.
- 17 Rosenzweig, E.D. & Roth, A.V., 2004. Towards a theory of competitive progression:
18 Evidence from high-tech manufacturing. *Production and Operations Management*, 13
19 (4), 354-368.
- 20 Shah, R. & Goldstein, S.M., 2006. Use of structural equation modeling in operations
21 management research: Looking back and forward. *Journal of Operations*
22 *Management*, 24 (2), 148-169.
- 23 Sheffi, Y. & Rice Jr, J.B., 2005. A supply chain view of the resilient enterprise. *MIT Sloan*
24 *Management review*, 47 (1).
- 25 Simangunsong, E., Hendry, L.C. & Stevenson, M., 2012. Supply-chain uncertainty: A review
26 and theoretical foundation for future research. *International Journal of Production*
27 *Research*, 50 (16), 4493-4523.
- 28 Smith, K.G., Grimm, C.M., Gannon, M.J. & Chen, M.-J., 1991. Organizational information
29 processing, competitive responses, and performance in the u.S. Domestic airline
30 industry. *Academy of Management Journal*, 34 (1), 60-85.
- 31 Sodhi, M.S., Son, B.-G. & Tang, C.S., 2012. Researchers' perspectives on supply chain risk
32 management. *Production and Operations Management*, 21 (1), 1-13.
- 33 Stecke, K.E. & Kumar, S., 2009. Sources of supply chain disruptions, factors that breed
34 vulnerability, and mitigating strategies. *Journal of Marketing Channels*, 16 (3), 193-
35 226.
- 36 Stock, G.N., Greis, N.P. & Kasarda, J.D., 2000. Enterprise logistics and supply chain
37 structure: The role of fit. *Journal of Operations Management*, 18, 531-547.
- 38 Stringfellow, A., Teagarden, M.B. & Nie, W., 2008. Invisible costs in offshoring services
39 work. *Journal of Operations Management*, 26 (2), 164-179.
- 40 Tang, C.S., 2006. Robust strategies for mitigating supply chain disruptions. *International*
41 *Journal of Logistics Research and Applications*, 9 (1), 33-45.
- 42 Thun, J.-H., Drüke, M. & Hoenig, D., 2011. Managing uncertainty – an empirical analysis of
43 supply chain risk management in small and medium-sized enterprises. *International*
44 *Journal of Production Research*, 49 (18), 5511-5525.
- 45 Trentin, A., Forza, C. & Perin, E., 2011. Organisation design strategies for mass
46 customisation: An information-processing-view perspective. *International Journal of*
47 *Production Research*, 50 (14), 3860-3877.
- 48 Tushman, M.L. & Nadler, D.A., 1978. Information processing as an integrating concept in
49 organizational design. *The Academy of Management Review*, 3 (3), 613-624.
- 50 Vachon, S., Halley, A. & Beaulieu, M., 2009. Aligning competitive priorities in the supply
51 chain: The role of interactions with suppliers. *International Journal of Operations &*
52 *Production Management*, 29 (4), 322-340.
- 53
54
55
56
57
58
59
60

- 1
2
3 Vachon, S. & Klassen, R.D., 2002. An exploratory investigation of the effects of supply
4 chain complexity on delivery performance. *IEEE Transactions on Engineering*
5 *Management*, 49 (3), 218-230.
- 6 Wagner, S.M. & Bode, C., 2006. An empirical investigation into supply chain vulnerability.
7 *Journal of Purchasing and Supply Management*, 12 (6), 301-312.
- 8 Wagner, S.M. & Neshat, N., 2010. Assessing the vulnerability of supply chains using graph
9 theory. *International Journal of Production Economics*, 126 (1), 121-129.
- 10 Wagner, S.M. & Neshat, N., 2011. A comparison of supply chain vulnerability indices for
11 different categories of firms. *International Journal of Production Research*, 50 (11),
12 2877-2891.
- 13
14 Yang, B. & Yang, Y., 2009. Postponement in supply chain risk management: A complexity
15 perspective. *International Journal of Production Research*, 48 (7), 1901-1912.
- 16 Zhang, D., Linderman, K. & Schroeder, R.G., 2012. The moderating role of contextual
17 factors on quality management practices. *Journal of Operations Management*, 30 (1),
18 12-23.
- 19 Zhuo, Z., Hongyuan, Q. & Lin, W., Year. A measurement of organizational complexity and
20 its impact on quality economics — a grey perspectiveed.^eds. *Grey Systems*
21 *and Intelligent Services, 2009. GSIS 2009. IEEE International Conference on*, 783-
22 787.
- 23
24 Zsidisin, G.A. & Wagner, S.M., 2010. Do perceptions become reality? The moderating role
25 of supply chain resiliency on disruption occurrence. *Journal of Business Logistics*, 31
26 (2), 1-20.
- 27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60