

Article 25fa pilot End User Agreement

This publication is distributed under the terms of Article 25fa of the Dutch Copyright Act (Auteurswet) with explicit consent by the author. Dutch law entitles the maker of a short scientific work funded either wholly or partially by Dutch public funds to make that work publicly available for no consideration following a reasonable period of time after the work was first published, provided that clear reference is made to the source of the first publication of the work.

This publication is distributed under The Association of Universities in the Netherlands (VSNU) 'Article 25fa implementation' pilot project. In this pilot research outputs of researchers employed by Dutch Universities that comply with the legal requirements of Article 25fa of the Dutch Copyright Act are distributed online and free of cost or other barriers in institutional repositories. Research outputs are distributed six months after their first online publication in the original published version and with proper attribution to the source of the original publication.

You are permitted to download and use the publication for personal purposes. All rights remain with the author(s) and/or copyrights owner(s) of this work. Any use of the publication other than authorised under this licence or copyright law is prohibited.

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please contact the Library through email: copyright@ubn.ru.nl, or send a letter to:

University Library
Radboud University
Copyright Information Point
PO Box 9100
6500 HA Nijmegen

You will be contacted as soon as possible.

- Carr, D. (2006). The significance of music for the moral and spiritual cultivation of virtue. *Philosophy of Music Education Review*, 14(2), 103–117.
- Chao, Y. R. (1956). Tone, intonation, singsong, chanting, recitative, tonal composition, and atonal composition in Chinese. In M. Halle, H. G. Lunt, H. McLean & C. H. Van Schooneveld (Eds.), *For Roman Jakobson: Essays on the occasion of his sixtieth birthday* (pp. 52–59). Morton.
- Lai, T. C., & Mok, R. (1981). *Jade flute: The story of Chinese music*. Swindon Book.
- Lindqvist, C. (2006). *Qin*. Albert Bonniers.
- Liu, J. (2014). Art and aesthetics of music in classical Confucianism. In V. Shen (Ed.), *Dao companion to classical Confucian philosophy* (pp. 227–244). Springer. https://doi.org/10.1007/978-90-481-2936-2_10.
- Pian, R. C. (2000). Tone and tone: Applying musical elements to Chinese words. *Journal of Chinese Linguistics*, 28(2), 181–200.
- Ross, D., Choi, J., & Purves, D. (2007). Musical intervals in speech. *Proceedings of the National Academy of Sciences*, 104(23), 9852–9857. <https://doi.org/10.1073/pnas.0703140104>.
- Schellenberg, M. (2012). Does language determine music in tone languages? *Ethnomusicology*, 56(2), 266–278.
- Tien, A. (2015). *The semantics of Chinese music: Analysing selected Chinese musical concepts*. John Benjamins.
- Van Gulik, R. H. (2011). *Lore of the Chinese lute* (3rd ed.). Orchid Press.
- Wang, W. S.-Y. (1973). The Chinese language. *Scientific American*, 228(2), 50–63.
- Wee, L.-H. (2007). Unraveling the relation between Mandarin tones and musical melody. *Journal of Chinese Linguistics*, 35(1), 128–144.

Sound sleep: Lullabies as a test case for the neurobiological effects of music

Miriam Akkermann^a , Ugur Can Akkaya^a,
Cagatay Demirel^b, Dirk Pflüger^c  and Martin Dresler^b 

^aInstitute of Art and Music, TU Dresden, D-01062 Dresden, Germany; ^bDonders Institute, Radboudumc, Nijmegen, Netherlands and ^cSysteme (IPVS), Universität Stuttgart, 70569, Germany.
miriam.akkermann@tu-dresden.de; <https://tu-dresden.de/gsw/phil/ikm/das-institut/muwi>; u.c.akkaya@gmail.com; caghangir@gmail.com; Dirk.Pflueger@ipvs.uni-stuttgart.de; <https://www.ipvs.uni-stuttgart.de/departments/sc/>; martin.dresler@donders.ru.nl; <https://dreslerlab.org>

doi:10.1017/S0140525X20001259, e96

Abstract

Music is part of the cultural practice and, at the same time, is interwoven with biology through its effects on the brain and its likely evolutionary origin. Studies on music, however, are traditionally based on the humanities and often carried out in a purely historical context, without much input from neuroscience and biology. Here, we argue that lullabies are a particularly suited test case to study the biological versus cultural aspects of music.

Music is traditionally studied in historical contexts as part of the cultural practice, but also regarding its social and cultural contexts (see among others, Kramer, 1990, 2001). A fundamental question tapping into diverse fields of research is how music affects the listener. This has been examined from a historic and socio-cultural perspective (e.g., Kassabian, 2013), but gained particular interest in psychology and biology (Prince, 1972). Three distinct underlying dimensions for listening to music have been proposed: to achieve self-awareness, to express social relatedness, and to regulate mood and arousal (Schäfer, Sedlmeier, Städtler, & Huron,

2013). In particular, the latter requires biological investigations, which, however, are still sparse.

A well-known example of the effects music can have on the human mind, behavior, and brain are the soothing effects of lullabies, which are known and used across human cultures and historical ages. In their target articles, Savage et al. and Mehr et al. discuss lullabies for infants as examples for music that especially fosters bonding, showing evidence for both a one-by-one level bonding promoting group cohesion, and evidence that this effect can be found at a cross cultural level. Musical features in lullabies throughout centuries show cross-culturally consistent aspects fostering the feeling of being socially secure, which goes together with soothing effects for the babies, and they even work in the case of unfamiliar foreign lullabies (see e.g., Bainbridge & Bertolo et al. 2021; Sands & Sekaquaptewa, 1978; Spitz, 1979; Trehub, Unyk, & Trainor, 1993). This suggests that musical effects likely involve a strong biological component. In fact, lullabies can be seen as particularly suited to be studied as examples for musical effects on the biological level: their intentional aim is a change in the physiological state of the recipient, from wakefulness to sleep.

Importantly, lullabies work for infants as well as for adults – the market for relaxation/relax music/sounds, sleep (aid) music, or deep/easy/healing sleep music has again come into focus and is commercially growing with the COVID-19 crisis in 2020, being reviewed regularly also in major newspapers (see e.g., Chow, 2020; Times Staff, 2020). From a practical research perspective, the effects of lullabies can thus conveniently be studied in the most easily available research population, namely young adults.

That music can indeed exert “somnogenic” effects is backed up by a body of empirical research. A number of studies have demonstrated therapeutic effects of music in cases of sleep disorders (for a review and meta-analysis see Feng et al., 2018; Jespersen, Otto, Kringelbach, Someren, & Vuust, 2019; Wang, Sun, & Zang, 2014). Also in healthy volunteers, music has been shown to affect sleep quality as assessed by questionnaires (e.g., Chang, Lai, Chen, Hsieh, & Lee, 2012; Field, 1999; Harmat, Takács, & Bódizs, 2007; Johnson, 2003; Lai & Good, 2005; Lamboley, 1998; Trahan, Durrant, Müllensiefen, & Williamson, 2018).

As a more objective measure, several studies in recent years have used polysomnography to test the effects of music on the brain (e.g., Chen et al., 2014; Cordi, Ackermann, & Rasch, 2019; DuRousseau, Mindlin, Insler, & Levin, 2011; Loewy, Hallan, Friedman, & Martinez, 2005). Sleep is a physiologically exceptionally well characterized state in which even subtle changes can be robustly detected, in the absence of motor artifacts that would be difficult to avoid in awake music listeners. Oscillatory patterns in the sleep electroencephalogram (EEG) such as an increase in theta activity and a disappearance of alpha activity can be used as objective markers of the process of falling asleep, whereas slow wave activity can be used as an objectively quantifiable indicator of sleep depth (Chen et al., 2014; Cordi et al., 2019; Lazic & Ogilvie, 2007). Beyond the effects of music before sleep and during transition phases, different kinds of acoustic stimulation are increasingly used during sleep to enhance sleep depth (Ngo, Martinez, Born, & Mölle, 2013) or cognitive functions of sleep (Hu, Cheng, Chiu, & Paller, 2020).

Beyond these advantages of lullabies as test cases for the neurobiological effects of music, two obstacles have to be noted. First, classical music repertoire includes an abundance of lullabies, and the contemporary music market provides an even broader

plethora of soothing music. The choice for specific lullaby candidates is thus often based on heuristics rather than systematic evaluation (Cordi et al., 2019; Loewy, 2020; but see Trahan et al., 2018). Second, full polysomnography in the sleep laboratory as the gold standard of sleep research is effortful and costly, thus restricting the scope of a more systematic investigation. However, recent advances in sleep technology and computer science provide promising options to overcome these limitations: A growing market of sleep wearables including convenient sleep EEG headbands allow for the large-scale, low-cost acquisition of longitudinal sleep data with considerable samples sizes (Depner et al., 2020; Scott, Lack, & Lovato, 2020). Resulting big sleep data sets can, in turn, be processed with (semi-)automatic machine-learning-based analysis pipelines (see e.g., sleeptrip.org). These possibilities enable novel interdisciplinary approaches to the study of music: Historically, sociologically, and psychologically informed sets of candidate lullabies can be tested in large populations using wearable sleep recording technology. The resulting large-scale data sets can be analyzed with machine-learning approaches to extract particularly effective somnogenic musical features, which, in turn, can be fed back into traditional musicological analysis. Overall, lullabies can thus be considered an ideal musical genre to elucidate the associations and differences between neurobiological and cultural aspects of music.

Note

Cagatay Demirel's name was misspelled in the original online version of this commentary. This has been corrected here and a corrigendum has been published.

Financial support. This study was supported by *Die Junge Akademie* of the German National Academy of Sciences.

Conflict of interest. None.

References

- Bainbridge, C. M., Bertolo, M., Youngers, J., Atwood, S., Yurdum, L., Simson, J., ... Mehr, S. A. (2021). Infants relax in response to unfamiliar foreign lullabies. *Nature Human Behaviour*, 5(2), 256–64. doi: [10.1038/s41562-020-00963-z](https://doi.org/10.1038/s41562-020-00963-z).
- Chang, E. T., Lai, H. L., Chen, P. W., Hsieh, Y. M., & Lee, L. H. (2012). The effects of music on the sleep quality of adults with chronic insomnia using evidence from polysomnographic and self-reported analysis: A randomized control trial. *International Journal of Nursing Studies*, 49(8), 921–930.
- Chen, C. K., Pei, Y. C., Chen, N. H., Huang, L. T., Chou, S. W., Wu, K. P., ... Wu, C. K. (2014). Sedative music facilitates deep sleep in young adults. *The Journal of Alternative and Complementary Medicine*, 20(4), 312–317.
- Chow, A. R. (2020). How music could become a crucial part of your sleep hygiene. Time. <https://time.com/5844980/sleep-music/>.
- Cordi, M. J., Ackermann, S., & Rasch, B. (2019). Effects of relaxing music on healthy sleep. *Scientific Reports*, 9(9079). doi: [10.1038/s41598-019-45608-y](https://doi.org/10.1038/s41598-019-45608-y).
- Depner, C. M., Cheng, P. C., Devine, J. K., Khosla, S., de Zambotti, M., Robillard, R., ... Drummond, S. P. A. (2020). Wearable technologies for developing sleep and circadian biomarkers: A summary of workshop discussions. *Sleep*, 43(2), zsz254. doi: [10.1093/sleep/zsz254](https://doi.org/10.1093/sleep/zsz254).
- DuRousseau, D. R., Mindlin, G., Insler, J., & Levin, I. (2011). Operational study to evaluate music-based neurotraining at improving sleep quality, mood and daytime function in a first responder population. *Journal of Neurotherapy: Investigations in Neuromodulation, Neurofeedback and Applied Neuroscience*, 15(4), 389–398.
- Feng, F., Zhang, Y., Hou, J., Jiyai, C., Jiang, Q., Li, X., Zhao, Q., & Li, B.-A. (2018). Can music improve sleep quality in adults with primary insomnia? A systematic review and network meta-analysis. *International Journal of Nursing Studies*, 77, 189–196. <https://doi.org/10.1016/j.ijnurstu.2017.10.011>.
- Field, T. (1999). Music enhances sleep in preschool children. *Early Child Development and Care*, 150(1), 65–68.
- Harmat, L., Takács, J., & Bódizs, R. (2007). Music improves sleep quality in students. *Journal of Advanced Nursing*, 62(3), 327–335.
- Hu, X., Cheng, L. Y., Chiu, M. H., & Paller, K. A. (2020). Promoting memory consolidation during sleep: A meta-analysis of targeted memory reactivation. *Psychological Bulletin*, 146(3), 218–244. <https://doi.org/10.1037/bul0000223>.
- Jespersen, K. V., Otto, M., Kringelbach, M., Someren, E. V., & Vuust, P. (2019). A randomized controlled trial of bedtime music for insomnia disorder. *Journal of Sleep Research*, 28(4), e12817.
- Johnson, J. E. (2003). The use of music to promote sleep in older women. *Journal of Community Health Nursing*, 20(1), 27–35.
- Kassabian, A. (2013). *Ubiquitous listening. Affect, attention, and distributed subjectivity*. University of California Press.
- Kramer, L. (1990). *Music as cultural practice, 1800–1900*. University of California Press.
- Kramer, L. (2001). *Musical meaning: Toward a critical history*. University of California Press.
- Lai, H.-L., & Good, M. (2005). Music improves sleep quality in older adults. *Journal of Advanced Nursing*, 49(3), 234–244.
- Lambole, D. (1998). *Einschlafen und durchschlafen – ohne Medikamente. Wirksame natürliche Methoden, gesunden Schlaf zu finden*. Herder.
- Lazic, S. E., & Ogilvie, R. D. (2007). Lack of efficacy of music to improve sleep: A polysomnographic and quantitative EEG analysis. *International Journal of Psychophysiology*, 63(3), 232–239.
- Loewy, J. (2020). Music therapy as a potential intervention for sleep improvement. *Nature and Science of Sleep*, 12, 1–3. <https://doi.org/10.2147/NSS.S194938>.
- Loewy, J., Hallan, C., Friedman, E., & Martinez, C. (2005). Sleep/sedation in children undergoing EEG testing: A comparison of chloral hydrate and music therapy. *Journal of PeriAnesthesia Nursing*, 20(5), 323–332.
- Ngo, H.-V., Martinez, T., Born, J., & Mölle, M. (2013). Auditory closed-loop stimulation of the sleep slow oscillation enhances memory. *Neuron*, 87(3), 545–553. doi: [10.1016/j.neuron.2013.03.006](https://doi.org/10.1016/j.neuron.2013.03.006).
- Prince, W. F. (1972). A paradigm for research on music listening. *Journal of Research in Music Education*, 20(4), 445–455. <https://doi.org/10.2307/3343802>.
- Sands, K. M., & Sekaquaptewa, E. (1978). Four Hopi lullabies: A study in method and meaning. *American Indian Quarterly*, 4(3), 195–210. <https://doi.org/10.2307/1184620>.
- Schäfer, T., Sedlmeier, P., Städtler, C., & Huron, D. (2013). The psychological functions of music listening. *Front Psychology*, 4(511), 1–33. <https://doi.org/10.3389/fpsyg.2013.00511>.
- Scott, H., Lack, L., & Lovato, N. (2020). A systematic review of the accuracy of sleep wearable devices for estimating sleep onset. *Sleep Medicine Review*, 49, 101227. doi: [10.1016/j.smrv.2019.101227](https://doi.org/10.1016/j.smrv.2019.101227).
- Spitz, S. A. (1979). Social and psychological themes in east Slavic folk lullabies. *Slavic and East. The Slavic and East European Journal*, 23(1), 14–24. <https://doi.org/10.2307/307796>.
- Times Staff. (2020). The best music to help you fall asleep and combat coronavirus anxiety. Los Angeles Times. <https://www.latimes.com/entertainment-arts/music/story/2019-07-25/la-et-ms-sleep-insomnia-best-music>.
- Trahan, T., Durrant, S. J., Müllensiefen, D., & Williamson, V. J. (2018). The music that helps people sleep and the reasons they believe it works: A mixed methods analysis of online survey reports. *PLoS ONE*, 13(11), e0206531. <https://doi.org/10.1371/journal.pone.0206531>.
- Trehub, S. E., Unyk, A. M., & Trainor, L. J. (1993). Adults identify infant-directed music across cultures. *Infant Behavior and Development*, 16(2), 193–211. [https://doi.org/10.1016/0163-6383\(93\)80017-3](https://doi.org/10.1016/0163-6383(93)80017-3).
- Wang, C. F., Sun, Y. L., & Zang, H. X. (2014). Music therapy improves sleep quality in acute and chronic sleep disorders: A meta-analysis of 10 randomized studies. *International Journal of Nursing Studies*, 51(1), 51–62.

Progress without exclusion in the search for an evolutionary basis of music

Daniel L. Bowling^a, Marisa Hoeschele^{b,c} and Jacob C. Dunn^{c,d,e}

^aStanford University School of Medicine, Stanford, CA 94306, USA; ^bAcoustic Research Institute, Austrian Academy of Sciences, 1040 Vienna, Austria;

^cDepartment of Cognitive Biology, University of Vienna, 1090 Vienna, Austria;

^dBehavioral Ecology Research Group, Anglia Ruskin University, Cambridge CB1 1PT, UK and ^eBiological Anthropology, University of Cambridge, Cambridge CB2 1QH, UK.

dbowling@stanford.edu; <https://profiles.stanford.edu/daniel-bowling>
marisa.hoeschele@oeaw.ac.at; <https://tinyurl.com/marisahoeschele>
jacob.dunn@aru.ac.uk; <https://aru.ac.uk/people/jacob-c-dunn>

doi:10.1017/S0140525X20001466, e97